

شركة السمرا لتوليد الكهرباء
عطاء 23/2025 توريد قطع غيار مولدات لمحطة الريشة

Line	Description	Quantity	UOM
1	GT 4 , SLOT WEDGE, P/N: D39302828P60, PDWG: C.R-39600054G01	55	Each
2	GT 4 , CONDUCT.PAINT STAT.BARS STR.SEC., P/N: 2Z18512049, PDWG: C.R-39600054G01	1	Liter
3	GT 4 , 2014-1 A+B ARLDITE, P/N: 2Z18564350, PDWG: C.R-39600054G01	0.84	Kilogram
4	GT 4 , ETHYL ACETATE, P/N: 2Z17714113, PDWG: C.R-39600054G01	2	Liter
5	GT 4 , SI450-648 GREASE, P/N: 2Z18375001, PDWG: C.R-39600054G01	2	Kilogram
6	GT 4 , RIPPLE SPRING 205,5X22, P/N: D39404765P10, PDWG: C.R-39600054G01	110	Each
7	GT 4 , RIPPLE SPRING 211X22, P/N: D39404765P20, PDWG: C.R-39600054G01	440	Each
8	GT 4 , RIPPLE SPRING 218,5X22, P/N: D39404765P30, PDWG: C.R-39600054G01	110	Each
9	GT 4 , RIPPLE SPRING 248,5X22, P/N: D39404765P40, PDWG: C.R-39600054G01	110	Each
10	GT 4 , SLOT WEDGE, P/N: D39302828P10, PDWG: C.R-39600054G01	110	Each
11	GT 4 , SLOT WEDGE, P/N: D39302828P20, PDWG: C.R-39600054G01	330	Each
12	GT 4 , SLOT WEDGE, P/N: D39302828P30, PDWG: C.R-39600054G01	110	Each
13	GT 4 , SLOT WEDGE, P/N: D39302828P40, PDWG: C.R-39600054G01	55	Each
14	GT 4 , SLOT WEDGE, P/N: D39302828P50, PDWG: C.R-39600054G01	110	Each
15	GT 4 , S2 FINISHING VARNISH, P/N: 2Z18512070, PDWG: MAJ2-39600054G01	2	Liter
16	GT 4 , R4 ANTI-FLASH PAINT, P/N: 2Z18512050, PDWG: MAJ2-39600054G01	2	Liter
17	GT 4 , ALCHEMIE RESIN EP521, P/N: 2Z18564001, PDWG: MAJ2-39600054G01	2	Kilogram
18	GT 4 , RUTADUR SG HARDENER, P/N: 2Z18564866, PDWG: MAJ2-39600054G01	0.5	Kilogram
19	GT 4 , SCOTCH-WELD (TM) 847 1L GLUE, P/N: 2Z18181132, PDWG: MAJ2-39600054G01	2	Each
20	GT 4 , CONDUCT.PAINT STAT.BARS STR.SEC., P/N: 2Z18512049, PDWG: C.L-39600054G01	15	Liter
21	GT 4 , ETHYL ACETATE, P/N: 2Z17714113, PDWG: C.L-39600054G01	5	Liter
22	GT 4 , WEDGE EP0.5 X 500X 142, P/N: PLQ.STFCOND072, PDWG: C.L-39600054G01	55	Each
23	GT 4 , TREP SPRING 4L 16, P/N: 2Z21253322, PDWG: MAJ2-69100214G01	6	Each
24	GT 4 , ADJUSTING SHIM, P/N: D36403616P30, PDWG: MAJ2-69100214G01	36	Each
25	GT 4 , ADJUSTING SHIM, P/N: D36403616P40, PDWG: MAJ2-69100214G01	36	Each



شركة السمر لتوليد الكهرباء
عطاء 23/2025 توريد قطع غيار مولدات لمحطة الريشة

Line	Description	Quantity	UOM
26	GT 4 , ADJUSTING SHIM, P/N: D36403616P50, PDWG: MAJ2-69100214G01	36	Each
27	GT 4 , RIGHT ANGLE LOCK 8, P/N: 2Z21275306, PDWG: MAJ2-69100214G01	12	Each
28	GT 4 , DEFLECTOR IN 2 PARTS, P/N: D36403634000, PDWG: MAJ2-69100214G01	1	Each
29	GT 4 , INSULATING WASHER, P/N: D36401183000, PDWG: MAJ2-69100214G01	1	Each
30	GT 4 , RUBBER PFL JOINT, P/N: 2Z17115958, PDWG: MAJ2-69100214G01	2	Meter
31	GT 4 , SECTION GASKET, P/N: D36800068000, PDWG: MAJ2-69100214G01	3.5	Meter
32	GT 4 , ADJUSTING SHIM, P/N: D36403616P10, PDWG: MAJ2-69100214G01	40	Each
33	GT 4 , ADJUSTING SHIM, P/N: D36403616P20, PDWG: MAJ2-69100214G01	40	Each
34	GT 4 , RTGL TAB WASHER INOX DN.12-7, P/N: 2127553B, PDWG: MAJ1-36101265G01	8	Each
35	GT 4 , TREP 4L 12 SPRING, P/N: 2Z21253318, PDWG: MAJ1-36101265G01	8	Each
36	GT 4 , LOCK, P/N: D36400072000, PDWG: MAJ2-36301804G01	5	Each
37	GT 4 , SCREW H M30X65 CLASS 10.9 FT, P/N: 21436CJB, PDWG: MAJ2-36301804G01	10	Each
38	GT 4 , PIN D27X60, P/N: D36403480P50, PDWG: MAJ2-36301804G01	4	Each
39	GT 4 , PIN D30X60, P/N: D36403480P70, PDWG: MAJ2-36301804G01	1	Each
40	GT 4 , RIGHT ANGLE LOCK 10, P/N: 2Z21275307, PDWG: VIS-36201384G01	10	Each
41	GT 4 , RIGHT ANGLE LOCKPLATE 14 ST.ST., P/N: 2Z21275309, PDWG: VIS-36201384G01	2	Each
42	GT 4 , 2407-02 VARNISH, P/N: 2Z18547407, PDWG: MIN-69200235G01	1	Liter
43	GT 4 , SCOTCH-WELD (TM) 847 1L GLUE, P/N: 2Z18181132, PDWG: MIN-69200235G01	1	Each
44	GT 4 , TREP SPRING TREP 4L 8, P/N: 2Z21253314, PDWG: MIN-69200235G01	13	Each
45	GT 4 , MAGN CIRCUIT SEAL, P/N: D39700879000, PDWG: MIN-69200235G01	3.5	Meter
46	GT 4 , NUT MHT 80/108 M8 PAS 1.25, P/N: 2Z21371408, PDWG: MAJ1-36101230G01	8	Each
47	GT 4 , SQ WASHER LOCK 5, P/N: 2Z21275204, PDWG: MAJ1-36101230G01	6	Each
48	GT 4 , BRUSH "QUALITY OMC", P/N: D38145378P0002, PDWG: MAJ1-36101230G01	2	Each
49	GT 4 , ADJUSTING PLATE THK. 0.5, P/N: D39400842P10, PDWG: MAJ2-39100171G01	4	Each
50	GT 4 , WASHER TH. 16 X 88 X 55.4, P/N: RDL.EPGM203X110, PDWG: MAJ2-39100171G01	4	Each
51	GT 4 , LOCTITE 5926, P/N: 2Z18463206, PDWG: MAJ2-39100171G01	2	Each



شركة السمرا لتوليد الكهرباء
عطاء 23/2025 توريد قطع غيار مولدات لمحطة الريشة

Line	Description	Quantity	UOM
52	GT 4 , 13010 0M00 VARNISH, P/N: 2Z18545100, PDWG: MAJ2-39100171G01	0.5	Kilogram
53	GT 4 , CONICAL ISOLATE PIN, P/N: D39404930000, PDWG: MAJ2-39100171G01	2	Each
54	GT 4 , BEARING DEFLECTOR WITH BOLTING, P/N: D38R46174P20, PDWG: MAJ2-39100171G01	2	Each
55	GT 4 , ADJUSTING PLATE THK. 1, P/N: D39400842P20, PDWG: MAJ2-39100171G01	4	Each
56	GT 4 , ADJUSTING PLATE THK. 2, P/N: D39400842P30, PDWG: MAJ2-39100171G01	4	Each
57	GT 4 , WASHER TH 3 X 40X 9, P/N: RDL.S235JR/005, PDWG: MAJ2-39100171G01	2	Each
58	GT 4 , ISOLATE BEARING PLATE, P/N: D39400844000, PDWG: MAJ2-39100171G01	2	Each
59	GT 4 , PIPE 53.8 X 42.5 LG 100, P/N: TB.EPGC22X113, PDWG: MAJ2-39100171G01	4	Each
60	GT 4 , SENSOR FIXATION SCREW, P/N: D39E40006R10, PDWG: MAJ1-39300335000	6	Each
61	GT 4 , D40 WHITE SPIRIT, P/N: 2Z18581629, PDWG: MIN-39600075000	20	Liter
62	GT 4 , EXT. TOOTH LOCK WASHER M 8, P/N: 2Z21255714, PDWG: MIN-39600075000	30	Each
63	GT 4 , CLOSING PLATE GASKET, P/N: D39405409P10, PDWG: MIN-39600075000	3	Each
64	GT 4 , CLOSING PLATE GASKET, P/N: D39405409P20, PDWG: MIN-39600075000	2	Each
65	GT 4 , 3C08B3C2 RUBBER ADHES.IFACE 50X4, P/N: 2Z18183310, PDWG: MIN-39600075000	10	Meter
66	GT 4 , SEAL EP2 Diam 61X 24, P/N: JT.PGX30X077, PDWG: MAJ2-39300359G01	2	Each
67	GT 4 , WASHER EP5 X 110X 160, P/N: RDL.EPGC203X068, PDWG: MAJ2-39300359G01	1	Each
68	GT 4 , SIKAFLEX PUTTY PRO GREY, P/N: 2Z18566084, PDWG: MAJ2-39300359G01	2	Each
69	GT 4 , 13010 0M00 VARNISH, P/N: 2Z18545100, PDWG: MAJ2-39300359G01	0.5	Kilogram
70	GT 4 , PIPE 14 X 17.8 LG 55, P/N: TB.EPGC22/080, PDWG: MAJ2-39300359G01	8	Each
71	GT 4 , WASHER EP6.3 X 40X 18, P/N: RDL.EPGM203/026, PDWG: MAJ2-39300359G01	8	Each



شركة السمرا لتوليد الكهرباء
عطاء 23/2025 توريد قطع غيار مولدات لمحطة الريشة

Line	Description	Quantity	UOM
72	GT 4 , TUBE WEB RUB 60X69.8, P/N: 2Z17117580, PDWG: MAJ2-39300359G01	0.4	Meter
73	GT 4 , COLLAR SERFLEX 62A82 W14, P/N: 2Z22248170, PDWG: MAJ2-39300359G01	2	Each
74	GT 4 , WASHER EP5 X 61 24, P/N: RDL.EPGC203X069, PDWG: MAJ2-39300359G01	1	Each
75	GT 4 , PIPE 13.8X 10 LG 50, P/N: TB.EPGC22X004, PDWG: MAJ2-39300359G01	4	Each
76	GT 4 , WASHER EP6.3 X 30X 14, P/N: RDL.EPGM203/034, PDWG: MAJ2-39300359G01	4	Each
77	GT 4 , SEAL EP2 Diam 160X 110, P/N: JT.PGX30X078, PDWG: MAJ2-39300359G01	2	Each
78	GT 4 , VEEGLASS D87849 LG 3 M, P/N: LG.16751053/004, PDWG: MAJ2-39600590000	1	Each
79	GT 4 , SIKAFLEX PUTTY PRO GREY, P/N: 2Z18566084, PDWG: MAJ2-39600590000	2	Each
80	GT 4 , WASHER JZC 6, P/N: 2Z21255814, PDWG: MAJ2-39600590000	12	Each
81	GT 4 , SEAL 279 A 1159P1, P/N: D38137830000, PDWG: MAJ2-39600590000	200	Meter
82	GT 4 , EARTH BRAID LG 225, P/N: D39406521P20, PDWG: MAJ2-39600590000	1	Each
83	GT 4 , EARTH BRAID LG 525, P/N: D39406521P10, PDWG: MAJ2-39600590000	1	Each
84	GT 4 , FLTR MEDIA 610X610X50, P/N: D39700522R11, PDWG: VIS-39200272G01	12	Each
85	GT 4 , FLTR MEDIA 610X305X50, P/N: D39700522R21, PDWG: VIS-39200272G01	12	Each
86	GT 4 , 2014-I A+B ARALDITE, P/N: 2Z18564350, PDWG: MAJ1-39601691G01	2	Kilogram
87	GT 4 , WASHER CDJ 10-20-I, P/N: 2Z21255780, PDWG: MAJ1-39601691G01	48	Each
88	GT 4 , WASHER JZC 12X24X1, P/N: 2Z21255831, PDWG: MAJ1-39601691G01	48	Each
89	GT 4 , COUPLING DOUBLE NUT LOCK, P/N: D39400712000, PDWG: MAJ2-39300282G01	21	Each
90	GT 4 , COUPLING SCREW H M42, P/N: D39402354000/0, PDWG: MAJ2-39300282G01	14	Each
91	GT 4 , NUT H M42 CLASSE 8, P/N: 2Z21321043, PDWG: MAJ2-39300282G01	14	Each
92	GT 4 , WEDGE EP0.8 X1232X 325 D2F, P/N: PLQ.EPGC203DX143, PDWG: MAJ2-38201398G01	8	Each



شركة السمرا لتوليد الكهرباء
عطاء 23/2025 توريد قطع غيار مولدات لمحطة الريشة

Line	Description	Quantity	UOM
93	GT 4 , PTR HEMPADUR 1530 GREY, P/N: 18654C03, PDWG: MAJ2-38201398G01	5	Liter
94	GT 4 , HEMPATANE HS 55610 RAL 9017, P/N: 2Z18639B65, PDWG: MAJ2-38201398G01	5	Liter
95	GT 4 , HEMPEL'S THINNER 08080, P/N: 2Z18243378, PDWG: MAJ2-38201398G01	0.5	Liter
96	GT 4 , HEMPEL'S THINNER 08450, P/N: 2Z18243376, PDWG: MAJ2-38201398G01	0.5	Liter
97	GT 4 , SCOTCH-WELD (TM) 847 1L GLUE, P/N: 2Z18181132, PDWG: MAJ2-38201398G01	4	Each
98	GT 4 , 2407-02 VARNISH, P/N: 2Z18547407, PDWG: MAJ2-38201398G01	4	Liter
99	GT 4 , 13010 0M00 VARNISH, P/N: 2Z18545100, PDWG: MAJ2-38201398G01	2	Kilogram
100	GT 4 , 0.025X19 ADHESIVE KAPTON TAPE, P/N: 2Z18521851, PDWG: MAJ2-38201398G01	4	Each
101	GT 4 , GLASS CLOTH TAPE 3M 361, P/N: 2Z16531105, PDWG: MAJ2-38201398G01	6	Each
102	GT 4 , WEDGE THK 1 X 1235 X 325, P/N: PLQ.STFPTFEX022, PDWG: MAJ2-38201398G01	4	Each
103	GT 4 , WEDGE THK 0.76 X1235X325, P/N: PLQ.NOMEXX023, PDWG: MAJ2-38201398G01	8	Each
104	GT 4 , WEDGE THK 1 X 2490 X 35, P/N: PLQ.EPGC203DX144, PDWG: MAJ2-38201398G01	4	Each
105	GT 4 , WEDGE EP0.4 X2478X 15 D2F, P/N: PLQ.EPGC203DX145, PDWG: MAJ2-38201398G01	4	Each
106	GT 4 , WEDGE EP0.8 X2000X1000 D2F, P/N: PLQ.EPGC203DX004, PDWG: MAJ2-38201398G01	3	Each
107	GT 4 , TREP SPRING TREP 4L 8, P/N: 2Z21253314, PDWG: MAJ1-39100199G01	12	Each
108	GT 4 , PIPE 12 X 17.8 LG 22, P/N: TB.EPGC22X115, PDWG: MAJ1-39100199G01	6	Each
109	GT 4 , WASHER EP6.3 X 33X 18, P/N: RDL.EPGC203/043, PDWG: MAJ1-39100199G01	6	Each
110	GT 4 , WEDGE EP6.3 X 650X 100, P/N: PLQ.EPGM203X053, PDWG: MAJ1-39100199G01	1	Each
111	GT 4 , WASHER JZC 12 21120324, P/N: 2Z21255833, PDWG: MAJ1-39100199G01	6	Each



شركة السمرا لتوليد الكهرباء
عطاء 23/2025 توريد قطع غيار مولدات لمحطة الريشة

Line	Description	Quantity	UOM
112	GT 4 , TOOTH LOCK WASHER DEC M 6, P/N: 2Z21255712, PDWG: MAJ1-39100199G01	14	Each
113	GT 4 , EXT. TOOTH LOCK WASHER M 8, P/N: 2Z21255714, PDWG: MAJ1-39100199G01	16	Each
114	GT 4 , DIAPHRAGME WITH2 PARTIES, P/N: D39400913000, PDWG: MAJ1-39100199G01	1	Each
115	GT 4 , LOCK FOR BLADE, P/N: D39400744000, PDWG: MAJ2-39200192G01	26	Each
116	GT 4 , FAN BLADE FIXATION BOLT M20 A3G, P/N: D39402702000/0, PDWG: MAJ2-39200192G01	52	Each
117	GT 4 , TOOTH LOCK WASHER DEC M 6, P/N: 2Z21255712, PDWG: MAJ1-39100199000	2	Each
118	GT 4 , EXT. TOOTH LOCK WASHER M 8, P/N: 2Z21255714, PDWG: MAJ1-39100199000	2	Each
119	GT 4 , CG 651 32X20X45 BRUSH, P/N: 2Z26273116, PDWG: MAJ1-39100199000	1	Each
120	GT 4 , RECTANGULAR LOCK PLATE 8X85, P/N: 2Z21275512, PDWG: MAJ1-39600069G03	48	Each
121	GT 4 , BOARD 3C04/08 RUBBER 4X50, P/N: 2Z17121332, PDWG: MAJ1-39600069G03	50	Meter
122	GT 4 , TREP SPRING TREP 4L 8, P/N: 2Z21253314, PDWG: MAJ1-39600069G03	32	Each
123	GT 4 , DEFLECTOR, P/N: D39400784P20, PDWG: MAJ1-39100158G01	6	Each
124	GT 4 , TREP SPRING TREP 4L 10, P/N: 2Z21253316, PDWG: MAJ1-39100158G01	5	Each
125	GT 4 , TREP SPRING TREP 4L 8, P/N: 2Z21253314, PDWG: MAJ1-39100158G01	40	Each
126	GT 4 , DIA 6 4L TREP TYPE SPRING, P/N: 2Z21253312, PDWG: MAJ1-39100158G01	2	Each
127	GT 4 , O SECTION SYNTH RBR 7, P/N: 2Z17111317, PDWG: MAJ1-39100158G01	2	Meter
128	GT 5 , BOLT, HEX HD, P/N: N22P23032B, MLI: B3G0	2	Each
129	GT 5 , BOLT, HEX HD, P/N: N22P23032B, MLI: B3F0	2	Each
130	GT 5 , NUT, ELASTIC STOP, P/N: 04866183P0037, MLI: B3G0	2	Each
131	GT 5 , NUT, ELASTIC STOP, P/N: 04866183P0037, MLI: B3F0	2	Each
132	GT 5 , BOLT, SELF-LOCKING HEX HD, P/N: N22BP29016B, MLI: B3G0	26	Each
133	GT 5 , WASHER, PLAIN - TYPE B, P/N: N402AP75B, MLI: B3F0	26	Each
134	GT 5 , RUB RING 2PCS EQ 1 RING, P/N: 223B6970P0001, MLI: B9X7	2	Each



شركة السمرا لتوليد الكهرباء
عطاء 23/2025 توريد قطع غيار مولدات لمحطة الريشة

Line	Description	Quantity	UOM
135	GT 5 , BOLT, SELF-LOCKING HEX HD, P/N: N22BP25010B, MLI: B9X7	12	Each
136	GT 5 , WASHER, PLAIN - TYPE B, P/N: N402AP73B, MLI: B9X7	26	Each
137	GT 5 , RUB RING MACH, P/N: 224C5669G0001, MLI: B9XB	1	Each
138	GT 5 , RUB RING MACH, P/N: 224C5669G0002, MLI: B9XB	1	Each
139	GT 5 , BOLT, SELF-LOCKING HEX HD, P/N: N22BP29016B, MLI: B9XB	8	Each
140	GT 5 , WASHER, PLAIN - TYPE B, P/N: N402AP45B, MLI: B9XB	16	Each
141	GT 5 , OIL DEFLECTOR - TE, P/N: 112E2835P0001, MLI: B9P0	2	Each
142	GT 5 , OIL DEFLECTOR - CE, P/N: 112E2834P0001, MLI: B9R0	2	Each
143	GT 5 , VIBRATION DETECTOR ASM, P/N: 228C6318G0004, MLI: W112	1	Each
144	GT 5 , SCREW, 12 PT, P/N: N733P44112, MLI: B9PR	8	Each
145	GT 5 , CLIP FOR BRUSH HOLDER, P/N: 08693198P0001, MLI: B4T1	1	Each
146	GT 5 , BOLT, SELF-LOCKING HEX HD, P/N: N22BP21008B, MLI: B4T1	2	Each
147	GT 5 , BOLT, SELF-LOCKING HEX HD, P/N: N22BP29016B, MLI: B4T1	4	Each
148	GT 5 , BOLT, SELF-LOCKING HEX HD, P/N: N22BP23012B, MLI: B4T1	4	Each
149	GT 5 , EXTERNAL TOOTH LOCK WASHER, P/N: N403P25B, MLI: B4T1	2	Each
150	GT 5 , STL PLAIN WASHER, P/N: N402P45B, MLI: B4T1	4	Each
151	GT 5 , WASHER, PLAIN, P/N: N402P42B, MLI: B4T1	4	Each
152	GT 5 , GASKET-NEOPRENE 0.50X3.00, P/N: 313A7331P0004, MLI: B9HG(Feet)	90	Each
153	GT 5 , BOLT, SELF-LOCKING HEX HD, P/N: N22BP33036B, MLI: B9H0	8	Each
154	GT 5 , BOLT, SELF-LOCKING HEX HD, P/N: N22BP33040B, MLI: B9H0	8	Each
155	GT 5 , WASHER, P/N: 114E3669P0008, MLI: B9H0	16	Each
156	GT 5 , BALANCE WEIGHT B4A2A, P/N: 314A4076P0001, MLI: D402	6	Each
157	GT 5 , SET SCREW, ALLOY STL, P/N: N173AP2004, MLI: B9XG	3	Each
158	GT 5 , SCREW, SET, P/N: N70P2005B, MLI: D402	6	Each
159	GT 5 , SCREW, SET, P/N: N70P2508B, MLI: D402	6	Each
160	GT 5 , SCREW, SET, P/N: N70P2908B, MLI: KIT4	10	Each
161	GT 5 , BREATHER CAP, P/N: 267B3235P0003, MLI: G4JH	4	Each
162	GT 5 , RTD - DUAL ELEMENT, P/N: 04021J40P0685, MLI: W108	1	Each
163	GT 5 , STRIP HEATER - 750W/380V, P/N: 02028J49P0005, MLI: A6A0	12	Each
164	GT 5 , GASKET 4.00- 150-, P/N: U160X000P0714, MLI: G4JH	2	Each
165	GT 5 , GASKET 2.00- 150-, P/N: U160X000P0710, MLI: G4JH	2	Each
166	GT 5 , GASKET-SPIRAL WOUND(2.00), P/N: N5605P02001C1, MLI: G4JH	4	Each
167	GT 5 , GASKET-SPIRAL WOUND(4.00), P/N: N5605P04001C1, MLI: G4JH	2	Each
168	GT 5 , SWITCH PRESS, P/N: 196C8617P0001, MLI: G4JH	1	Each
169	GT 5 , LEVEL SWITCH, P/N: 236B6152P0001, MLI: W109	1	Each

