

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<wsdl:definitions xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
xmlns:wsx="http://schemas.xmlsoap.org/ws/2004/09/mex"
xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity
-utility-1.0.xsd" xmlns:wsa10="http://www.w3.org/2005/08/addressing"
xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy"
xmlns:wsap="http://schemas.xmlsoap.org/ws/2004/08/addressing/policy"
xmlns:misc="http://schemas.microsoft.com/ws/2005/12/wsdl/contract"
xmlns:soap12="http://schemas.xmlsoap.org/wsdl/soap12/"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:wsam="http://www.w3.org/2007/05/addressing/metadata"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:tns="http://tempuri.org/"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"
xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/" name="publicWcfsrv"
targetNamespace="http://tempuri.org/">

  <wsdl:types>

    <xsd:schema targetNamespace="http://tempuri.org/Imports">

      <xsd:import
        schemaLocation="http://192.168.230.18/IDECO_API/publicWcfsrv.svc?xsd=xsd
        0" namespace="http://tempuri.org/">

      <xsd:import
        schemaLocation="http://192.168.230.18/IDECO_API/publicWcfsrv.svc?xsd=xsd
        1" namespace="http://schemas.microsoft.com/2003/10/Serialization/">

      <xsd:import
        schemaLocation="http://192.168.230.18/IDECO_API/publicWcfsrv.svc?xsd=xsd
        2" namespace="http://schemas.datacontract.org/2004/07/System.Data"/>

      <xsd:import
        schemaLocation="http://192.168.230.18/IDECO_API/publicWcfsrv.svc?xsd=xsd
        3"/>

    </xsd:schema>

  </wsdl:types>

  <wsdl:message name="IpublicWcfsrv_UpdateScheduleTaskDetails_InputMessage">

    <wsdl:part name="parameters" element="tns:UpdateScheduleTaskDetails"/>

  </wsdl:message>

  <wsdl:message name="IpublicWcfsrv_UpdateScheduleTaskDetails_OutputMessage">
```

```
<wsdl:part name="parameters"
  element="tns:UpdateScheduleTaskDetailsResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_DeleteScheduleTask_InputMessage">
  <wsdl:part name="parameters" element="tns>DeleteScheduleTask"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_DeleteScheduleTask_OutputMessage">
  <wsdl:part name="parameters" element="tns>DeleteScheduleTaskResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_MTR_FEED_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_MTR_FEED"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_MTR_FEED_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_MTR_FEEDResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_scada_users_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_scada_users"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_scada_users_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_scada_usersResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_INSERT_scada_users_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_scada_users"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_INSERT_scada_users_OutputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_scada_usersResponse"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_UPDATE_scada_users_InputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_scada_users"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UPDATE_scada_users_OutputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_scada_usersResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_SQL_GET_MTR_FEEDER_InputMessage">
  <wsdl:part name="parameters" element="tns:SQL_GET_MTR_FEEDER"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_SQL_GET_MTR_FEEDER_OutputMessage">
  <wsdl:part name="parameters" element="tns:SQL_GET_MTR_FEEDERResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Get_schedule_tasks_InputMessage">
  <wsdl:part name="parameters" element="tns:Get_schedule_tasks"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Get_schedule_tasks_OutputMessage">
  <wsdl:part name="parameters" element="tns:Get_schedule_tasksResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetSimMgmtData_InputMessage">
  <wsdl:part name="parameters" element="tns:GetSimMgmtData"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetSimMgmtData_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetSimMgmtDataResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_ReplaceSimMgmtData_InputMessage">
  <wsdl:part name="parameters" element="tns:ReplaceSimMgmtData"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_ReplaceSimMgmtData_OutputMessage">
  <wsdl:part name="parameters" element="tns:ReplaceSimMgmtDataResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_ChangeKeysInstallment_InputMessage">
  <wsdl:part name="parameters" element="tns:ChangeKeysInstallment"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_ChangeKeysInstallment_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:ChangeKeysInstallmentResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_EMP_CUSTODY_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_EMP_CUSTODY"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_EMP_CUSTODY_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_EMP_CUSTODYResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_RetrieveKeysInstallment_InputMessage">
  <wsdl:part name="parameters" element="tns:RetrieveKeysInstallment"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_RetrieveKeysInstallment_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:RetrieveKeysInstallmentResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertEmpEvent_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertEmpEvent"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertEmpEvent_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertEmpEventResponse"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Insert_schedule_tasks_InputMessage">
  <wsdl:part name="parameters" element="tns:Insert_schedule_tasks"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Insert_schedule_tasks_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:Insert_schedule_tasksResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Get_EMP_Event_InputMessage">
  <wsdl:part name="parameters" element="tns:Get_EMP_Event"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Get_EMP_Event_OutputMessage">
  <wsdl:part name="parameters" element="tns:Get_EMP_EventResponse"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_GET_INVESTOR_FINANCIAL_REPORT_InputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_INVESTOR_FINANCIAL_REPORT"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_GET_INVESTOR_FINANCIAL_REPORT_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_INVESTOR_FINANCIAL_REPORTResponse"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_INVESTOR_FINANCIAL_REPORT_InputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_INVESTOR_FINANCIAL_REPORT"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_INVESTOR_FINANCIAL_REPORT_OutputMessage">
```

```
<wsdl:part name="parameters"
  element="tns:INSERT_INVESTOR_FINANCIAL_REPORTResponse"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_UPDATE_INVESTOR_FINANCIAL_REPORT_InputMessage">
  <wsdl:part name="parameters"
    element="tns:UPDATE_INVESTOR_FINANCIAL_REPORT"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_UPDATE_INVESTOR_FINANCIAL_REPORT_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:UPDATE_INVESTOR_FINANCIAL_REPORTResponse"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_GET_INVESTOR_RELATION_ANNUAL_PROFIT_InputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_INVESTOR_RELATION_ANNUAL_PROFIT"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_GET_INVESTOR_RELATION_ANNUAL_PROFIT_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_INVESTOR_RELATION_ANNUAL_PROFITResponse"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_INSERT_INVESTOR_RELATION_ANNUAL_PROFIT_InputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_INVESTOR_RELATION_ANNUAL_PROFIT"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_INSERT_INVESTOR_RELATION_ANNUAL_PROFIT_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_INVESTOR_RELATION_ANNUAL_PROFITResponse"/>
</wsdl:message>
```

```
<wsdl:message
name="IpublicWcfsrv_UPDATE_INVESTOR_RELATION_ANNUAL_PROFIT_InputMessage">

  <wsdl:part name="parameters"
  element="tns:UPDATE_INVESTOR_RELATION_ANNUAL_PROFIT"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_UPDATE_INVESTOR_RELATION_ANNUAL_PROFIT_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:UPDATE_INVESTOR_RELATION_ANNUAL_PROFITResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_GET_INVESTOR_RELATION_DOCUMENT_InputMessage">

  <wsdl:part name="parameters"
  element="tns:GET_INVESTOR_RELATION_DOCUMENT"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_GET_INVESTOR_RELATION_DOCUMENT_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:GET_INVESTOR_RELATION_DOCUMENTResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_INVESTOR_RELATION_DOCUMENT_InputMessage">

  <wsdl:part name="parameters"
  element="tns:INSERT_INVESTOR_RELATION_DOCUMENT"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_INVESTOR_RELATION_DOCUMENT_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:INSERT_INVESTOR_RELATION_DOCUMENTResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_UPDATE_INVESTOR_RELATION_DOCUMENT_InputMessage">
```

```
<wsdl:part name="parameters"
  element="tns:UPDATE_INVESTOR_RELATION_DOCUMENT"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_UPDATE_INVESTOR_RELATION_DOCUMENT_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:UPDATE_INVESTOR_RELATION_DOCUMENTResponse"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_GET_INVESTOR_RELATION_SHARES_VALUE_InputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_INVESTOR_RELATION_SHARES_VALUE"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_GET_INVESTOR_RELATION_SHARES_VALUE_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_INVESTOR_RELATION_SHARES_VALUEResponse"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_INSERT_INVESTOR_RELATION_SHARES_VALUE_InputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_INVESTOR_RELATION_SHARES_VALUE"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_INSERT_INVESTOR_RELATION_SHARES_VALUE_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_INVESTOR_RELATION_SHARES_VALUEResponse"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_UPDATE_INVESTOR_RELATION_SHARES_VALUE_InputMessage">
  <wsdl:part name="parameters"
    element="tns:UPDATE_INVESTOR_RELATION_SHARES_VALUE"/>
</wsdl:message>
```

```
<wsdl:message
name="IpublicWcfsrv_UPDATE_INVESTOR_RELATION_SHARES_VALUE_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:UPDATE_INVESTOR_RELATION_SHARES_VALUEResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_GET_INVESTOR_RELATION_GENERAL_ASS_InputMessage">

  <wsdl:part name="parameters"
  element="tns:GET_INVESTOR_RELATION_GENERAL_ASS"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_GET_INVESTOR_RELATION_GENERAL_ASS_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:GET_INVESTOR_RELATION_GENERAL_ASSResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_INVESTOR_RELATION_GENERAL_ASS_InputMessage">

  <wsdl:part name="parameters"
  element="tns:INSERT_INVESTOR_RELATION_GENERAL_ASS"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_INVESTOR_RELATION_GENERAL_ASS_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:INSERT_INVESTOR_RELATION_GENERAL_ASSResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_UPDATE_INVESTOR_RELATION_GENERAL_ASS_InputMessage">

  <wsdl:part name="parameters"
  element="tns:UPDATE_INVESTOR_RELATION_GENERAL_ASS"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_UPDATE_INVESTOR_RELATION_GENERAL_ASS_OutputMessage">
```

```
<wsdl:part name="parameters"
  element="tns:UPDATE_INVESTOR_RELATION_GENERAL_ASSResponse"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_GET_INVSTOR_RELATION_ANNUAL_REPORT_InputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_INVSTOR_RELATION_ANNUAL_REPORT"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_GET_INVSTOR_RELATION_ANNUAL_REPORT_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_INVSTOR_RELATION_ANNUAL_REPORTResponse"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_INSERT_INVSTOR_RELATION_ANNUAL_REPORT_InputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_INVSTOR_RELATION_ANNUAL_REPORT"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_INSERT_INVSTOR_RELATION_ANNUAL_REPORT_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_INVSTOR_RELATION_ANNUAL_REPORTResponse"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_UPDATE_INVSTOR_RELATION_ANNUAL_REPORT_InputMessage">
  <wsdl:part name="parameters"
    element="tns:UPDATE_INVSTOR_RELATION_ANNUAL_REPORT"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_UPDATE_INVSTOR_RELATION_ANNUAL_REPORT_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:UPDATE_INVSTOR_RELATION_ANNUAL_REPORTResponse"/>
</wsdl:message>
```

```
<wsdl:message
name="IpublicWcfsrv_GET_INVESTOR_RELATIONS_MANAGER_InputMessage">

  <wsdl:part name="parameters"
  element="tns:GET_INVESTOR_RELATIONS_MANAGER"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_GET_INVESTOR_RELATIONS_MANAGER_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:GET_INVESTOR_RELATIONS_MANAGERResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_INVESTOR_RELATIONS_MANAGER_InputMessage">

  <wsdl:part name="parameters"
  element="tns:INSERT_INVESTOR_RELATIONS_MANAGER"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_INVESTOR_RELATIONS_MANAGER_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:INSERT_INVESTOR_RELATIONS_MANAGERResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_UPDATE_INVESTOR_RELATIONS_MANAGER_InputMessage">

  <wsdl:part name="parameters"
  element="tns:UPDATE_INVESTOR_RELATIONS_MANAGER"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_UPDATE_INVESTOR_RELATIONS_MANAGER_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:UPDATE_INVESTOR_RELATIONS_MANAGERResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_UPDATE_INVESTOR_RELATION_USER_InputMessage">
```

```
<wsdl:part name="parameters"
  element="tns:UPDATE_INVESTOR_RELATION_USER"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_UPDATE_INVESTOR_RELATION_USER_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:UPDATE_INVESTOR_RELATION_USERResponse"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_GET_INVSTOR_RELATION_HIFHER_MANGERS_InputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_INVSTOR_RELATION_HIFHER_MANGERS"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_GET_INVSTOR_RELATION_HIFHER_MANGERS_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_INVSTOR_RELATION_HIFHER_MANGERSResponse"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_INSERT_INVSTOR_RELATION_HIFHER_MANGERS_InputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_INVSTOR_RELATION_HIFHER_MANGERS"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_INSERT_INVSTOR_RELATION_HIFHER_MANGERS_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_INVSTOR_RELATION_HIFHER_MANGERSResponse"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_UPDATE_INVSTOR_RELATION_HIFHER_MANGERS_InputMessage">
  <wsdl:part name="parameters"
    element="tns:UPDATE_INVSTOR_RELATION_HIFHER_MANGERS"/>
</wsdl:message>
```

```
<wsdl:message
name="IpublicWcfsrv_UPDATE_INVSTOR_RELATION_HIFHER_MANGERS_OutputMessage">

  <wsdl:part name="parameters"
    element="tns:UPDATE_INVSTOR_RELATION_HIFHER_MANGERSResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_GET_INVSTOR_RELATION_PRESENTATION_InputMessage">

  <wsdl:part name="parameters"
    element="tns:GET_INVSTOR_RELATION_PRESENTATION"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_GET_INVSTOR_RELATION_PRESENTATION_OutputMessage">

  <wsdl:part name="parameters"
    element="tns:GET_INVSTOR_RELATION_PRESENTATIONResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_INVSTOR_RELATION_PRESENTATION_InputMessage">

  <wsdl:part name="parameters"
    element="tns:INSERT_INVSTOR_RELATION_PRESENTATION"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_INVSTOR_RELATION_PRESENTATION_OutputMessage">

  <wsdl:part name="parameters"
    element="tns:INSERT_INVSTOR_RELATION_PRESENTATIONResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_UPDATE_INVSTOR_RELATION_PRESENTATION_InputMessage">

  <wsdl:part name="parameters"
    element="tns:UPDATE_INVSTOR_RELATION_PRESENTATION"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_UPDATE_INVSTOR_RELATION_PRESENTATION_OutputMessage">
```

```
<wsdl:part name="parameters"
  element="tns:UPDATE_INVSTOR_RELATION_PRESENTATIONResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_INVESTOR_RELATION_USER_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_INVESTOR_RELATION_USER"/>
</wsdl:message>
<wsdl:message
  name="IpublicWcfsrv_GET_INVESTOR_RELATION_USER_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_INVESTOR_RELATION_USERResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetIllegalProcessNote_InputMessage">
  <wsdl:part name="parameters" element="tns:GetIllegalProcessNote"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetIllegalProcessNote_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GetIllegalProcessNoteResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InserteIllegalProcessNote_InputMessage">
  <wsdl:part name="parameters" element="tns:InserteIllegalProcessNote"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InserteIllegalProcessNote_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InserteIllegalProcessNoteResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateIllegalProcessNote_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateIllegalProcessNote"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateIllegalProcessNote_OutputMessage">
```

```
<wsdl:part name="parameters"
  element="tns:UpdateIllegalProcessNoteResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UPDATE_CUST_INFO_InputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_CUST_INFO"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UPDATE_CUST_INFO_OutputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_CUST_INFOResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_TMPR_INSPECTION_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_TMPR_INSPECTION"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_TMPR_INSPECTION_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_TMPR_INSPECTIONResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_SendIllegalEmails_InputMessage">
  <wsdl:part name="parameters" element="tns:SendIllegalEmails"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_SendIllegalEmails_OutputMessage">
  <wsdl:part name="parameters" element="tns:SendIllegalEmailsResponse"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_INSERT_INSPECTION_COSTTIME_READINGS_InputMessage">
  <wsdl:part name="parameters"
  element="tns:INSERT_INSPECTION_COSTTIME_READINGS"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_INSERT_INSPECTION_COSTTIME_READINGS_OutputMessage">
```

```
<wsdl:part name="parameters"
  element="tns:INSERT_INSPECTION_COSTTIME_READINGSResponse"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_INSERT_CUSTOMER_NOTE_READER_DATA_InputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_CUSTOMER_NOTE_READER_DATA"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_INSERT_CUSTOMER_NOTE_READER_DATA_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_CUSTOMER_NOTE_READER_DATAResponse"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_Counter_Change_InsertCounterfORM_InputMessage">
  <wsdl:part name="parameters"
    element="tns:Counter_Change_InsertCounterfORM"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_Counter_Change_InsertCounterfORM_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:Counter_Change_InsertCounterfORMResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_CUST_M_INFO_CHANGE_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_CUST_M_INFO_CHANGE"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_CUST_M_INFO_CHANGE_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_CUST_M_INFO_CHANGEResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_CUST_M_INFO_CHANGE_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_CUST_M_INFO_CHANGE"/>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_CUST_M_INFO_CHANGE_OutputMessage">

  <wsdl:part name="parameters"
    element="tns:INSERT_CUST_M_INFO_CHANGEResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UPDATE_CUST_M_INFO_CHANGE_InputMessage">

  <wsdl:part name="parameters" element="tns:UPDATE_CUST_M_INFO_CHANGE"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UPDATE_CUST_M_INFO_CHANGE_OutputMessage">

  <wsdl:part name="parameters"
    element="tns:UPDATE_CUST_M_INFO_CHANGEResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_InsertMetersPasswordsAppLog_InputMessage">

  <wsdl:part name="parameters" element="tns:InsertMetersPasswordsAppLog"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_InsertMetersPasswordsAppLog_OutputMessage">

  <wsdl:part name="parameters"
    element="tns:InsertMetersPasswordsAppLogResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertIdecoCarInfoAppTrans_InputMessage">

  <wsdl:part name="parameters" element="tns:InsertIdecoCarInfoAppTrans"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_InsertIdecoCarInfoAppTrans_OutputMessage">

  <wsdl:part name="parameters"
    element="tns:InsertIdecoCarInfoAppTransResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetIdecoCarInfoAppTrans_InputMessage">
```

```
<wsdl:part name="parameters" element="tns:GetIdecoCarInfoAppTrans"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetIdecoCarInfoAppTrans_OutputMessage">

  <wsdl:part name="parameters"
    element="tns:GetIdecoCarInfoAppTransResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_ValidateUserLogin_InputMessage">

  <wsdl:part name="parameters" element="tns:ValidateUserLogin"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_ValidateUserLogin_OutputMessage">

  <wsdl:part name="parameters" element="tns:ValidateUserLoginResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertMeetingMinutes_InputMessage">

  <wsdl:part name="parameters" element="tns:InsertMeetingMinutes"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertMeetingMinutes_OutputMessage">

  <wsdl:part name="parameters" element="tns:InsertMeetingMinutesResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetMeetingMinutes_InputMessage">

  <wsdl:part name="parameters" element="tns:GetMeetingMinutes"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetMeetingMinutes_OutputMessage">

  <wsdl:part name="parameters" element="tns:GetMeetingMinutesResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetMeetingClauses_InputMessage">

  <wsdl:part name="parameters" element="tns:GetMeetingClauses"/>

</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_GetMeetingClauses_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetMeetingClausesResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateMeetingDetails_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateMeetingDetails"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateMeetingDetails_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateMeetingDetailsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateClauseDetails_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateClauseDetails"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateClauseDetails_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateClauseDetailsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertMeetingClause_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertMeetingClause"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertMeetingClause_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertMeetingClauseResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_ATTRACTING_SUPPLIERS_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_ATTRACTING_SUPPLIERS"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_ATTRACTING_SUPPLIERS_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_ATTRACTING_SUPPLIERSResponse"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_ATTRACTING_SUPPLIERS_MASTER_InputMessage">

  <wsdl:part name="parameters"
    element="tns:INSERT_ATTRACTING_SUPPLIERS_MASTER"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_ATTRACTING_SUPPLIERS_MASTER_OutputMessage">

  <wsdl:part name="parameters"
    element="tns:INSERT_ATTRACTING_SUPPLIERS_MASTERResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_ATTRACTING_SUPPLIERS_DETAILS_InputMessage">

  <wsdl:part name="parameters"
    element="tns:INSERT_ATTRACTING_SUPPLIERS_DETAILS"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_ATTRACTING_SUPPLIERS_DETAILS_OutputMessage">

  <wsdl:part name="parameters"
    element="tns:INSERT_ATTRACTING_SUPPLIERS_DETAILSResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_UPDATE_ATTRACTING_SUPPLIERS_MASTER_InputMessage">

  <wsdl:part name="parameters"
    element="tns:UPDATE_ATTRACTING_SUPPLIERS_MASTER"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_UPDATE_ATTRACTING_SUPPLIERS_MASTER_OutputMessage">

  <wsdl:part name="parameters"
    element="tns:UPDATE_ATTRACTING_SUPPLIERS_MASTERResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_INVESTOR_SURVEY_InputMessage">
```

```
<wsdl:part name="parameters" element="tns:GET_INVESTOR_SURVEY"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_INVESTOR_SURVEY_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_INVESTOR_SURVEYResponse"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_INSERT_INVESTOR_SURVEY_MASTER_InputMessage">
  <wsdl:part name="parameters"
  element="tns:INSERT_INVESTOR_SURVEY_MASTER"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_INSERT_INVESTOR_SURVEY_MASTER_OutputMessage">
  <wsdl:part name="parameters"
  element="tns:INSERT_INVESTOR_SURVEY_MASTERResponse"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_UPDATE_INVESTOR_SURVEY_MASTER_InputMessage">
  <wsdl:part name="parameters"
  element="tns:UPDATE_INVESTOR_SURVEY_MASTER"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_UPDATE_INVESTOR_SURVEY_MASTER_OutputMessage">
  <wsdl:part name="parameters"
  element="tns:UPDATE_INVESTOR_SURVEY_MASTERResponse"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_INSERT_INVESTOR_SURVEY_DETAILS_InputMessage">
  <wsdl:part name="parameters"
  element="tns:INSERT_INVESTOR_SURVEY_DETAILS"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_INSERT_INVESTOR_SURVEY_DETAILS_OutputMessage">
```

```
<wsdl:part name="parameters"
  element="tns:INSERT_INVESTOR_SURVEY_DETAILSResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetRealEstateDocument_InputMessage">
  <wsdl:part name="parameters" element="tns:GetRealEstateDocument"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetRealEstateDocument_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GetRealEstateDocumentResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertRealEstateDocument_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertRealEstateDocument"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertRealEstateDocument_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InsertRealEstateDocumentResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertRealEstateDocument_S_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertRealEstateDocument_S"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_InsertRealEstateDocument_S_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InsertRealEstateDocument_SResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_INSERT_HOUSING_FUND_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_HOUSING_FUND"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_INSERT_HOUSING_FUND_OutputMessage">
```

```
<wsdl:part name="parameters" element="tns:INSERT_HOUSING_FUNDResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_HOUSING_FUND_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_HOUSING_FUND"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_HOUSING_FUND_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_HOUSING_FUNDResponse"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_PRC_GET_QR_TRANSACTION_LOGS_InputMessage">
  <wsdl:part name="parameters" element="tns:PRC_GET_QR_TRANSACTION_LOGS"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_PRC_GET_QR_TRANSACTION_LOGS_OutputMessage">
  <wsdl:part name="parameters"
  element="tns:PRC_GET_QR_TRANSACTION_LOGSResponse"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_PRC_INSERT_QR_TRANSACTION_LOG_InputMessage">
  <wsdl:part name="parameters"
  element="tns:PRC_INSERT_QR_TRANSACTION_LOG"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_PRC_INSERT_QR_TRANSACTION_LOG_OutputMessage">
  <wsdl:part name="parameters"
  element="tns:PRC_INSERT_QR_TRANSACTION_LOGResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UPDATE_QR_TRANSACTION_LOGS_InputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_QR_TRANSACTION_LOGS"/>
</wsdl:message>
```

```
<wsdl:message
name="IpublicWcfsrv_UPDATE_QR_TRANSACTION_LOGS_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:UPDATE_QR_TRANSACTION_LOGSResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_VOH_TAX_InputMessage">

  <wsdl:part name="parameters" element="tns:GET_VOH_TAX"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_VOH_TAX_OutputMessage">

  <wsdl:part name="parameters" element="tns:GET_VOH_TAXResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertRealestateStatusLog_InputMessage">

  <wsdl:part name="parameters" element="tns:InsertRealestateStatusLog"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertRealestateStatusLog_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:InsertRealestateStatusLogResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_HEXING_PASS_CONFIGURATION_InputMessage">

  <wsdl:part name="parameters"
  element="tns:INSERT_HEXING_PASS_CONFIGURATION"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_HEXING_PASS_CONFIGURATION_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:INSERT_HEXING_PASS_CONFIGURATIONResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_GET_DIRECT_CURRENT_APP_InputMessage">

  <wsdl:part name="parameters" element="tns:GET_GET_DIRECT_CURRENT_APP"/>
```

```
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_GET_GET_DIRECT_CURRENT_APP_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:GET_GET_DIRECT_CURRENT_APPResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_DIRECT_CURRENT_APP_InputMessage">

  <wsdl:part name="parameters" element="tns:INSERT_DIRECT_CURRENT_APP"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_DIRECT_CURRENT_APP_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:INSERT_DIRECT_CURRENT_APPResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UPDATE_DIRECT_CURRENT_APP_InputMessage">

  <wsdl:part name="parameters" element="tns:UPDATE_DIRECT_CURRENT_APP"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UPDATE_DIRECT_CURRENT_APP_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:UPDATE_DIRECT_CURRENT_APPResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_IDECO_CORRESPONDENCES_InputMessage">

  <wsdl:part name="parameters" element="tns:INSERT_IDECO_CORRESPONDENCES"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_IDECO_CORRESPONDENCES_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:INSERT_IDECO_CORRESPONDENCESResponse"/>

</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_InsertUnemployedCarRentalDailyTrans_InputMessage">
```

```
<wsdl:part name="parameters"
  element="tns:InsertUnemployedCarRentalDailyTrans"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_InsertUnemployedCarRentalDailyTrans_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InsertUnemployedCarRentalDailyTransResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_CUSTOMER_USERS_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_CUSTOMER_USERS"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_CUSTOMER_USERS_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_CUSTOMER_USERSResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_CUSTOMER_WEB_APP_CHECKER_InputMessage">
  <wsdl:part name="parameters" element="tns:CUSTOMER_WEB_APP_CHECKER"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_CUSTOMER_WEB_APP_CHECKER_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:CUSTOMER_WEB_APP_CHECKERResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_CUSTOMER_BONDS_InputMessage">
  <wsdl:part name="parameters" element="tns:CUSTOMER_BONDS"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_CUSTOMER_BONDS_OutputMessage">
  <wsdl:part name="parameters" element="tns:CUSTOMER_BONDSResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateCustomerServices_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateCustomerServices"/>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateCustomerServices_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:UpdateCustomerServicesResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCustomerServices_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertCustomerServices"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCustomerServices_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InsertCustomerServicesResponse"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_SAVE_ARCHIVE_FILE_WEBSERVICES_InputMessage">
  <wsdl:part name="parameters"
    element="tns:SAVE_ARCHIVE_FILE_WEBSERVICES"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_SAVE_ARCHIVE_FILE_WEBSERVICES_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:SAVE_ARCHIVE_FILE_WEBSERVICESResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetAllTraining_InputMessage">
  <wsdl:part name="parameters" element="tns:GetAllTraining"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetAllTraining_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetAllTrainingResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetTrainingDetails_InputMessage">
  <wsdl:part name="parameters" element="tns:GetTrainingDetails"/>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetTrainingDetails_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetTrainingDetailsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetPurchase_InputMessage">
  <wsdl:part name="parameters" element="tns:GetPurchase"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetPurchase_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetPurchaseResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetAllTender_InputMessage">
  <wsdl:part name="parameters" element="tns:GetAllTender"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetAllTender_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetAllTenderResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetTenderRegistration_InputMessage">
  <wsdl:part name="parameters" element="tns:GetTenderRegistration"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetTenderRegistration_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GetTenderRegistrationResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetSpecificTender_InputMessage">
  <wsdl:part name="parameters" element="tns:GetSpecificTender"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetSpecificTender_OutputMessage">
```

```
<wsdl:part name="parameters" element="tns:GetSpecificTenderResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetRealEstateDocumentView_InputMessage">
  <wsdl:part name="parameters" element="tns:GetRealEstateDocumentView"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetRealEstateDocumentView_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GetRealEstateDocumentViewResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetCustomer_InputMessage">
  <wsdl:part name="parameters" element="tns:GetCustomer"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetCustomer_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetCustomerResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_CheckRealEstateDocument_InputMessage">
  <wsdl:part name="parameters" element="tns:CheckRealEstateDocument"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_CheckRealEstateDocument_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:CheckRealEstateDocumentResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetInvoiceType_InputMessage">
  <wsdl:part name="parameters" element="tns:GetInvoiceType"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetInvoiceType_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetInvoiceTypeResponse"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_GetInvoiceDetail_InputMessage">
  <wsdl:part name="parameters" element="tns:GetInvoiceDetail"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetInvoiceDetail_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetInvoiceDetailResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetInvoiceOtherDetail_InputMessage">
  <wsdl:part name="parameters" element="tns:GetInvoiceOtherDetail"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetInvoiceOtherDetail_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GetInvoiceOtherDetailResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_getGenerics_InputMessage">
  <wsdl:part name="parameters" element="tns:getGenerics"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_getGenerics_OutputMessage">
  <wsdl:part name="parameters" element="tns:getGenericsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_getGenericsCity_InputMessage">
  <wsdl:part name="parameters" element="tns:getGenericsCity"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_getGenericsCity_OutputMessage">
  <wsdl:part name="parameters" element="tns:getGenericsCityResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_getAllCities_InputMessage">
  <wsdl:part name="parameters" element="tns:getAllCities"/>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_getAllCities_OutputMessage">
  <wsdl:part name="parameters" element="tns:getAllCitiesResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertComplaintsTracking_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertComplaintsTracking"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertComplaintsTracking_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InsertComplaintsTrackingResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetCurrentComplaintID_InputMessage">
  <wsdl:part name="parameters" element="tns:GetCurrentComplaintID"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetCurrentComplaintID_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GetCurrentComplaintIDResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateEmailComplaint_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateEmailComplaint"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateEmailComplaint_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateEmailComplaintResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetComplaint_InputMessage">
  <wsdl:part name="parameters" element="tns:GetComplaint"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetComplaint_OutputMessage">
```

```
<wsdl:part name="parameters" element="tns:GetComplaintResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetCustomerInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetCustomerInfo"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetCustomerInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetCustomerInfoResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetComplaintWithParameters_InputMessage">
  <wsdl:part name="parameters" element="tns:GetComplaintWithParameters"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_GetComplaintWithParameters_OutputMessage">
  <wsdl:part name="parameters"
  element="tns:GetComplaintWithParametersResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetRegistryValue_InputMessage">
  <wsdl:part name="parameters" element="tns:GetRegistryValue"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetRegistryValue_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetRegistryValueResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertRequestsForHiring_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertRequestsForHiring"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertRequestsForHiring_OutputMessage">
  <wsdl:part name="parameters"
  element="tns:InsertRequestsForHiringResponse"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertRequestsForHiring_QS_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertRequestsForHiring_QS"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_InsertRequestsForHiring_QS_OutputMessage">
  <wsdl:part name="parameters"
  element="tns:InsertRequestsForHiring_QSResponse"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_InsertRequestsForHiring_Experiences_InputMessage">
  <wsdl:part name="parameters"
  element="tns:InsertRequestsForHiring_Experiences"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_InsertRequestsForHiring_Experiences_OutputMessage">
  <wsdl:part name="parameters"
  element="tns:InsertRequestsForHiring_ExperiencesResponse"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_InsertRequestsForHiring_Training_InputMessage">
  <wsdl:part name="parameters"
  element="tns:InsertRequestsForHiring_Training"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_InsertRequestsForHiring_Training_OutputMessage">
  <wsdl:part name="parameters"
  element="tns:InsertRequestsForHiring_TrainingResponse"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_InsertRequestsForHiring_Reference_InputMessage">
```

```
<wsdl:part name="parameters"
  element="tns:InsertRequestsForHiring_Reference"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_InsertRequestsForHiring_Reference_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InsertRequestsForHiring_ReferenceResponse"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_DeletedAllDataRequestsForHiring_InputMessage">
  <wsdl:part name="parameters"
    element="tns:DeletedAllDataRequestsForHiring"/>
</wsdl:message>

<wsdl:message
  name="IpublicWcfsrv_DeletedAllDataRequestsForHiring_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:DeletedAllDataRequestsForHiringResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_getGenericsJop_InputMessage">
  <wsdl:part name="parameters" element="tns:getGenericsJop"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_getGenericsJop_OutputMessage">
  <wsdl:part name="parameters" element="tns:getGenericsJopResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetRequestsForHiring_InputMessage">
  <wsdl:part name="parameters" element="tns:GetRequestsForHiring"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetRequestsForHiring_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetRequestsForHiringResponse"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_GetRequistQualification_InputMessage">
  <wsdl:part name="parameters" element="tns:GetRequistQualification"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetRequistQualification_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GetRequistQualificationResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetRequistExperience_InputMessage">
  <wsdl:part name="parameters" element="tns:GetRequistExperience"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetRequistExperience_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetRequistExperienceResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetRequistTraining_InputMessage">
  <wsdl:part name="parameters" element="tns:GetRequistTraining"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetRequistTraining_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetRequistTrainingResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetRequistReference_InputMessage">
  <wsdl:part name="parameters" element="tns:GetRequistReference"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetRequistReference_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetRequistReferenceResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateRequestsForHiring_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateRequestsForHiring"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateRequestsForHiring_OutputMessage">

  <wsdl:part name="parameters"
    element="tns:UpdateRequestsForHiringResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetJREEEFData_InputMessage">

  <wsdl:part name="parameters" element="tns:GetJREEEFData"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetJREEEFData_OutputMessage">

  <wsdl:part name="parameters" element="tns:GetJREEEFDataResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertJreeefData_InputMessage">

  <wsdl:part name="parameters" element="tns:InsertJreeefData"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertJreeefData_OutputMessage">

  <wsdl:part name="parameters" element="tns:InsertJreeefDataResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertDisconnCusromerReq_InputMessage">

  <wsdl:part name="parameters" element="tns:InsertDisconnCusromerReq"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertDisconnCusromerReq_OutputMessage">

  <wsdl:part name="parameters"
    element="tns:InsertDisconnCusromerReqResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetInboxData_InputMessage">

  <wsdl:part name="parameters" element="tns:GetInboxData"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetInboxData_OutputMessage">
```

```
<wsdl:part name="parameters" element="tns:GetInboxDataResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertCarRentalDailyTrans_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertCarRentalDailyTrans"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertCarRentalDailyTrans_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InsertCarRentalDailyTransResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateCarRentalDailyTrans_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateCarRentalDailyTrans"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_UpdateCarRentalDailyTrans_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:UpdateCarRentalDailyTransResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetCarRental_InputMessage">
  <wsdl:part name="parameters" element="tns:GetCarRental"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetCarRental_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetCarRentalResponse"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_GET_CUSTOMER_PHOTO_METER_READ_InputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_CUSTOMER_PHOTO_METER_READ"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_GET_CUSTOMER_PHOTO_METER_READ_OutputMessage">
```

```
<wsdl:part name="parameters"
  element="tns:GET_CUSTOMER_PHOTO_METER_READResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertUpdateApprovals_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertUpdateApprovals"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertUpdateApprovals_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InsertUpdateApprovalsResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetAppLoginUser_InputMessage">
  <wsdl:part name="parameters" element="tns:GetAppLoginUser"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetAppLoginUser_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetAppLoginUserResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_Get_Emp_Leaves_InputMessage">
  <wsdl:part name="parameters" element="tns:Get_Emp_Leaves"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_Get_Emp_Leaves_OutputMessage">
  <wsdl:part name="parameters" element="tns:Get_Emp_LeavesResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateVacationsData_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateVacationsData"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateVacationsData_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateVacationsDataResponse"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_GET_GM_TASK_MANAGMENT_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_GM_TASK_MANAGMENT"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_GM_TASK_MANAGMENT_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_GM_TASK_MANAGMENTResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_GM_TASK_MNG_MASTER_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_GM_TASK_MNG_MASTER"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_GM_TASK_MNG_MASTER_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_GM_TASK_MNG_MASTERResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_GM_TASK_MNG_DETAIL_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_GM_TASK_MNG_DETAIL"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_GM_TASK_MNG_DETAIL_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_GM_TASK_MNG_DETAILResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_GM_TASK_MNG_IMG_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_GM_TASK_MNG_IMG"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_GM_TASK_MNG_IMG_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_GM_TASK_MNG_IMGResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_TASK_SCHEDULE_InputMessage">
```

```
<wsdl:part name="parameters" element="tns:INSERT_TASK_SCHEDULE"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_INSERT_TASK_SCHEDULE_OutputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_TASK_SCHEDULEResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_TASK_SCHEDULE_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_TASK_SCHEDULE"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_TASK_SCHEDULE_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_TASK_SCHEDULEResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateGmTaskManagment_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateGmTaskManagment"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateGmTaskManagment_OutputMessage">
  <wsdl:part name="parameters"
  element="tns:UpdateGmTaskManagmentResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetDirectPayUrl_InputMessage">
  <wsdl:part name="parameters" element="tns:GetDirectPayUrl"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetDirectPayUrl_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetDirectPayUrlResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertCustomerNotes_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertCustomerNotes"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_InsertCustomerNotes_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertCustomerNotesResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_SaveGmFileToBath_InputMessage">
  <wsdl:part name="parameters" element="tns:SaveGmFileToBath"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_SaveGmFileToBath_OutputMessage">
  <wsdl:part name="parameters" element="tns:SaveGmFileToBathResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetGmFileToBath_InputMessage">
  <wsdl:part name="parameters" element="tns:GetGmFileToBath"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetGmFileToBath_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetGmFileToBathResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_CTVT_INSPECTION_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_CTVT_INSPECTION"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_CTVT_INSPECTION_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_CTVT_INSPECTIONResponse"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_INDIRECT_CT_INSPICITION_InputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_INDIRECT_CT_INSPICITION"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_INDIRECT_CT_INSPICITION_OutputMessage">
```

```
<wsdl:part name="parameters"
  element="tns:INSERT_INDIRECT_CT_INSPICTIONResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_CTVT_INSPECTION_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_CTVT_INSPECTION"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_CTVT_INSPECTION_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_CTVT_INSPECTIONResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_INDIRECT_CT_INSPICTION_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_INDIRECT_CT_INSPICTION"/>
</wsdl:message>
<wsdl:message
  name="IpublicWcfsrv_GET_INDIRECT_CT_INSPICTION_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_INDIRECT_CT_INSPICTIONResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateUserPassword_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateUserPassword"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateUserPassword_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateUserPasswordResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_SetResponsepleID_InputMessage">
  <wsdl:part name="parameters" element="tns:SetResponsepleID"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_SetResponsepleID_OutputMessage">
  <wsdl:part name="parameters" element="tns:SetResponsepleIDResponse"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateCashUserInfoPDA_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateCashUserInfoPDA"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateCashUserInfoPDA_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:UpdateCashUserInfoPDAResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Update_Emp_Leave_InputMessage">
  <wsdl:part name="parameters" element="tns:Update_Emp_Leave"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Update_Emp_Leave_OutputMessage">
  <wsdl:part name="parameters" element="tns:Update_Emp_LeaveResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetEmpNoti_InputMessage">
  <wsdl:part name="parameters" element="tns:GetEmpNoti"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetEmpNoti_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetEmpNotiResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Insert_Emp_Noti_InputMessage">
  <wsdl:part name="parameters" element="tns:Insert_Emp_Noti"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Insert_Emp_Noti_OutputMessage">
  <wsdl:part name="parameters" element="tns:Insert_Emp_NotiResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_RENEWABLE_APP_CLOSE_InputMessage">
```

```
<wsdl:part name="parameters" element="tns:GET_RENEWABLE_APP_CLOSE"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_RENEWABLE_APP_CLOSE_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_RENEWABLE_APP_CLOSEResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_INSERT_RENEWABLE_APP_CLOSE_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_RENEWABLE_APP_CLOSE"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_INSERT_RENEWABLE_APP_CLOSE_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_RENEWABLE_APP_CLOSEResponse"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_GET_SMART_METER_CONFIGURATION_InputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_SMART_METER_CONFIGURATION"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_GET_SMART_METER_CONFIGURATION_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_SMART_METER_CONFIGURATIONResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetMovementCommands_InputMessage">
  <wsdl:part name="parameters" element="tns:GetMovementCommands"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetMovementCommands_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetMovementCommandsResponse"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_GetGenerics_Training_InputMessage">
  <wsdl:part name="parameters" element="tns:GetGenerics_Training"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetGenerics_Training_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetGenerics_TrainingResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Employee_Search_Name_V2_InputMessage">
  <wsdl:part name="parameters" element="tns:Employee_Search_Name_V2"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Employee_Search_Name_V2_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:Employee_Search_Name_V2Response"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Employee_Search_Number_V2_InputMessage">
  <wsdl:part name="parameters" element="tns:Employee_Search_Number_V2"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Employee_Search_Number_V2_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:Employee_Search_Number_V2Response"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertMovementCommand_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertMovementCommand"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertMovementCommand_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InsertMovementCommandResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetUserData_InputMessage">
```

```
<wsdl:part name="parameters" element="tns:GetUserData"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetUserData_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetUserDataResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateMovementCommand_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateMovementCommand"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateMovementCommand_OutputMessage">
  <wsdl:part name="parameters"
  element="tns:UpdateMovementCommandResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_ideco_apps_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_ideco_apps"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_ideco_apps_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_ideco_appsResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_INSERT_ideco_apps_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_ideco_apps"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_INSERT_ideco_apps_OutputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_ideco_appsResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_INSERT_apps_permiss_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_apps_permiss"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_INSERT_apps_permis_OutputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_apps_permisResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UPDATE_ideco_apps_InputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_ideco_apps"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UPDATE_ideco_apps_OutputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_ideco_appsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UPDATE_apps_permis_InputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_apps_permis"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UPDATE_apps_permis_OutputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_apps_permisResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetEmpSectRespID_InputMessage">
  <wsdl:part name="parameters" element="tns:GetEmpSectRespID"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetEmpSectRespID_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetEmpSectRespIDResponse"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_CUSTOMER_NOTE_READER_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_CUSTOMER_NOTE_READER"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_CUSTOMER_NOTE_READER_OutputMessage">
```

```
<wsdl:part name="parameters"
  element="tns:INSERT_CUSTOMER_NOTE_READERResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_CUSTOMER_NOTE_READER_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_CUSTOMER_NOTE_READER"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_CUSTOMER_NOTE_READER_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_CUSTOMER_NOTE_READERResponse"/>
</wsdl:message>
<wsdl:message
  name="IpublicWcfsrv_INSERT_CUSTOMER_NOTE_READER2_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_CUSTOMER_NOTE_READER2"/>
</wsdl:message>
<wsdl:message
  name="IpublicWcfsrv_INSERT_CUSTOMER_NOTE_READER2_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_CUSTOMER_NOTE_READER2Response"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetIDECO_SOCIAL_SERVICES_InputMessage">
  <wsdl:part name="parameters" element="tns:GetIDECO_SOCIAL_SERVICES"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetIDECO_SOCIAL_SERVICES_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GetIDECO_SOCIAL_SERVICESResponse"/>
</wsdl:message>
<wsdl:message
  name="IpublicWcfsrv_INSERT_IDECO_SOCIAL_SERVICES_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_IDECO_SOCIAL_SERVICES"/>
</wsdl:message>
```

```
<wsdl:message
name="IpublicWcfsrv_INSERT_IDECO_SOCIAL_SERVICES_OutputMessage">
  <wsdl:part name="parameters"
  element="tns:INSERT_IDECO_SOCIAL_SERVICESResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetAppsLocation_InputMessage">
  <wsdl:part name="parameters" element="tns:GetAppsLocation"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetAppsLocation_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetAppsLocationResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Update_CT_VT_InputMessage">
  <wsdl:part name="parameters" element="tns:Update_CT_VT"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Update_CT_VT_OutputMessage">
  <wsdl:part name="parameters" element="tns:Update_CT_VTResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_CALL_CNT_ERG_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_CALL_CNT_ERG"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_CALL_CNT_ERG_OutputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_CALL_CNT_ERGResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_SERVEY_MASTER_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_SERVEY_MASTER"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_SERVEY_MASTER_OutputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_SERVEY_MASTERResponse"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_SERVEY_DETALIS_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_SERVEY_DETALIS"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_SERVEY_DETALIS_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_SERVEY_DETALISResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetWfGenerics_InputMessage">
  <wsdl:part name="parameters" element="tns:GetWfGenerics"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetWfGenerics_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetWfGenericsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_TRANSFORMER_VISIT_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_TRANSFORMER_VISIT"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_TRANSFORMER_VISIT_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_TRANSFORMER_VISITResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_TRANSFORMER_VISIT_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_TRANSFORMER_VISIT"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_TRANSFORMER_VISIT_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_TRANSFORMER_VISITResponse"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_GET_TENDER_USERS_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_TENDER_USERS"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_TENDER_USERS_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_TENDER_USERSResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_TENDER_USERS_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_TENDER_USERS"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_TENDER_USERS_OutputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_TENDER_USERSResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UPDATE_TENDER_USERS_InputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_TENDER_USERS"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UPDATE_TENDER_USERS_OutputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_TENDER_USERSResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_TENDER_ANNOCEMENT_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_TENDER_ANNOCEMENT"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_TENDER_ANNOCEMENT_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_TENDER_ANNOCEMENTResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_TENDER_ANNOCEMENT_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_TENDER_ANNOCEMENT"/>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_TENDER_ANNOCEMENT_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_TENDER_ANNOCEMENTResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UPDATE_TENDER_ANNOCEMENT_InputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_TENDER_ANNOCEMENT"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UPDATE_TENDER_ANNOCEMENT_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:UPDATE_TENDER_ANNOCEMENTResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Employee_Search_Number_InputMessage">
  <wsdl:part name="parameters" element="tns:Employee_Search_Number"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Employee_Search_Number_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:Employee_Search_NumberResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Insert_CUSTOMER_PHOTO_InputMessage">
  <wsdl:part name="parameters" element="tns:Insert_CUSTOMER_PHOTO"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Insert_CUSTOMER_PHOTO_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:Insert_CUSTOMER_PHOTOResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_SERVEY_EXIST_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_SERVEY_EXIST"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_GET_SERVEY_EXIST_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_SERVEY_EXISTResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UPDATE_SURVEY_MASTER_InputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_SURVEY_MASTER"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UPDATE_SURVEY_MASTER_OutputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_SURVEY_MASTERResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_SEND_SMS_TOSUBS_InputMessage">
  <wsdl:part name="parameters" element="tns:SEND_SMS_TOSUBS"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_SEND_SMS_TOSUBS_OutputMessage">
  <wsdl:part name="parameters" element="tns:SEND_SMS_TOSUBSResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_getTEndersAnnouncement_InputMessage">
  <wsdl:part name="parameters" element="tns:getTEndersAnnouncement"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_getTEndersAnnouncement_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:getTEndersAnnouncementResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetGenericsTender_InputMessage">
  <wsdl:part name="parameters" element="tns:GetGenericsTender"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetGenericsTender_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetGenericsTenderResponse"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_NEW_TENDERS_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_NEW_TENDERS"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_NEW_TENDERS_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_NEW_TENDERSResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_NEW_TENDERS_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_NEW_TENDERS"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_NEW_TENDERS_OutputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_NEW_TENDERSResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetTransDistBoxVisit_InputMessage">
  <wsdl:part name="parameters" element="tns:GetTransDistBoxVisit"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetTransDistBoxVisit_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetTransDistBoxVisitResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertTransDistBoxVisit_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertTransDistBoxVisit"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertTransDistBoxVisit_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InsertTransDistBoxVisitResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateTransDistBoxVisit_InputMessage">
```

```
<wsdl:part name="parameters" element="tns:UpdateTransDistBoxVisit"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateTransDistBoxVisit_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:UpdateTransDistBoxVisitResponse"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_GET_CUST_CONN_OPRATION_OTHERS_InputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_CUST_CONN_OPRATION_OTHERS"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_GET_CUST_CONN_OPRATION_OTHERS_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_CUST_CONN_OPRATION_OTHERSResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_DISCONN_TRANS_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_DISCONN_TRANS"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_DISCONN_TRANS_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_DISCONN_TRANSResponse"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_INSERT_CUST_CONN_OPRATION_OTHERS_InputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_CUST_CONN_OPRATION_OTHERS"/>
</wsdl:message>
<wsdl:message
name="IpublicWcfsrv_INSERT_CUST_CONN_OPRATION_OTHERS_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_CUST_CONN_OPRATION_OTHERSResponse"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCtvtImages_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertCtvtImages"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCtvtImages_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertCtvtImagesResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_TECH_MTR_TMPR_DATA_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_TECH_MTR_TMPR_DATA"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_INSERT_TECH_MTR_TMPR_DATA_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:INSERT_TECH_MTR_TMPR_DATAResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_CREATE_MODEM_REG_PROCESS_InputMessage">
  <wsdl:part name="parameters" element="tns:CREATE_MODEM_REG_PROCESS"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_CREATE_MODEM_REG_PROCESS_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:CREATE_MODEM_REG_PROCESSResponse"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_InsertTechCounterCertificate_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertTechCounterCertificate"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_InsertTechCounterCertificate_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InsertTechCounterCertificateResponse"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_UpdateTechCounterCertificate_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateTechCounterCertificate"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_UpdateTechCounterCertificate_OutputMessage">
  <wsdl:part name="parameters"
  element="tns:UpdateTechCounterCertificateResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCounterfORM_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertCounterfORM"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCounterfORM_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertCounterfORMResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_SmartMeterLogEvent_InputMessage">
  <wsdl:part name="parameters" element="tns:SmartMeterLogEvent"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_SmartMeterLogEvent_OutputMessage">
  <wsdl:part name="parameters" element="tns:SmartMeterLogEventResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Get_Phone_Num_InputMessage">
  <wsdl:part name="parameters" element="tns:Get_Phone_Num"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Get_Phone_Num_OutputMessage">
  <wsdl:part name="parameters" element="tns:Get_Phone_NumResponse"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_UpdatePhonNumberFalg_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdatePhonNumberFalg"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdatePhonNumberFalg_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdatePhonNumberFalgResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertPhoneNumber_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertPhoneNumber"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertPhoneNumber_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertPhoneNumberResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertSplittersLog_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertSplittersLog"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertSplittersLog_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertSplittersLogResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetKeysInstallment_InputMessage">
  <wsdl:part name="parameters" element="tns:GetKeysInstallment"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetKeysInstallment_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetKeysInstallmentResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Insert_Tender_registration_InputMessage">
  <wsdl:part name="parameters" element="tns:Insert_Tender_registration"/>
</wsdl:message>
```

```
<wsdl:message
name="IpublicWcfsrv_Insert_Tender_registration_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:Insert_Tender_registrationResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_Tender_registration_InputMessage">

  <wsdl:part name="parameters" element="tns:GET_Tender_registration"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_Tender_registration_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:GET_Tender_registrationResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertKeysInstallment_InputMessage">

  <wsdl:part name="parameters" element="tns:InsertKeysInstallment"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertKeysInstallment_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:InsertKeysInstallmentResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateKeysInstallment_InputMessage">

  <wsdl:part name="parameters" element="tns:UpdateKeysInstallment"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateKeysInstallment_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:UpdateKeysInstallmentResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCounterData_InputMessage">

  <wsdl:part name="parameters" element="tns:InsertCounterData"/>

</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_InsertCounterData_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertCounterDataResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCtData_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertCtData"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCtData_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertCtDataResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_TICKETS_USER_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_TICKETS_USER"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_TICKETS_USER_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_TICKETS_USERResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_EMP_QUALITY_ASSURANCE_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_EMP_QUALITY_ASSURANCE"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_EMP_QUALITY_ASSURANCE_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_EMP_QUALITY_ASSURANCEResponse"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_EMP_QUALITY_ASSURANCE_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_EMP_QUALITY_ASSURANCE"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_INSERT_EMP_QUALITY_ASSURANCE_OutputMessage">
```

```
<wsdl:part name="parameters"
  element="tns:INSERT_EMP_QUALITY_ASSURANCEResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateScheduleTaskMaster_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateScheduleTaskMaster"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateScheduleTaskMaster_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:UpdateScheduleTaskMasterResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_DoWork_InputMessage">
  <wsdl:part name="parameters" element="tns:DoWork"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_DoWork_OutputMessage">
  <wsdl:part name="parameters" element="tns:DoWorkResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv>HelloWorld_InputMessage">
  <wsdl:part name="parameters" element="tns>HelloWorld"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv>HelloWorld_OutputMessage">
  <wsdl:part name="parameters" element="tns>HelloWorldResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetQuestionsList_InputMessage">
  <wsdl:part name="parameters" element="tns:GetQuestionsList"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetQuestionsList_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetQuestionsListResponse"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_GetGenerics_InputMessage">
  <wsdl:part name="parameters" element="tns:GetGenerics"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetGenerics_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetGenericsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetGenericsDataTable_InputMessage">
  <wsdl:part name="parameters" element="tns:GetGenericsDataTable"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetGenericsDataTable_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetGenericsDataTableResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetEmpInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetEmpInfo"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetEmpInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetEmpInfoResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetSalaryInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetSalaryInfo"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetSalaryInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetSalaryInfoResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetSalaryInfoWithYear_InputMessage">
  <wsdl:part name="parameters" element="tns:GetSalaryInfoWithYear"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_GetSalaryInfoWithYear_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GetSalaryInfoWithYearResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetVecations_InputMessage">
  <wsdl:part name="parameters" element="tns:GetVecations"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetVecations_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetVecationsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetEquivalents_InputMessage">
  <wsdl:part name="parameters" element="tns:GetEquivalents"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetEquivalents_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetEquivalentsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetChargesInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetChargesInfo"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetChargesInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetChargesInfoResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetSavingInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetSavingInfo"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetSavingInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetSavingInfoResponse"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetSavingDebtInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetSavingDebtInfo"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetSavingDebtInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetSavingDebtInfoResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetCoursesInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetCoursesInfo"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetCoursesInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetCoursesInfoResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetInvoicesInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetInvoicesInfo"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetInvoicesInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetInvoicesInfoResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetDoctorsInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetDoctorsInfo"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetDoctorsInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetDoctorsInfoResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetHealthsInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetHealthsInfo"/>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetHealthsInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetHealthsInfoResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetHealthsInfo2_InputMessage">
  <wsdl:part name="parameters" element="tns:GetHealthsInfo2"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetHealthsInfo2_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetHealthsInfo2Response"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetImprintsInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetImprintsInfo"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetImprintsInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetImprintsInfoResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetPollEmpData_InputMessage">
  <wsdl:part name="parameters" element="tns:GetPollEmpData"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetPollEmpData_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetPollEmpDataResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertPollEmp_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertPollEmp"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertPollEmp_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertPollEmpResponse"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetElectricalTariff_InputMessage">
  <wsdl:part name="parameters" element="tns:GetElectricalTariff"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetElectricalTariff_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetElectricalTariffResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetCustodyTransfers_InputMessage">
  <wsdl:part name="parameters" element="tns:GetCustodyTransfers"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetCustodyTransfers_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetCustodyTransfersResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateCustodyTransfers_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateCustodyTransfers"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateCustodyTransfers_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:UpdateCustodyTransfersResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetCustodyData_InputMessage">
  <wsdl:part name="parameters" element="tns:GetCustodyData"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetCustodyData_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetCustodyDataResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetHelthDept_InputMessage">
```

```
<wsdl:part name="parameters" element="tns:GetHelthDept"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetHelthDept_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetHelthDeptResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetZainBill_InputMessage">
  <wsdl:part name="parameters" element="tns:GetZainBill"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetZainBill_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetZainBillResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetProcessInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetProcessInfo"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetProcessInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetProcessInfoResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertEmpSaving_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertEmpSaving"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertEmpSaving_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertEmpSavingResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetEmpSaving_InputMessage">
  <wsdl:part name="parameters" element="tns:GetEmpSaving"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetEmpSaving_OutputMessage">
```

```
<wsdl:part name="parameters" element="tns:GetEmpSavingResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetOverTimeDetails_InputMessage">
  <wsdl:part name="parameters" element="tns:GetOverTimeDetails"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetOverTimeDetails_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetOverTimeDetailsResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertSuggestion_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertSuggestion"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertSuggestion_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertSuggestionResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetSuggestion_InputMessage">
  <wsdl:part name="parameters" element="tns:GetSuggestion"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetSuggestion_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetSuggestionResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetPollSubData_InputMessage">
  <wsdl:part name="parameters" element="tns:GetPollSubData"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetPollSubData_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetPollSubDataResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertSubPoll_InputMessage">
```

```
<wsdl:part name="parameters" element="tns:InsertSubPoll"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertSubPoll_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertSubPollResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertIDEA_EMP_MASTER_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertIDEA_EMP_MASTER"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertIDEA_EMP_MASTER_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InsertIDEA_EMP_MASTERResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertIDEA_EMP_DETAILS_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertIDEA_EMP_DETAILS"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertIDEA_EMP_DETAILS_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InsertIDEA_EMP_DETAILSResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateIDEA_EMP_MASTER_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateIDEA_EMP_MASTER"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateIDEA_EMP_MASTER_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:UpdateIDEA_EMP_MASTERResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetIDEA_EMP_InputMessage">
  <wsdl:part name="parameters" element="tns:GetIDEA_EMP"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetIDEA_EMP_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetIDEA_EMPResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetPathBookNo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetPathBookNo"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetPathBookNo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetPathBookNoResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetPEREVALMF_InputMessage">
  <wsdl:part name="parameters" element="tns:GetPEREVALMF"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetPEREVALMF_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetPEREVALMFResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetDeserveInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetDeserveInfo"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetDeserveInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetDeserveInfoResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertDeserveApp_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertDeserveApp"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertDeserveApp_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertDeserveAppResponse"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateEmpSaving_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateEmpSaving"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateEmpSaving_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateEmpSavingResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateDeserveApp_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateDeserveApp"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateDeserveApp_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateDeserveAppResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCustomer_AID_Req_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertCustomer_AID_Req"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCustomer_AID_Req_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InsertCustomer_AID_ReqResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Get_Customer_AID_Req_InputMessage">
  <wsdl:part name="parameters" element="tns:Get_Customer_AID_Req"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Get_Customer_AID_Req_OutputMessage">
  <wsdl:part name="parameters" element="tns:Get_Customer_AID_ReqResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCustDetails_InputMessage">
```

```
<wsdl:part name="parameters" element="tns:InsertCustDetails"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertCustDetails_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertCustDetailsResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetCustSubs_InputMessage">
  <wsdl:part name="parameters" element="tns:GetCustSubs"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetCustSubs_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetCustSubsResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateCustDetails_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateCustDetails"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UpdateCustDetails_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateCustDetailsResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_Insert_Cust_Noti_InputMessage">
  <wsdl:part name="parameters" element="tns:Insert_Cust_Noti"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_Insert_Cust_Noti_OutputMessage">
  <wsdl:part name="parameters" element="tns:Insert_Cust_NotiResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetCustNoti_InputMessage">
  <wsdl:part name="parameters" element="tns:GetCustNoti"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetCustNoti_OutputMessage">
```

```
<wsdl:part name="parameters" element="tns:GetCustNotiResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_Update_Cust_Notis_InputMessage">
  <wsdl:part name="parameters" element="tns:Update_Cust_Notis"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_Update_Cust_Notis_OutputMessage">
  <wsdl:part name="parameters" element="tns:Update_Cust_NotisResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UPDATE_GM_CONTACT_InputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_GM_CONTACT"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_UPDATE_GM_CONTACT_OutputMessage">
  <wsdl:part name="parameters" element="tns:UPDATE_GM_CONTACTResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_INSERT_GM_CONTACT_InputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_GM_CONTACT"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_INSERT_GM_CONTACT_OutputMessage">
  <wsdl:part name="parameters" element="tns:INSERT_GM_CONTACTResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_Get_Vacations_Search_InputMessage">
  <wsdl:part name="parameters" element="tns:Get_Vacations_Search"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_Get_Vacations_Search_OutputMessage">
  <wsdl:part name="parameters" element="tns:Get_Vacations_SearchResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_GM_CONTACT_InputMessage">
```

```
<wsdl:part name="parameters" element="tns:GET_GM_CONTACT"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GET_GM_CONTACT_OutputMessage">
  <wsdl:part name="parameters" element="tns:GET_GM_CONTACTResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_CreateNewProcessByAdmin_InputMessage">
  <wsdl:part name="parameters" element="tns:CreateNewProcessByAdmin"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_CreateNewProcessByAdmin_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:CreateNewProcessByAdminResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertVacations_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertVacations"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_InsertVacations_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertVacationsResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_Insert_Emp_Leave_InputMessage">
  <wsdl:part name="parameters" element="tns:Insert_Emp_Leave"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_Insert_Emp_Leave_OutputMessage">
  <wsdl:part name="parameters" element="tns:Insert_Emp_LeaveResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_Get_EmployeesPosition_InputMessage">
  <wsdl:part name="parameters" element="tns:Get_EmployeesPosition"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_Get_EmployeesPosition_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:Get_EmployeesPositionResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_APPRAISAL_DATE_SQL_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_APPRAISAL_DATE_SQL"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_APPRAISAL_DATE_SQL_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:GET_APPRAISAL_DATE_SQLResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Get_Vacations_Search_Det_InputMessage">
  <wsdl:part name="parameters" element="tns:Get_Vacations_Search_Det"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Get_Vacations_Search_Det_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:Get_Vacations_Search_DetResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Get_Leave_Type_InputMessage">
  <wsdl:part name="parameters" element="tns:Get_Leave_Type"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Get_Leave_Type_OutputMessage">
  <wsdl:part name="parameters" element="tns:Get_Leave_TypeResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_EMP_WORKCENTER_InputMessage">
  <wsdl:part name="parameters" element="tns:GET_EMP_WORKCENTER"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GET_EMP_WORKCENTER_OutputMessage">
```

```
<wsdl:part name="parameters" element="tns:GET_EMP_WORKCENTERResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_WorkFlowAdvanceByAdmin_InputMessage">
  <wsdl:part name="parameters" element="tns:WorkFlowAdvanceByAdmin"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_WorkFlowAdvanceByAdmin_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:WorkFlowAdvanceByAdminResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetAppVersion_InputMessage">
  <wsdl:part name="parameters" element="tns:GetAppVersion"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetAppVersion_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetAppVersionResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetNews_InputMessage">
  <wsdl:part name="parameters" element="tns:GetNews"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetNews_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetNewsResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetAllNews_InputMessage">
  <wsdl:part name="parameters" element="tns:GetAllNews"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetAllNews_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetAllNewsResponse"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_UpdateNews_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateNews"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateNews_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateNewsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertNews_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertNews"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertNews_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertNewsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetArticles_InputMessage">
  <wsdl:part name="parameters" element="tns:GetArticles"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetArticles_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetArticlesResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetAllArticles_InputMessage">
  <wsdl:part name="parameters" element="tns:GetAllArticles"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetAllArticles_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetAllArticlesResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateArticles_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateArticles"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_UpdateArticles_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateArticlesResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertArticles_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertArticles"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertArticles_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertArticlesResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetTenders_InputMessage">
  <wsdl:part name="parameters" element="tns:GetTenders"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetTenders_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetTendersResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetAllTenders_InputMessage">
  <wsdl:part name="parameters" element="tns:GetAllTenders"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetAllTenders_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetAllTendersResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateTenders_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateTenders"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateTenders_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateTendersResponse"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_InsertTenders_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertTenders"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertTenders_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertTendersResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetCPUsers_InputMessage">
  <wsdl:part name="parameters" element="tns:GetCPUsers"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetCPUsers_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetCPUsersResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateCPUsers_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateCPUsers"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateCPUsers_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateCPUsersResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCPUsers_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertCPUsers"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCPUsers_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertCPUsersResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetUserSections_InputMessage">
  <wsdl:part name="parameters" element="tns:GetUserSections"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_GetUserSections_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetUserSectionsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateUserSections_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateUserSections"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateUserSections_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateUserSectionsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertUserSections_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertUserSections"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertUserSections_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertUserSectionsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_DeleteUserSections_InputMessage">
  <wsdl:part name="parameters" element="tns>DeleteUserSections"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_DeleteUserSections_OutputMessage">
  <wsdl:part name="parameters" element="tns>DeleteUserSectionsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetSections_InputMessage">
  <wsdl:part name="parameters" element="tns:GetSections"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetSections_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetSectionsResponse"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_InsertPagesCounter_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertPagesCounter"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertPagesCounter_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertPagesCounterResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetPageCounter_InputMessage">
  <wsdl:part name="parameters" element="tns:GetPageCounter"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetPageCounter_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetPageCounterResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetImportantNews_InputMessage">
  <wsdl:part name="parameters" element="tns:GetImportantNews"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetImportantNews_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetImportantNewsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetAllImportantNews_InputMessage">
  <wsdl:part name="parameters" element="tns:GetAllImportantNews"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetAllImportantNews_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetAllImportantNewsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateImportantNews_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateImportantNews"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_UpdateImportantNews_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateImportantNewsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertImportantNews_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertImportantNews"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertImportantNews_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertImportantNewsResponse"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_GetAllElectricityConsumption_InputMessage">
  <wsdl:part name="parameters" element="tns:GetAllElectricityConsumption"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_GetAllElectricityConsumption_OutputMessage">
  <wsdl:part name="parameters"
  element="tns:GetAllElectricityConsumptionResponse"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_UpdateElectricityConsumption_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateElectricityConsumption"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_UpdateElectricityConsumption_OutputMessage">
  <wsdl:part name="parameters"
  element="tns:UpdateElectricityConsumptionResponse"/>
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_InsertElectricityConsumption_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertElectricityConsumption"/>
```

```
</wsdl:message>

<wsdl:message
name="IpublicWcfsrv_InsertElectricityConsumption_OutputMessage">

  <wsdl:part name="parameters"
  element="tns:InsertElectricityConsumptionResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertTraining_InputMessage">

  <wsdl:part name="parameters" element="tns:InsertTraining"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertTraining_OutputMessage">

  <wsdl:part name="parameters" element="tns:InsertTrainingResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateTraining_InputMessage">

  <wsdl:part name="parameters" element="tns:UpdateTraining"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateTraining_OutputMessage">

  <wsdl:part name="parameters" element="tns:UpdateTrainingResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetTraining_InputMessage">

  <wsdl:part name="parameters" element="tns:GetTraining"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetTraining_OutputMessage">

  <wsdl:part name="parameters" element="tns:GetTrainingResponse"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UploadArchivingFiles_InputMessage">

  <wsdl:part name="parameters" element="tns:UploadArchivingFiles"/>

</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UploadArchivingFiles_OutputMessage">
```

```
<wsdl:part name="parameters" element="tns:UploadArchivingFilesResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetCostInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetCostInfo"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetCostInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetCostInfoResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetDisconnectionInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetDisconnectionInfo"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetDisconnectionInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetDisconnectionInfoResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_CalculateCustomerBill_InputMessage">
  <wsdl:part name="parameters" element="tns:CalculateCustomerBill"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_CalculateCustomerBill_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:CalculateCustomerBillResponse"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetCashPaymentUser_InputMessage">
  <wsdl:part name="parameters" element="tns:GetCashPaymentUser"/>
</wsdl:message>
<wsdl:message name="IpublicWcfsrv_GetCashPaymentUser_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetCashPaymentUserResponse"/>
</wsdl:message>
```

```
<wsdl:message name="IpublicWcfsrv_InsertReceivableAppReq_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertReceivableAppReq"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertReceivableAppReq_OutputMessage">
  <wsdl:part name="parameters"
    element="tns:InsertReceivableAppReqResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetReceivableAppReq_InputMessage">
  <wsdl:part name="parameters" element="tns:GetReceivableAppReq"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetReceivableAppReq_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetReceivableAppReqResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetCustomerCashInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetCustomerCashInfo"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetCustomerCashInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetCustomerCashInfoResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetBatchInfo_InputMessage">
  <wsdl:part name="parameters" element="tns:GetBatchInfo"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetBatchInfo_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetBatchInfoResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertDebtMadfoo3at_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertDebtMadfoo3at"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertDebtMadfoo3at_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertDebtMadfoo3atResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetPrintLog_InputMessage">
  <wsdl:part name="parameters" element="tns:GetPrintLog"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetPrintLog_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetPrintLogResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdatePrintLog_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdatePrintLog"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdatePrintLog_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdatePrintLogResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertIdecoOffice_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertIdecoOffice"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertIdecoOffice_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertIdecoOfficeResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetIdecoOffice_InputMessage">
  <wsdl:part name="parameters" element="tns:GetIdecoOffice"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetIdecoOffice_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetIdecoOfficeResponse"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateIdecoOffice_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateIdecoOffice"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateIdecoOffice_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateIdecoOfficeResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetUsers_InputMessage">
  <wsdl:part name="parameters" element="tns:GetUsers"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetUsers_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetUsersResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateUsers_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateUsers"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateUsers_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateUsersResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertUsers_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertUsers"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertUsers_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertUsersResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Encrypt_InputMessage">
  <wsdl:part name="parameters" element="tns:Encrypt"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Encrypt_OutputMessage">
  <wsdl:part name="parameters" element="tns:EncryptResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Decrypt_InputMessage">
  <wsdl:part name="parameters" element="tns:Decrypt"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_Decrypt_OutputMessage">
  <wsdl:part name="parameters" element="tns:DecryptResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetUsersBusiness_InputMessage">
  <wsdl:part name="parameters" element="tns:GetUsersBusiness"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetUsersBusiness_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetUsersBusinessResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateUsersBusiness_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateUsersBusiness"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateUsersBusiness_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateUsersBusinessResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetBillBusiness_InputMessage">
  <wsdl:part name="parameters" element="tns:GetBillBusiness"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetBillBusiness_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetBillBusinessResponse"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetUsersCust_InputMessage">
  <wsdl:part name="parameters" element="tns:GetUsersCust"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetUsersCust_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetUsersCustResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateUsersCust_InputMessage">
  <wsdl:part name="parameters" element="tns:UpdateUsersCust"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_UpdateUsersCust_OutputMessage">
  <wsdl:part name="parameters" element="tns:UpdateUsersCustResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetBillCust_InputMessage">
  <wsdl:part name="parameters" element="tns:GetBillCust"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetBillCust_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetBillCustResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCustUsers_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertCustUsers"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCustUsers_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertCustUsersResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCustSubs_InputMessage">
  <wsdl:part name="parameters" element="tns:InsertCustSubs"/>
</wsdl:message>
```

```
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_InsertCustSubs_OutputMessage">
  <wsdl:part name="parameters" element="tns:InsertCustSubsResponse"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetAllCustomerSummry_InputMessage">
  <wsdl:part name="parameters" element="tns:GetAllCustomerSummry"/>
</wsdl:message>

<wsdl:message name="IpublicWcfsrv_GetAllCustomerSummry_OutputMessage">
  <wsdl:part name="parameters" element="tns:GetAllCustomerSummryResponse"/>
</wsdl:message>

<wsdl:portType name="IpublicWcfsrv">

  <wsdl:operation name="UpdateScheduleTaskDetails">

    <wsdl:input
      wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateScheduleTaskDetails"
      message="tns:IpublicWcfsrv_UpdateScheduleTaskDetails_InputMessage"/>

    <wsdl:output
      wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateScheduleTaskDetailsR
      esponse"
      message="tns:IpublicWcfsrv_UpdateScheduleTaskDetails_OutputMessage"/>

  </wsdl:operation>

  <wsdl:operation name="DeleteScheduleTask">

    <wsdl:input
      wsaw:Action="http://tempuri.org/IpublicWcfsrv/DeleteScheduleTask"
      message="tns:IpublicWcfsrv_DeleteScheduleTask_InputMessage"/>

    <wsdl:output
      wsaw:Action="http://tempuri.org/IpublicWcfsrv/DeleteScheduleTaskResponse
      " message="tns:IpublicWcfsrv_DeleteScheduleTask_OutputMessage"/>

  </wsdl:operation>

  <wsdl:operation name="GET_MTR_FEED">

    <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_MTR_FEED"
      message="tns:IpublicWcfsrv_GET_MTR_FEED_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_MTR_FEEDResponse"
message="tns:IpublicWcfsrv_GET_MTR_FEED_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GET_scada_users">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_scada_users"
message="tns:IpublicWcfsrv_GET_scada_users_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_scada_usersResponse"
message="tns:IpublicWcfsrv_GET_scada_users_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_scada_users">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_scada_users"
message="tns:IpublicWcfsrv_INSERT_scada_users_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_scada_usersResponse
" message="tns:IpublicWcfsrv_INSERT_scada_users_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE_scada_users">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_scada_users"
message="tns:IpublicWcfsrv_UPDATE_scada_users_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_scada_usersResponse
" message="tns:IpublicWcfsrv_UPDATE_scada_users_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="SQL_GET_MTR_FEEDER">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/SQL_GET_MTR_FEEDER"
message="tns:IpublicWcfsrv_SQL_GET_MTR_FEEDER_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/SQL_GET_MTR_FEEDERResponse
" message="tns:IpublicWcfsrv_SQL_GET_MTR_FEEDER_OutputMessage"/>
```

```
</wsdl:operation>

<wsdl:operation name="Get_schedule_tasks">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get_schedule_tasks"
    message="tns:IpublicWcfsrv_Get_schedule_tasks_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get_schedule_tasksResponse"
    " message="tns:IpublicWcfsrv_Get_schedule_tasks_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetSimMgmtData">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSimMgmtData"
    message="tns:IpublicWcfsrv_GetSimMgmtData_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSimMgmtDataResponse"
    message="tns:IpublicWcfsrv_GetSimMgmtData_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="ReplaceSimMgmtData">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/ReplaceSimMgmtData"
    message="tns:IpublicWcfsrv_ReplaceSimMgmtData_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/ReplaceSimMgmtDataResponse"
    " message="tns:IpublicWcfsrv_ReplaceSimMgmtData_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="ChangeKeysInstallment">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/ChangeKeysInstallment"
    message="tns:IpublicWcfsrv_ChangeKeysInstallment_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/ChangeKeysInstallmentRespo
    nse" message="tns:IpublicWcfsrv_ChangeKeysInstallment_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_EMP_CUSTODY">
```

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_EMP_CUSTODY"
message="tns:IpublicWcfsrv_GET_EMP_CUSTODY_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_EMP_CUSTODYResponse"
message="tns:IpublicWcfsrv_GET_EMP_CUSTODY_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="RetrieveKeysInstallment">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/RetrieveKeysInstallment"
message="tns:IpublicWcfsrv_RetrieveKeysInstallment_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/RetrieveKeysInstallmentRes
ponse"
message="tns:IpublicWcfsrv_RetrieveKeysInstallment_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertEmpEvent">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertEmpEvent"
message="tns:IpublicWcfsrv_InsertEmpEvent_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertEmpEventResponse"
message="tns:IpublicWcfsrv_InsertEmpEvent_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Insert_schedule_tasks">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Insert_schedule_tasks"
message="tns:IpublicWcfsrv_Insert_schedule_tasks_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Insert_schedule_tasksRespo
nse" message="tns:IpublicWcfsrv_Insert_schedule_tasks_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Get_EMP_Event">

<wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get_EMP_Event"
message="tns:IpublicWcfsrv_Get_EMP_Event_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get_EMP_EventResponse"
message="tns:IpublicWcfsrv_Get_EMP_Event_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GET_INVESTOR_FINANCIAL_REPORT">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_FINANCIAL_RE
PORT"
message="tns:IpublicWcfsrv_GET_INVESTOR_FINANCIAL_REPORT_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_FINANCIAL_RE
PORTResponse"
message="tns:IpublicWcfsrv_GET_INVESTOR_FINANCIAL_REPORT_OutputMessage"/
>

</wsdl:operation>

<wsdl:operation name="INSERT_INVESTOR_FINANCIAL_REPORT">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_FINANCIAL_
REPORT"
message="tns:IpublicWcfsrv_INSERT_INVESTOR_FINANCIAL_REPORT_InputMessage
"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_FINANCIAL_
REPORTResponse"
message="tns:IpublicWcfsrv_INSERT_INVESTOR_FINANCIAL_REPORT_OutputMessag
e"/>

</wsdl:operation>

<wsdl:operation name="UPDATE_INVESTOR_FINANCIAL_REPORT">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_FINANCIAL_
REPORT"
message="tns:IpublicWcfsrv_UPDATE_INVESTOR_FINANCIAL_REPORT_InputMessage
"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_FINANCIAL_
REPORTResponse"
message="tns:IpublicWcfsrv_UPDATE_INVESTOR_FINANCIAL_REPORT_OutputMessag
e"/>
```

</wsdl:operation>

<wsdl:operation name="GET\_INVESTOR\_RELATION\_ANNUAL\_PROFIT">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_INVESTOR\_RELATION\_ANNUAL\_PROFIT"

message="tns:IpublicWcfsrv\_GET\_INVESTOR\_RELATION\_ANNUAL\_PROFIT\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_INVESTOR\_RELATION\_ANNUAL\_PROFITResponse"

message="tns:IpublicWcfsrv\_GET\_INVESTOR\_RELATION\_ANNUAL\_PROFIT\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT\_INVESTOR\_RELATION\_ANNUAL\_PROFIT">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_INVESTOR\_RELATION\_ANNUAL\_PROFIT"

message="tns:IpublicWcfsrv\_INSERT\_INVESTOR\_RELATION\_ANNUAL\_PROFIT\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_INVESTOR\_RELATION\_ANNUAL\_PROFITResponse"

message="tns:IpublicWcfsrv\_INSERT\_INVESTOR\_RELATION\_ANNUAL\_PROFIT\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE\_INVESTOR\_RELATION\_ANNUAL\_PROFIT">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE\_INVESTOR\_RELATION\_ANNUAL\_PROFIT"

message="tns:IpublicWcfsrv\_UPDATE\_INVESTOR\_RELATION\_ANNUAL\_PROFIT\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE\_INVESTOR\_RELATION\_ANNUAL\_PROFITResponse"

message="tns:IpublicWcfsrv\_UPDATE\_INVESTOR\_RELATION\_ANNUAL\_PROFIT\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET\_INVESTOR\_RELATION\_DOCUMENT">

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATION_DOCUMENT"
message="tns:IpublicWcfsrv_GET_INVESTOR_RELATION_DOCUMENT_InputMessage"/
>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATION_DOCUMENTResponse"
message="tns:IpublicWcfsrv_GET_INVESTOR_RELATION_DOCUMENT_OutputMessage"
/>

</wsdl:operation>

<wsdl:operation name="INSERT_INVESTOR_RELATION_DOCUMENT">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_RELATION_DOCUMENT"
message="tns:IpublicWcfsrv_INSERT_INVESTOR_RELATION_DOCUMENT_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_RELATION_DOCUMENTResponse"
message="tns:IpublicWcfsrv_INSERT_INVESTOR_RELATION_DOCUMENT_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE_INVESTOR_RELATION_DOCUMENT">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_RELATION_DOCUMENT"
message="tns:IpublicWcfsrv_UPDATE_INVESTOR_RELATION_DOCUMENT_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_RELATION_DOCUMENTResponse"
message="tns:IpublicWcfsrv_UPDATE_INVESTOR_RELATION_DOCUMENT_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_INVESTOR_RELATION_SHARES_VALUE">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATION_SHARES_VALUE"
message="tns:IpublicWcfsrv_GET_INVESTOR_RELATION_SHARES_VALUE_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATION_SHARES_VALUEResponse"
message="tns:IpublicWcfsrv_GET_INVESTOR_RELATION_SHARES_VALUE_OutputMessage"/>

</wsdl:operation>
```

```
message="tns:IpublicWcfsrv_GET_INVESTOR_RELATION_SHARES_VALUE_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATION_SHARES_VALUEResponse"
message="tns:IpublicWcfsrv_GET_INVESTOR_RELATION_SHARES_VALUE_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_INVESTOR_RELATION_SHARES_VALUE">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_RELATION_SHARES_VALUE"
message="tns:IpublicWcfsrv_INSERT_INVESTOR_RELATION_SHARES_VALUE_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_RELATION_SHARES_VALUEResponse"
message="tns:IpublicWcfsrv_INSERT_INVESTOR_RELATION_SHARES_VALUE_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE_INVESTOR_RELATION_SHARES_VALUE">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_RELATION_SHARES_VALUE"
message="tns:IpublicWcfsrv_UPDATE_INVESTOR_RELATION_SHARES_VALUE_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_RELATION_SHARES_VALUEResponse"
message="tns:IpublicWcfsrv_UPDATE_INVESTOR_RELATION_SHARES_VALUE_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_INVESTOR_RELATION_GENERAL_ASS">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATION_GENERAL_ASS"
message="tns:IpublicWcfsrv_GET_INVESTOR_RELATION_GENERAL_ASS_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATION_GENE
RAL_ASSResponse"
message="tns:IpublicWcfsrv_GET_INVESTOR_RELATION_GENERAL_ASS_OutputMessa
ge"/>

</wsdl:operation>

<wsdl:operation name="INSERT_INVESTOR_RELATION_GENERAL_ASS">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_RELATION_G
ENERAL_ASS"
message="tns:IpublicWcfsrv_INSERT_INVESTOR_RELATION_GENERAL_ASS_InputMes
sage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_RELATION_G
ENERAL_ASSResponse"
message="tns:IpublicWcfsrv_INSERT_INVESTOR_RELATION_GENERAL_ASS_OutputMe
ssage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE_INVESTOR_RELATION_GENERAL_ASS">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_RELATION_G
ENERAL_ASS"
message="tns:IpublicWcfsrv_UPDATE_INVESTOR_RELATION_GENERAL_ASS_InputMes
sage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_RELATION_G
ENERAL_ASSResponse"
message="tns:IpublicWcfsrv_UPDATE_INVESTOR_RELATION_GENERAL_ASS_OutputMe
ssage"/>

</wsdl:operation>

<wsdl:operation name="GET_INVSTOR_RELATION_ANNUAL_REPORT">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVSTOR_RELATION_ANNUA
L_REPORT"
message="tns:IpublicWcfsrv_GET_INVSTOR_RELATION_ANNUAL_REPORT_InputMessa
ge"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVSTOR_RELATION_ANNUA
L_REPORTResponse"
message="tns:IpublicWcfsrv_GET_INVSTOR_RELATION_ANNUAL_REPORT_Response"
/>

</wsdl:operation>
```

```
message="tns:IpublicWcfsrv_GET_INVSTOR_RELATION_ANNUAL_REPORT_OutputMess
age"/>

</wsdl:operation>

<wsdl:operation name="INSERT_INVSTOR_RELATION_ANNUAL_REPORT">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVSTOR_RELATION_AN
NUAL_REPORT"
message="tns:IpublicWcfsrv_INSERT_INVSTOR_RELATION_ANNUAL_REPORT_InputMe
ssage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVSTOR_RELATION_AN
NUAL_REPORTResponse"
message="tns:IpublicWcfsrv_INSERT_INVSTOR_RELATION_ANNUAL_REPORT_OutputM
essage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE_INVSTOR_RELATION_ANNUAL_REPORT">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVSTOR_RELATION_AN
NUAL_REPORT"
message="tns:IpublicWcfsrv_UPDATE_INVSTOR_RELATION_ANNUAL_REPORT_InputMe
ssage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVSTOR_RELATION_AN
NUAL_REPORTResponse"
message="tns:IpublicWcfsrv_UPDATE_INVSTOR_RELATION_ANNUAL_REPORT_OutputM
essage"/>

</wsdl:operation>

<wsdl:operation name="GET_INVESTOR_RELATIONS_MANAGER">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATIONS_MAN
AGER"
message="tns:IpublicWcfsrv_GET_INVESTOR_RELATIONS_MANAGER_InputMessage"/
>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATIONS_MAN
AGERResponse"
message="tns:IpublicWcfsrv_GET_INVESTOR_RELATIONS_MANAGER_OutputMessage"
/>
```

</wsdl:operation>

<wsdl:operation name="INSERT\_INVESTOR\_RELATIONS\_MANAGER">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_INVESTOR\_RELATIONS\_MANAGER"

message="tns:IpublicWcfsrv\_INSERT\_INVESTOR\_RELATIONS\_MANAGER\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_INVESTOR\_RELATIONS\_MANAGERResponse"

message="tns:IpublicWcfsrv\_INSERT\_INVESTOR\_RELATIONS\_MANAGER\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE\_INVESTOR\_RELATIONS\_MANAGER">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE\_INVESTOR\_RELATIONS\_MANAGER"

message="tns:IpublicWcfsrv\_UPDATE\_INVESTOR\_RELATIONS\_MANAGER\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE\_INVESTOR\_RELATIONS\_MANAGERResponse"

message="tns:IpublicWcfsrv\_UPDATE\_INVESTOR\_RELATIONS\_MANAGER\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE\_INVESTOR\_RELATION\_USER">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE\_INVESTOR\_RELATION\_USER"

message="tns:IpublicWcfsrv\_UPDATE\_INVESTOR\_RELATION\_USER\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE\_INVESTOR\_RELATION\_USERResponse"

message="tns:IpublicWcfsrv\_UPDATE\_INVESTOR\_RELATION\_USER\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET\_INVSTOR\_RELATION\_HIFHER\_MANGERS">

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVSTOR_RELATION_HIFHER_MANGERS"
message="tns:IpublicWcfsrv_GET_INVSTOR_RELATION_HIFHER_MANGERS_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVSTOR_RELATION_HIFHER_MANGERSResponse"
message="tns:IpublicWcfsrv_GET_INVSTOR_RELATION_HIFHER_MANGERS_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_INVSTOR_RELATION_HIFHER_MANGERS">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVSTOR_RELATION_HIFHER_MANGERS"
message="tns:IpublicWcfsrv_INSERT_INVSTOR_RELATION_HIFHER_MANGERS_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVSTOR_RELATION_HIFHER_MANGERSResponse"
message="tns:IpublicWcfsrv_INSERT_INVSTOR_RELATION_HIFHER_MANGERS_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE_INVSTOR_RELATION_HIFHER_MANGERS">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVSTOR_RELATION_HIFHER_MANGERS"
message="tns:IpublicWcfsrv_UPDATE_INVSTOR_RELATION_HIFHER_MANGERS_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVSTOR_RELATION_HIFHER_MANGERSResponse"
message="tns:IpublicWcfsrv_UPDATE_INVSTOR_RELATION_HIFHER_MANGERS_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_INVSTOR_RELATION_PRESENTATION">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVSTOR_RELATION_PRESENTATION"
message="tns:IpublicWcfsrv_GET_INVSTOR_RELATION_PRESENTATION_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVSTOR_RELATION_PRESENTATIONResponse"
message="tns:IpublicWcfsrv_GET_INVSTOR_RELATION_PRESENTATION_OutputMessage"/>

</wsdl:operation>
```

```
message="tns:IpublicWcfsrv_GET_INVSTOR_RELATION_PRESENTATION_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVSTOR_RELATION_PRESENTATIONResponse"
message="tns:IpublicWcfsrv_GET_INVSTOR_RELATION_PRESENTATION_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_INVSTOR_RELATION_PRESENTATION">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVSTOR_RELATION_PRESENTATIONRequest"
message="tns:IpublicWcfsrv_INSERT_INVSTOR_RELATION_PRESENTATION_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVSTOR_RELATION_PRESENTATIONResponse"
message="tns:IpublicWcfsrv_INSERT_INVSTOR_RELATION_PRESENTATION_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE_INVSTOR_RELATION_PRESENTATION">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVSTOR_RELATION_PRESENTATIONRequest"
message="tns:IpublicWcfsrv_UPDATE_INVSTOR_RELATION_PRESENTATION_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVSTOR_RELATION_PRESENTATIONResponse"
message="tns:IpublicWcfsrv_UPDATE_INVSTOR_RELATION_PRESENTATION_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_INVESTOR_RELATION_USER">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATION_USERRequest"
message="tns:IpublicWcfsrv_GET_INVESTOR_RELATION_USER_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATION_USERResponse"
message="tns:IpublicWcfsrv_GET_INVESTOR_RELATION_USER_OutputMessage"/>

</wsdl:operation>
```

```
Response"
message="tns:IpublicWcfsrv_GET_INVESTOR_RELATION_USER_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GetIllegalProcessNote">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetIllegalProcessNote"
message="tns:IpublicWcfsrv_GetIllegalProcessNote_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetIllegalProcessNoteRespo
nse" message="tns:IpublicWcfsrv_GetIllegalProcessNote_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InserteIllegalProcessNote">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InserteIllegalProcessNote"
message="tns:IpublicWcfsrv_InserteIllegalProcessNote_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InserteIllegalProcessNoteR
esponse"
message="tns:IpublicWcfsrv_InserteIllegalProcessNote_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateIllegalProcessNote">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateIllegalProcessNote"
message="tns:IpublicWcfsrv_UpdateIllegalProcessNote_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateIllegalProcessNoteRe
sponse"
message="tns:IpublicWcfsrv_UpdateIllegalProcessNote_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE_CUST_INFO">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_CUST_INFO"
message="tns:IpublicWcfsrv_UPDATE_CUST_INFO_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_CUST_INFOResponse"
message="tns:IpublicWcfsrv_UPDATE_CUST_INFO_OutputMessage"/>
```

</wsdl:operation>

<wsdl:operation name="GET\_TMPR\_INSPECTION">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_TMPR\_INSPECTION"  
message="tns:IpublicWcfsrv\_GET\_TMPR\_INSPECTION\_InputMessage"/>

<wsdl:output  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_TMPR\_INSPECTIONResponse"  
message="tns:IpublicWcfsrv\_GET\_TMPR\_INSPECTION\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="SendIllegalEmails">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/SendIllegalEmails"  
message="tns:IpublicWcfsrv\_SendIllegalEmails\_InputMessage"/>

<wsdl:output  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/SendIllegalEmailsResponse"  
message="tns:IpublicWcfsrv\_SendIllegalEmails\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT\_INSPECTION\_COSTTIME\_READINGS">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_INSPECTION\_COSTTIME\_READINGS"  
message="tns:IpublicWcfsrv\_INSERT\_INSPECTION\_COSTTIME\_READINGS\_InputMessage"/>

<wsdl:output  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_INSPECTION\_COSTTIME\_READINGSResponse"  
message="tns:IpublicWcfsrv\_INSERT\_INSPECTION\_COSTTIME\_READINGS\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT\_CUSTOMER\_NOTE\_READER\_DATA">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_CUSTOMER\_NOTE\_READER\_DATA"  
message="tns:IpublicWcfsrv\_INSERT\_CUSTOMER\_NOTE\_READER\_DATA\_InputMessage"/>

<wsdl:output  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_CUSTOMER\_NOTE\_READER\_DATAResponse"/>

```
R_DATAResponse"
message="tns:IpublicWcfsrv_INSERT_CUSTOMER_NOTE_READER_DATA_OutputMessage"
"/>

</wsdl:operation>

<wsdl:operation name="Counter_Change_InsertCounterfORM">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Counter_Change_InsertCounterfORM"
message="tns:IpublicWcfsrv_Counter_Change_InsertCounterfORM_InputMessage"
"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Counter_Change_InsertCounterfORMResponse"
message="tns:IpublicWcfsrv_Counter_Change_InsertCounterfORM_OutputMessage"
"/>

</wsdl:operation>

<wsdl:operation name="GET_CUST_M_INFO_CHANGE">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_CUST_M_INFO_CHANGE"
message="tns:IpublicWcfsrv_GET_CUST_M_INFO_CHANGE_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_CUST_M_INFO_CHANGEResponse"
message="tns:IpublicWcfsrv_GET_CUST_M_INFO_CHANGE_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_CUST_M_INFO_CHANGE">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_CUST_M_INFO_CHANGE"
message="tns:IpublicWcfsrv_INSERT_CUST_M_INFO_CHANGE_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_CUST_M_INFO_CHANGEResponse"
message="tns:IpublicWcfsrv_INSERT_CUST_M_INFO_CHANGE_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE_CUST_M_INFO_CHANGE">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_CUST_M_INFO_CHANGE"
message="tns:IpublicWcfsrv_UPDATE_CUST_M_INFO_CHANGE_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_CUST_M_INFO_CHANGER
esponse"
message="tns:IpublicWcfsrv_UPDATE_CUST_M_INFO_CHANGE_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="InsertMetersPasswordsAppLog">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertMetersPasswordsAppLo
g"
message="tns:IpublicWcfsrv_InsertMetersPasswordsAppLog_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertMetersPasswordsAppLo
gResponse"
message="tns:IpublicWcfsrv_InsertMetersPasswordsAppLog_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="InsertIdecoCarInfoAppTrans">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertIdecoCarInfoAppTrans
" message="tns:IpublicWcfsrv_InsertIdecoCarInfoAppTrans_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertIdecoCarInfoAppTrans
Response"
message="tns:IpublicWcfsrv_InsertIdecoCarInfoAppTrans_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GetIdecoCarInfoAppTrans">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetIdecoCarInfoAppTrans"
message="tns:IpublicWcfsrv_GetIdecoCarInfoAppTrans_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetIdecoCarInfoAppTransRes
ponse"
message="tns:IpublicWcfsrv_GetIdecoCarInfoAppTrans_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="ValidateUserLogin">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/ValidateUserLogin"
message="tns:IpublicWcfsrv_ValidateUserLogin_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/ValidateUserLoginResponse"
message="tns:IpublicWcfsrv_ValidateUserLogin_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="InsertMeetingMinutes">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertMeetingMinutes"
message="tns:IpublicWcfsrv_InsertMeetingMinutes_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertMeetingMinutesResponse"
message="tns:IpublicWcfsrv_InsertMeetingMinutes_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetMeetingMinutes">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetMeetingMinutes"
message="tns:IpublicWcfsrv_GetMeetingMinutes_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetMeetingMinutesResponse"
message="tns:IpublicWcfsrv_GetMeetingMinutes_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetMeetingClauses">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetMeetingClauses"
message="tns:IpublicWcfsrv_GetMeetingClauses_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetMeetingClausesResponse"
message="tns:IpublicWcfsrv_GetMeetingClauses_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateMeetingDetails">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateMeetingDetails"
message="tns:IpublicWcfsrv_UpdateMeetingDetails_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateMeetingDetailsResponse"
message="tns:IpublicWcfsrv_UpdateMeetingDetails_OutputMessage"/>

</wsdl:operation>
```

</wsdl:operation>

<wsdl:operation name="UpdateClauseDetails">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateClauseDetails"  
message="tns:IpublicWcfsrv\_UpdateClauseDetails\_InputMessage"/>

<wsdl:output  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateClauseDetailsResponse"  
message="tns:IpublicWcfsrv\_UpdateClauseDetails\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertMeetingClause">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertMeetingClause"  
message="tns:IpublicWcfsrv\_InsertMeetingClause\_InputMessage"/>

<wsdl:output  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertMeetingClauseResponse"  
message="tns:IpublicWcfsrv\_InsertMeetingClause\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET\_ATTRACTING\_SUPPLIERS">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_ATTRACTING\_SUPPLIERS"  
message="tns:IpublicWcfsrv\_GET\_ATTRACTING\_SUPPLIERS\_InputMessage"/>

<wsdl:output  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_ATTRACTING\_SUPPLIERSResponse"  
message="tns:IpublicWcfsrv\_GET\_ATTRACTING\_SUPPLIERS\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT\_ATTRACTING\_SUPPLIERS\_MASTER">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_ATTRACTING\_SUPPLIERS\_MASTER"  
message="tns:IpublicWcfsrv\_INSERT\_ATTRACTING\_SUPPLIERS\_MASTER\_InputMessage"/>

<wsdl:output  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_ATTRACTING\_SUPPLIERS\_MASTERResponse"  
message="tns:IpublicWcfsrv\_INSERT\_ATTRACTING\_SUPPLIERS\_MASTER\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT\_ATTRACTING\_SUPPLIERS\_DETAILS">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_ATTRACTING\_SUPPLIER  
S\_DETAILS"  
message="tns:IpublicWcfsrv\_INSERT\_ATTRACTING\_SUPPLIERS\_DETAILS\_InputMess  
age"/>

<wsdl:output  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_ATTRACTING\_SUPPLIER  
S\_DETAILSResponse"  
message="tns:IpublicWcfsrv\_INSERT\_ATTRACTING\_SUPPLIERS\_DETAILS\_OutputMes  
sage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE\_ATTRACTING\_SUPPLIERS\_MASTER">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE\_ATTRACTING\_SUPPLIER  
S\_MASTER"  
message="tns:IpublicWcfsrv\_UPDATE\_ATTRACTING\_SUPPLIERS\_MASTER\_InputMessa  
ge"/>

<wsdl:output  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE\_ATTRACTING\_SUPPLIER  
S\_MASTERResponse"  
message="tns:IpublicWcfsrv\_UPDATE\_ATTRACTING\_SUPPLIERS\_MASTER\_OutputMess  
age"/>

</wsdl:operation>

<wsdl:operation name="GET\_INVESTOR\_SURVEY">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_INVESTOR\_SURVEY"  
message="tns:IpublicWcfsrv\_GET\_INVESTOR\_SURVEY\_InputMessage"/>

<wsdl:output  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_INVESTOR\_SURVEYRespons  
e" message="tns:IpublicWcfsrv\_GET\_INVESTOR\_SURVEY\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT\_INVESTOR\_SURVEY\_MASTER">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_INVESTOR\_SURVEY\_MAS  
TER"  
message="tns:IpublicWcfsrv\_INSERT\_INVESTOR\_SURVEY\_MASTER\_InputMessage"/>

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_SURVEY_MASTERResponse"
message="tns:IpublicWcfsrv_INSERT_INVESTOR_SURVEY_MASTER_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="UPDATE_INVESTOR_SURVEY_MASTER">
  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_SURVEY_MASTER"
message="tns:IpublicWcfsrv_UPDATE_INVESTOR_SURVEY_MASTER_InputMessage"/>
  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_SURVEY_MASTERResponse"
message="tns:IpublicWcfsrv_UPDATE_INVESTOR_SURVEY_MASTER_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="INSERT_INVESTOR_SURVEY_DETAILS">
  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_SURVEY_DETAILS"
message="tns:IpublicWcfsrv_INSERT_INVESTOR_SURVEY_DETAILS_InputMessage"/>
  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_SURVEY_DETAILSResponse"
message="tns:IpublicWcfsrv_INSERT_INVESTOR_SURVEY_DETAILS_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="GetRealEstateDocument">
  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRealEstateDocument"
message="tns:IpublicWcfsrv_GetRealEstateDocument_InputMessage"/>
  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRealEstateDocumentResponse" message="tns:IpublicWcfsrv_GetRealEstateDocument_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="InsertRealEstateDocument">
```

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRealEstateDocument"
message="tns:IpublicWcfsrv_InsertRealEstateDocument_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRealEstateDocumentRe
sponse"
message="tns:IpublicWcfsrv_InsertRealEstateDocument_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertRealEstateDocument_S">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRealEstateDocument_S
" message="tns:IpublicWcfsrv_InsertRealEstateDocument_S_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRealEstateDocument_S
Response"
message="tns:IpublicWcfsrv_InsertRealEstateDocument_S_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_HOUSING_FUND">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_HOUSING_FUND"
message="tns:IpublicWcfsrv_INSERT_HOUSING_FUND_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_HOUSING_FUNDRespons
e" message="tns:IpublicWcfsrv_INSERT_HOUSING_FUND_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_HOUSING_FUND">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_HOUSING_FUND"
message="tns:IpublicWcfsrv_GET_HOUSING_FUND_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_HOUSING_FUNDResponse"
message="tns:IpublicWcfsrv_GET_HOUSING_FUND_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="PRC_GET_QR_TRANSACTION_LOGS">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/PRC_GET_QR_TRANSACTION_LOG
```

```
S"
message="tns:IpublicWcfsrv_PRC_GET_QR_TRANSACTION_LOGS_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/PRC_GET_QR_TRANSACTION_LOG
SResponse"
message="tns:IpublicWcfsrv_PRC_GET_QR_TRANSACTION_LOGS_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="PRC_INSERT_QR_TRANSACTION_LOG">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/PRC_INSERT_QR_TRANSACTION_
LOG"
message="tns:IpublicWcfsrv_PRC_INSERT_QR_TRANSACTION_LOG_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/PRC_INSERT_QR_TRANSACTION_
LOGResponse"
message="tns:IpublicWcfsrv_PRC_INSERT_QR_TRANSACTION_LOG_OutputMessage"/
>
>

</wsdl:operation>

<wsdl:operation name="UPDATE_QR_TRANSACTION_LOGS">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_QR_TRANSACTION_LOGS
" message="tns:IpublicWcfsrv_UPDATE_QR_TRANSACTION_LOGS_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_QR_TRANSACTION_LOGS
Response"
message="tns:IpublicWcfsrv_UPDATE_QR_TRANSACTION_LOGS_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_VOH_TAX">

<wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_VOH_TAX"
message="tns:IpublicWcfsrv_GET_VOH_TAX_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_VOH_TAXResponse"
message="tns:IpublicWcfsrv_GET_VOH_TAX_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertRealestateStatusLog">
```

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRealestateStatusLog"
message="tns:IpublicWcfsrv_InsertRealestateStatusLog_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRealestateStatusLogR
esponse"
message="tns:IpublicWcfsrv_InsertRealestateStatusLog_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_HEXING_PASS_CONFIGURATION">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_HEXING_PASS_CONFIGU
RATION"
message="tns:IpublicWcfsrv_INSERT_HEXING_PASS_CONFIGURATION_InputMessage
"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_HEXING_PASS_CONFIGU
RATIONResponse"
message="tns:IpublicWcfsrv_INSERT_HEXING_PASS_CONFIGURATION_OutputMessag
e"/>

</wsdl:operation>

<wsdl:operation name="GET_GET_DIRECT_CURRENT_APP">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_GET_DIRECT_CURRENT_APP
" message="tns:IpublicWcfsrv_GET_GET_DIRECT_CURRENT_APP_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_GET_DIRECT_CURRENT_APP
Response"
message="tns:IpublicWcfsrv_GET_GET_DIRECT_CURRENT_APP_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_DIRECT_CURRENT_APP">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_DIRECT_CURRENT_APP"
message="tns:IpublicWcfsrv_INSERT_DIRECT_CURRENT_APP_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_DIRECT_CURRENT_APPR
esponse"
message="tns:IpublicWcfsrv_INSERT_DIRECT_CURRENT_APP_OutputMessage"/>

</wsdl:operation>
```

```
<wsdl:operation name="UPDATE_DIRECT_CURRENT_APP">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_DIRECT_CURRENT_APP"
    message="tns:IpublicWcfsrv_UPDATE_DIRECT_CURRENT_APP_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_DIRECT_CURRENT_APPR
    esponse"
    message="tns:IpublicWcfsrv_UPDATE_DIRECT_CURRENT_APP_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_IDECO_CORRESPONDENCES">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_IDECO_CORRESPONDENC
    ES"
    message="tns:IpublicWcfsrv_INSERT_IDECO_CORRESPONDENCES_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_IDECO_CORRESPONDENC
    ESResponse"
    message="tns:IpublicWcfsrv_INSERT_IDECO_CORRESPONDENCES_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertUnemployedCarRentalDailyTrans">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertUnemployedCarRentalD
    ailyTrans"
    message="tns:IpublicWcfsrv_InsertUnemployedCarRentalDailyTrans_InputMess
    age"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertUnemployedCarRentalD
    ailyTransResponse"
    message="tns:IpublicWcfsrv_InsertUnemployedCarRentalDailyTrans_OutputMes
    sage"/>

</wsdl:operation>

<wsdl:operation name="GET_CUSTOMER_USERS">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_CUSTOMER_USERS"
    message="tns:IpublicWcfsrv_GET_CUSTOMER_USERS_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_CUSTOMER_USERSResponse
    " message="tns:IpublicWcfsrv_GET_CUSTOMER_USERS_OutputMessage"/>

</wsdl:operation>
```

```
</wsdl:operation>

<wsdl:operation name="CUSTOMER_WEB_APP_CHECKER">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/CUSTOMER_WEB_APP_CHECKER"
    message="tns:IpublicWcfsrv_CUSTOMER_WEB_APP_CHECKER_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/CUSTOMER_WEB_APP_CHECKERRe
    sponse"
    message="tns:IpublicWcfsrv_CUSTOMER_WEB_APP_CHECKER_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="CUSTOMER_BONDS">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/CUSTOMER_BONDS"
    message="tns:IpublicWcfsrv_CUSTOMER_BONDS_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/CUSTOMER_BONDSResponse"
    message="tns:IpublicWcfsrv_CUSTOMER_BONDS_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateCustomerServices">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateCustomerServices"
    message="tns:IpublicWcfsrv_UpdateCustomerServices_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateCustomerServicesResp
    onse" message="tns:IpublicWcfsrv_UpdateCustomerServices_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertCustomerServices">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCustomerServices"
    message="tns:IpublicWcfsrv_InsertCustomerServices_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCustomerServicesResp
    onse" message="tns:IpublicWcfsrv_InsertCustomerServices_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="SAVE_ARCHIVE_FILE_WEBSERVICES">
```

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/SAVE_ARCHIVE_FILE_WEBSERVI
CES"
message="tns:IpublicWcfsrv_SAVE_ARCHIVE_FILE_WEBSERVICES_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/SAVE_ARCHIVE_FILE_WEBSERVI
CESResponse"
message="tns:IpublicWcfsrv_SAVE_ARCHIVE_FILE_WEBSERVICES_OutputMessage"/
>

</wsdl:operation>

<wsdl:operation name="GetAllTraining">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllTraining"
message="tns:IpublicWcfsrv_GetAllTraining_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllTrainingResponse"
message="tns:IpublicWcfsrv_GetAllTraining_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetTrainingDetails">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetTrainingDetails"
message="tns:IpublicWcfsrv_GetTrainingDetails_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetTrainingDetailsResponse
" message="tns:IpublicWcfsrv_GetTrainingDetails_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetPurchase">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetPurchase"
message="tns:IpublicWcfsrv_GetPurchase_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetPurchaseResponse"
message="tns:IpublicWcfsrv_GetPurchase_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetAllTender">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllTender"
message="tns:IpublicWcfsrv_GetAllTender_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllTenderResponse"
message="tns:IpublicWcfsrv_GetAllTender_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GetTenderRegistration">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetTenderRegistration"
message="tns:IpublicWcfsrv_GetTenderRegistration_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetTenderRegistrationRespo
nse" message="tns:IpublicWcfsrv_GetTenderRegistration_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetSpecificTender">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSpecificTender"
message="tns:IpublicWcfsrv_GetSpecificTender_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSpecificTenderResponse"
message="tns:IpublicWcfsrv_GetSpecificTender_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetRealEstateDocumentView">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRealEstateDocumentView"
message="tns:IpublicWcfsrv_GetRealEstateDocumentView_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRealEstateDocumentViewR
esponse"
message="tns:IpublicWcfsrv_GetRealEstateDocumentView_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetCustomer">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCustomer"
message="tns:IpublicWcfsrv_GetCustomer_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCustomerResponse"
message="tns:IpublicWcfsrv_GetCustomer_OutputMessage"/>
```

```
</wsdl:operation>

<wsdl:operation name="CheckRealEstateDocument">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/CheckRealEstateDocument"
    message="tns:IpublicWcfsrv_CheckRealEstateDocument_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/CheckRealEstateDocumentRes
    ponse"
    message="tns:IpublicWcfsrv_CheckRealEstateDocument_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetInvoiceType">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetInvoiceType"
    message="tns:IpublicWcfsrv_GetInvoiceType_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetInvoiceTypeResponse"
    message="tns:IpublicWcfsrv_GetInvoiceType_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetInvoiceDetail">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetInvoiceDetail"
    message="tns:IpublicWcfsrv_GetInvoiceDetail_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetInvoiceDetailResponse"
    message="tns:IpublicWcfsrv_GetInvoiceDetail_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetInvoiceOtherDetail">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetInvoiceOtherDetail"
    message="tns:IpublicWcfsrv_GetInvoiceOtherDetail_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetInvoiceOtherDetailRespo
    nse" message="tns:IpublicWcfsrv_GetInvoiceOtherDetail_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="getGenerics">
```

```
<wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/getGenerics"
message="tns:IpublicWcfsrv_getGenerics_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/getGenericsResponse"
message="tns:IpublicWcfsrv_getGenerics_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="getGenericsCity">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/getGenericsCity"
message="tns:IpublicWcfsrv_getGenericsCity_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/getGenericsCityResponse"
message="tns:IpublicWcfsrv_getGenericsCity_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="getAllCities">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/getAllCities"
message="tns:IpublicWcfsrv_getAllCities_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/getAllCitiesResponse"
message="tns:IpublicWcfsrv_getAllCities_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertComplaintsTracking">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertComplaintsTracking"
message="tns:IpublicWcfsrv_InsertComplaintsTracking_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertComplaintsTrackingRe
sponse"
message="tns:IpublicWcfsrv_InsertComplaintsTracking_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetCurrentComplaintID">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCurrentComplaintID"
message="tns:IpublicWcfsrv_GetCurrentComplaintID_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCurrentComplaintIDRespo
nse" message="tns:IpublicWcfsrv_GetCurrentComplaintID_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="UpdateEmailComplaint">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateEmailComplaint"
message="tns:IpublicWcfsrv_UpdateEmailComplaint_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateEmailComplaintRespon
se" message="tns:IpublicWcfsrv_UpdateEmailComplaint_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetComplaint">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetComplaint"
message="tns:IpublicWcfsrv_GetComplaint_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetComplaintResponse"
message="tns:IpublicWcfsrv_GetComplaint_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetCustomerInfo">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCustomerInfo"
message="tns:IpublicWcfsrv_GetCustomerInfo_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCustomerInfoResponse"
message="tns:IpublicWcfsrv_GetCustomerInfo_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetComplaintWithParameters">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetComplaintWithParameters
" message="tns:IpublicWcfsrv_GetComplaintWithParameters_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetComplaintWithParameters
Response"
message="tns:IpublicWcfsrv_GetComplaintWithParameters_OutputMessage"/>
```

```
</wsdl:operation>

<wsdl:operation name="GetRegistryValue">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRegistryValue"
    message="tns:IpublicWcfsrv_GetRegistryValue_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRegistryValueResponse"
    message="tns:IpublicWcfsrv_GetRegistryValue_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertRequestsForHiring">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRequestsForHiring"
    message="tns:IpublicWcfsrv_InsertRequestsForHiring_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRequestsForHiringRes
    ponse"
    message="tns:IpublicWcfsrv_InsertRequestsForHiring_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertRequestsForHiring_QS">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRequestsForHiring_QS
    " message="tns:IpublicWcfsrv_InsertRequestsForHiring_QS_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRequestsForHiring_QS
    Response"
    message="tns:IpublicWcfsrv_InsertRequestsForHiring_QS_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertRequestsForHiring_Experiences">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRequestsForHiring_Ex
    periences"
    message="tns:IpublicWcfsrv_InsertRequestsForHiring_Experiences_InputMess
    age"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRequestsForHiring_Ex
    periencesResponse"


```

```
message="tns:IpublicWcfsrv_InsertRequestsForHiring_Experiences_OutputMes
sage"/>

</wsdl:operation>

<wsdl:operation name="InsertRequestsForHiring_Training">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRequestsForHiring_Tr
aining"
message="tns:IpublicWcfsrv_InsertRequestsForHiring_Training_InputMessage
"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRequestsForHiring_Tr
ainingResponse"
message="tns:IpublicWcfsrv_InsertRequestsForHiring_Training_OutputMessag
e"/>

</wsdl:operation>

<wsdl:operation name="InsertRequestsForHiring_Reference">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRequestsForHiring_Re
ference"
message="tns:IpublicWcfsrv_InsertRequestsForHiring_Reference_InputMessag
e"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertRequestsForHiring_Re
ferenceResponse"
message="tns:IpublicWcfsrv_InsertRequestsForHiring_Reference_OutputMessa
ge"/>

</wsdl:operation>

<wsdl:operation name="DeletedAllDataRequestsForHiring">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/DeletedAllDataRequestsForH
iring"
message="tns:IpublicWcfsrv_DeletedAllDataRequestsForHiring_InputMessage"
/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/DeletedAllDataRequestsForH
iringResponse"
message="tns:IpublicWcfsrv_DeletedAllDataRequestsForHiring_OutputMessage
"/>
```

</wsdl:operation>

<wsdl:operation name="getGenericsJop">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/getGenericsJop"

message="tns:IpublicWcfsrv\_getGenericsJop\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/getGenericsJopResponse"

message="tns:IpublicWcfsrv\_getGenericsJop\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetRequestsForHiring">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRequestsForHiring"

message="tns:IpublicWcfsrv\_GetRequestsForHiring\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRequestsForHiringRespon

se" message="tns:IpublicWcfsrv\_GetRequestsForHiring\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetRequistQualification">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRequistQualification"

message="tns:IpublicWcfsrv\_GetRequistQualification\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRequistQualificationRes  
ponse"

message="tns:IpublicWcfsrv\_GetRequistQualification\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetRequistExperience">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRequistExperience"

message="tns:IpublicWcfsrv\_GetRequistExperience\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRequistExperienceRespon  
se" message="tns:IpublicWcfsrv\_GetRequistExperience\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetRequistTraining">

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRequistTraining"
message="tns:IpublicWcfsrv_GetRequistTraining_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRequistTrainingResponse
" message="tns:IpublicWcfsrv_GetRequistTraining_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetRequistReference">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRequistReference"
message="tns:IpublicWcfsrv_GetRequistReference_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetRequistReferenceResponse"
message="tns:IpublicWcfsrv_GetRequistReference_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateRequestsForHiring">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateRequestsForHiring"
message="tns:IpublicWcfsrv_UpdateRequestsForHiring_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateRequestsForHiringResponse"
message="tns:IpublicWcfsrv_UpdateRequestsForHiring_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetJREEEFData">

<wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetJREEEFData"
message="tns:IpublicWcfsrv_GetJREEEFData_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetJREEEFDataResponse"
message="tns:IpublicWcfsrv_GetJREEEFData_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertJreeefData">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertJreeefData"
message="tns:IpublicWcfsrv_InsertJreeefData_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertJreeefDataResponse"
message="tns:IpublicWcfsrv_InsertJreeefData_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="InsertDisconnCusromerReq">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertDisconnCusromerReq"
message="tns:IpublicWcfsrv_InsertDisconnCusromerReq_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertDisconnCusromerReqRe
sponse"
message="tns:IpublicWcfsrv_InsertDisconnCusromerReq_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetInboxData">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetInboxData"
message="tns:IpublicWcfsrv_GetInboxData_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetInboxDataResponse"
message="tns:IpublicWcfsrv_GetInboxData_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertCarRentalDailyTrans">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCarRentalDailyTrans"
message="tns:IpublicWcfsrv_InsertCarRentalDailyTrans_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCarRentalDailyTransR
esponse"
message="tns:IpublicWcfsrv_InsertCarRentalDailyTrans_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateCarRentailDailyTrans">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateCarRentailDailyTrans
" message="tns:IpublicWcfsrv_UpdateCarRentailDailyTrans_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateCarRentailDailyTrans
```

```
Response"
message="tns:IpublicWcfsrv_UpdateCarRentailDailyTrans_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GetCarRental">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCarRental"
message="tns:IpublicWcfsrv_GetCarRental_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCarRentalResponse"
message="tns:IpublicWcfsrv_GetCarRental_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_CUSTOMER_PHOTO_METER_READ">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_CUSTOMER_PHOTO_METER_R
EAD"
message="tns:IpublicWcfsrv_GET_CUSTOMER_PHOTO_METER_READ_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_CUSTOMER_PHOTO_METER_R
EADResponse"
message="tns:IpublicWcfsrv_GET_CUSTOMER_PHOTO_METER_READ_OutputMessage"/
>

</wsdl:operation>

<wsdl:operation name="InsertUpdateApprovals">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertUpdateApprovals"
message="tns:IpublicWcfsrv_InsertUpdateApprovals_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertUpdateApprovalsRespo
nse" message="tns:IpublicWcfsrv_InsertUpdateApprovals_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetAppLoginUser">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAppLoginUser"
message="tns:IpublicWcfsrv_GetAppLoginUser_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAppLoginUserResponse"
message="tns:IpublicWcfsrv_GetAppLoginUser_OutputMessage"/>
```

</wsdl:operation>

<wsdl:operation name="Get\_Emp\_Leaves">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get\_Emp\_Leaves"

message="tns:IpublicWcfsrv\_Get\_Emp\_Leaves\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get\_Emp\_LeavesResponse"

message="tns:IpublicWcfsrv\_Get\_Emp\_Leaves\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateVacationsData">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateVacationsData"

message="tns:IpublicWcfsrv\_UpdateVacationsData\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateVacationsDataResponse"

message="tns:IpublicWcfsrv\_UpdateVacationsData\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET\_GM\_TASK\_MANAGMENT">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_GM\_TASK\_MANAGMENT"

message="tns:IpublicWcfsrv\_GET\_GM\_TASK\_MANAGMENT\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_GM\_TASK\_MANAGMENTResponse"

message="tns:IpublicWcfsrv\_GET\_GM\_TASK\_MANAGMENT\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT\_GM\_TASK\_MNG\_MASTER">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_GM\_TASK\_MNG\_MASTER"

message="tns:IpublicWcfsrv\_INSERT\_GM\_TASK\_MNG\_MASTER\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_GM\_TASK\_MNG\_MASTERR

esponse"

message="tns:IpublicWcfsrv\_INSERT\_GM\_TASK\_MNG\_MASTER\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT\_GM\_TASK\_MNG\_DETAIL">

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_GM_TASK_MNG_DETAIL"
message="tns:IpublicWcfsrv_INSERT_GM_TASK_MNG_DETAIL_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_GM_TASK_MNG_DETAILR
esponse"
message="tns:IpublicWcfsrv_INSERT_GM_TASK_MNG_DETAIL_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_GM_TASK_MNG_IMG">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_GM_TASK_MNG_IMG"
message="tns:IpublicWcfsrv_GET_GM_TASK_MNG_IMG_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_GM_TASK_MNG_IMGRespons
e" message="tns:IpublicWcfsrv_GET_GM_TASK_MNG_IMG_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_TASK_SCHEDULE">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_TASK_SCHEDULE"
message="tns:IpublicWcfsrv_INSERT_TASK_SCHEDULE_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_TASK_SCHEDULERespon
se" message="tns:IpublicWcfsrv_INSERT_TASK_SCHEDULE_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_TASK_SCHEDULE">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_TASK_SCHEDULE"
message="tns:IpublicWcfsrv_GET_TASK_SCHEDULE_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_TASK_SCHEDULEResponse"
message="tns:IpublicWcfsrv_GET_TASK_SCHEDULE_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateGmTaskManagment">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateGmTaskManagment"
message="tns:IpublicWcfsrv_UpdateGmTaskManagment_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateGmTaskManagmentRespo
nse" message="tns:IpublicWcfsrv_UpdateGmTaskManagment_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GetDirectPayUrl">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetDirectPayUrl"
message="tns:IpublicWcfsrv_GetDirectPayUrl_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetDirectPayUrlResponse"
message="tns:IpublicWcfsrv_GetDirectPayUrl_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertCustomerNotes">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCustomerNotes"
message="tns:IpublicWcfsrv_InsertCustomerNotes_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCustomerNotesRespon
se" message="tns:IpublicWcfsrv_InsertCustomerNotes_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="SaveGmFileToBath">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/SaveGmFileToBath"
message="tns:IpublicWcfsrv_SaveGmFileToBath_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/SaveGmFileToBathResponse"
message="tns:IpublicWcfsrv_SaveGmFileToBath_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetGmFileToBath">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetGmFileToBath"
message="tns:IpublicWcfsrv_GetGmFileToBath_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetGmFileToBathResponse"
message="tns:IpublicWcfsrv_GetGmFileToBath_OutputMessage"/>
```

</wsdl:operation>

<wsdl:operation name="INSERT\_CTVT\_INSPECTION">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_CTVT\_INSPECTION"

message="tns:IpublicWcfsrv\_INSERT\_CTVT\_INSPECTION\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_CTVT\_INSPECTIONResp

onse" message="tns:IpublicWcfsrv\_INSERT\_CTVT\_INSPECTION\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT\_INDIRECT\_CT\_INSPICICTION">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_INDIRECT\_CT\_INSPICICTION"

message="tns:IpublicWcfsrv\_INSERT\_INDIRECT\_CT\_INSPICICTION\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_INDIRECT\_CT\_INSPICICTIONResponse"

message="tns:IpublicWcfsrv\_INSERT\_INDIRECT\_CT\_INSPICICTION\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET\_CTVT\_INSPECTION">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_CTVT\_INSPECTION"

message="tns:IpublicWcfsrv\_GET\_CTVT\_INSPECTION\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_CTVT\_INSPECTIONResponse"

message="tns:IpublicWcfsrv\_GET\_CTVT\_INSPECTION\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET\_INDIRECT\_CT\_INSPICICTION">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_INDIRECT\_CT\_INSPICICTION" message="tns:IpublicWcfsrv\_GET\_INDIRECT\_CT\_INSPICICTION\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_INDIRECT\_CT\_INSPICICTIONResponse"

message="tns:IpublicWcfsrv\_GET\_INDIRECT\_CT\_INSPICICTION\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateUserPassword">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateUserPassword"  
message="tns:IpublicWcfsrv\_UpdateUserPassword\_InputMessage"/>

<wsdl:output  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateUserPasswordResponse"  
message="tns:IpublicWcfsrv\_UpdateUserPassword\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="SetResponsepleID">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/SetResponsepleID"  
message="tns:IpublicWcfsrv\_SetResponsepleID\_InputMessage"/>

<wsdl:output  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/SetResponsepleIDResponse"  
message="tns:IpublicWcfsrv\_SetResponsepleID\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateCashUserInfoPDA">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateCashUserInfoPDA"  
message="tns:IpublicWcfsrv\_UpdateCashUserInfoPDA\_InputMessage"/>

<wsdl:output  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateCashUserInfoPDAResponse"  
message="tns:IpublicWcfsrv\_UpdateCashUserInfoPDA\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Update\_Emp\_Leave">

<wsdl:input  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Update\_Emp\_Leave"  
message="tns:IpublicWcfsrv\_Update\_Emp\_Leave\_InputMessage"/>

<wsdl:output  
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Update\_Emp\_LeaveResponse"  
message="tns:IpublicWcfsrv\_Update\_Emp\_Leave\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetEmpNoti">

```
<wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetEmpNoti"
message="tns:IpublicWcfsrv_GetEmpNoti_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetEmpNotiResponse"
message="tns:IpublicWcfsrv_GetEmpNoti_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Insert_Emp_Noti">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Insert_Emp_Noti"
message="tns:IpublicWcfsrv_Insert_Emp_Noti_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Insert_Emp_NotiResponse"
message="tns:IpublicWcfsrv_Insert_Emp_Noti_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_RENEWABLE_APP_CLOSE">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_RENEWABLE_APP_CLOSE"
message="tns:IpublicWcfsrv_GET_RENEWABLE_APP_CLOSE_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_RENEWABLE_APP_CLOSERes
ponse"
message="tns:IpublicWcfsrv_GET_RENEWABLE_APP_CLOSE_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_RENEWABLE_APP_CLOSE">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_RENEWABLE_APP_CLOSE
" message="tns:IpublicWcfsrv_INSERT_RENEWABLE_APP_CLOSE_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_RENEWABLE_APP_CLOSE
Response"
message="tns:IpublicWcfsrv_INSERT_RENEWABLE_APP_CLOSE_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_SMART_METER_CONFIGURATION">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_SMART_METER_CONFIGURAT
```

```
ION"
message="tns:IpublicWcfsrv_GET_SMART_METER_CONFIGURATION_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_SMART_METER_CONFIGURAT
IONResponse"
message="tns:IpublicWcfsrv_GET_SMART_METER_CONFIGURATION_OutputMessage"/
>

</wsdl:operation>

<wsdl:operation name="GetMovementCommands">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetMovementCommands"
message="tns:IpublicWcfsrv_GetMovementCommands_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetMovementCommandsRespons
e" message="tns:IpublicWcfsrv_GetMovementCommands_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetGenerics_Training">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetGenerics_Training"
message="tns:IpublicWcfsrv_GetGenerics_Training_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetGenerics_TrainingRespon
se" message="tns:IpublicWcfsrv_GetGenerics_Training_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Employee_Search_Name_V2">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Employee_Search_Name_V2"
message="tns:IpublicWcfsrv_Employee_Search_Name_V2_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Employee_Search_Name_V2Res
ponse"
message="tns:IpublicWcfsrv_Employee_Search_Name_V2_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Employee_Search_Number_V2">
```

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Employee_Search_Number_V2"
message="tns:IpublicWcfsrv_Employee_Search_Number_V2_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Employee_Search_Number_V2R
esponse"
message="tns:IpublicWcfsrv_Employee_Search_Number_V2_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertMovementCommand">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertMovementCommand"
message="tns:IpublicWcfsrv_InsertMovementCommand_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertMovementCommandRespo
nse" message="tns:IpublicWcfsrv_InsertMovementCommand_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetUserData">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetUserData"
message="tns:IpublicWcfsrv_GetUserData_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetUserDataResponse"
message="tns:IpublicWcfsrv_GetUserData_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateMovementCommand">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateMovementCommand"
message="tns:IpublicWcfsrv_UpdateMovementCommand_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateMovementCommandRespo
nse" message="tns:IpublicWcfsrv_UpdateMovementCommand_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_ideco_apps">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_ideco_apps"
message="tns:IpublicWcfsrv_GET_ideco_apps_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_ideco_appsResponse"
message="tns:IpublicWcfsrv_GET_ideco_apps_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="INSERT_ideco_apps">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_ideco_apps"
message="tns:IpublicWcfsrv_INSERT_ideco_apps_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_ideco_appsResponse"
message="tns:IpublicWcfsrv_INSERT_ideco_apps_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_apps_permis">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_apps_permis"
message="tns:IpublicWcfsrv_INSERT_apps_permis_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_apps_permisResponse"
" message="tns:IpublicWcfsrv_INSERT_apps_permis_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE_ideco_apps">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_ideco_apps"
message="tns:IpublicWcfsrv_UPDATE_ideco_apps_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_ideco_appsResponse"
message="tns:IpublicWcfsrv_UPDATE_ideco_apps_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE_apps_permis">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_apps_permis"
message="tns:IpublicWcfsrv_UPDATE_apps_permis_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_apps_permisResponse"
" message="tns:IpublicWcfsrv_UPDATE_apps_permis_OutputMessage"/>
```

</wsdl:operation>

<wsdl:operation name="GetEmpSectRespID">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetEmpSectRespID"

message="tns:IpublicWcfsrv\_GetEmpSectRespID\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetEmpSectRespIDResponse"

message="tns:IpublicWcfsrv\_GetEmpSectRespID\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT\_CUSTOMER\_NOTE\_READER">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_CUSTOMER\_NOTE\_READER"

message="tns:IpublicWcfsrv\_INSERT\_CUSTOMER\_NOTE\_READER\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_CUSTOMER\_NOTE\_READERResponse"

message="tns:IpublicWcfsrv\_INSERT\_CUSTOMER\_NOTE\_READER\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET\_CUSTOMER\_NOTE\_READER">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_CUSTOMER\_NOTE\_READER"

message="tns:IpublicWcfsrv\_GET\_CUSTOMER\_NOTE\_READER\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_CUSTOMER\_NOTE\_READERResponse"

message="tns:IpublicWcfsrv\_GET\_CUSTOMER\_NOTE\_READER\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT\_CUSTOMER\_NOTE\_READER2">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_CUSTOMER\_NOTE\_READER2"

message="tns:IpublicWcfsrv\_INSERT\_CUSTOMER\_NOTE\_READER2\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_CUSTOMER\_NOTE\_READER2Response"

message="tns:IpublicWcfsrv\_INSERT\_CUSTOMER\_NOTE\_READER2\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetIDECO\_SOCIAL\_SERVICES">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetIDECO\_SOCIAL\_SERVICES"

message="tns:IpublicWcfsrv\_GetIDECO\_SOCIAL\_SERVICES\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetIDECO\_SOCIAL\_SERVICESRe

sponse"

message="tns:IpublicWcfsrv\_GetIDECO\_SOCIAL\_SERVICES\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT\_IDECO\_SOCIAL\_SERVICES">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_IDECO\_SOCIAL\_SERVIC

ES"

message="tns:IpublicWcfsrv\_INSERT\_IDECO\_SOCIAL\_SERVICES\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_IDECO\_SOCIAL\_SERVIC

ESResponse"

message="tns:IpublicWcfsrv\_INSERT\_IDECO\_SOCIAL\_SERVICES\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetAppsLocation">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAppsLocation"

message="tns:IpublicWcfsrv\_GetAppsLocation\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAppsLocationResponse"

message="tns:IpublicWcfsrv\_GetAppsLocation\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Update\_CT\_VT">

<wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/Update\_CT\_VT"

message="tns:IpublicWcfsrv\_Update\_CT\_VT\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/Update\_CT\_VTResponse"

message="tns:IpublicWcfsrv\_Update\_CT\_VT\_OutputMessage"/>

</wsdl:operation>

```
<wsdl:operation name="INSERT_CALL_CNT_ERG">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_CALL_CNT_ERG"
    message="tns:IpublicWcfsrv_INSERT_CALL_CNT_ERG_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_CALL_CNT_ERGResponse"
    message="tns:IpublicWcfsrv_INSERT_CALL_CNT_ERG_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_SERVEY_MASTER">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_SERVEY_MASTER"
    message="tns:IpublicWcfsrv_INSERT_SERVEY_MASTER_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_SERVEY_MASTERResponse"
    message="tns:IpublicWcfsrv_INSERT_SERVEY_MASTER_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_SERVEY_DETALIS">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_SERVEY_DETALIS"
    message="tns:IpublicWcfsrv_INSERT_SERVEY_DETALIS_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_SERVEY_DETALISResponse"
    message="tns:IpublicWcfsrv_INSERT_SERVEY_DETALIS_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetWfGenerics">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetWfGenerics"
    message="tns:IpublicWcfsrv_GetWfGenerics_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetWfGenericsResponse"
    message="tns:IpublicWcfsrv_GetWfGenerics_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_TRANSFORMER_VISIT">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_TRANSFORMER_VISIT"
    message="tns:IpublicWcfsrv_INSERT_TRANSFORMER_VISIT_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_TRANSFORMER_VISITRe
sponse"
message="tns:IpublicWcfsrv_INSERT_TRANSFORMER_VISIT_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="GET_TRANSFORMER_VISIT">
  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_TRANSFORMER_VISIT"
message="tns:IpublicWcfsrv_GET_TRANSFORMER_VISIT_InputMessage"/>
  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_TRANSFORMER_VISITRespo
nse" message="tns:IpublicWcfsrv_GET_TRANSFORMER_VISIT_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="GET_TENDER_USERS">
  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_TENDER_USERS"
message="tns:IpublicWcfsrv_GET_TENDER_USERS_InputMessage"/>
  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_TENDER_USERSResponse"
message="tns:IpublicWcfsrv_GET_TENDER_USERS_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="INSERT_TENDER_USERS">
  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_TENDER_USERS"
message="tns:IpublicWcfsrv_INSERT_TENDER_USERS_InputMessage"/>
  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_TENDER_USERSRespons
e" message="tns:IpublicWcfsrv_INSERT_TENDER_USERS_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="UPDATE_TENDER_USERS">
  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_TENDER_USERS"
message="tns:IpublicWcfsrv_UPDATE_TENDER_USERS_InputMessage"/>
  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_TENDER_USERSRespons
e" message="tns:IpublicWcfsrv_UPDATE_TENDER_USERS_OutputMessage"/>
```

</wsdl:operation>

<wsdl:operation name="GET\_TENDER\_ANNOCEMENT">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_TENDER\_ANNOCEMENT"

message="tns:IpublicWcfsrv\_GET\_TENDER\_ANNOCEMENT\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET\_TENDER\_ANNOCEMENTRespo

nse" message="tns:IpublicWcfsrv\_GET\_TENDER\_ANNOCEMENT\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT\_TENDER\_ANNOCEMENT">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_TENDER\_ANNOCEMENT"

message="tns:IpublicWcfsrv\_INSERT\_TENDER\_ANNOCEMENT\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT\_TENDER\_ANNOCEMENTRe

sponse"

message="tns:IpublicWcfsrv\_INSERT\_TENDER\_ANNOCEMENT\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE\_TENDER\_ANNOCEMENT">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE\_TENDER\_ANNOCEMENT"

message="tns:IpublicWcfsrv\_UPDATE\_TENDER\_ANNOCEMENT\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE\_TENDER\_ANNOCEMENTRe

sponse"

message="tns:IpublicWcfsrv\_UPDATE\_TENDER\_ANNOCEMENT\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Employee\_Search\_Number">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/Employee\_Search\_Number"

message="tns:IpublicWcfsrv\_Employee\_Search\_Number\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/Employee\_Search\_NumberResp

onse" message="tns:IpublicWcfsrv\_Employee\_Search\_Number\_OutputMessage"/>

</wsdl:operation>

```
<wsdl:operation name="Insert_CUSTOMER_PHOTO">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/Insert_CUSTOMER_PHOTO"
    message="tns:IpublicWcfsrv_Insert_CUSTOMER_PHOTO_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/Insert_CUSTOMER_PHOTORespo
    nse" message="tns:IpublicWcfsrv_Insert_CUSTOMER_PHOTO_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_SERVEY_EXIST">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_SERVEY_EXIST"
    message="tns:IpublicWcfsrv_GET_SERVEY_EXIST_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_SERVEY_EXISTResponse"
    message="tns:IpublicWcfsrv_GET_SERVEY_EXIST_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE_SURVEY_MASTER">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_SURVEY_MASTER"
    message="tns:IpublicWcfsrv_UPDATE_SURVEY_MASTER_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_SURVEY_MASTERRespon
    se" message="tns:IpublicWcfsrv_UPDATE_SURVEY_MASTER_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="SEND_SMS_TOSUBS">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/SEND_SMS_TOSUBS"
    message="tns:IpublicWcfsrv_SEND_SMS_TOSUBS_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/SEND_SMS_TOSUBSResponse"
    message="tns:IpublicWcfsrv_SEND_SMS_TOSUBS_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="getTEndersAnnouncement">
```

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/getTEndersAnnouncement"
message="tns:IpublicWcfsrv_getTEndersAnnouncement_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/getTEndersAnnouncementResp
onse" message="tns:IpublicWcfsrv_getTEndersAnnouncement_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetGenericsTender">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetGenericsTender"
message="tns:IpublicWcfsrv_GetGenericsTender_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetGenericsTenderResponse"
message="tns:IpublicWcfsrv_GetGenericsTender_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_NEW_TENDERS">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_NEW_TENDERS"
message="tns:IpublicWcfsrv_GET_NEW_TENDERS_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_NEW_TENDERSResponse"
message="tns:IpublicWcfsrv_GET_NEW_TENDERS_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_NEW_TENDERS">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_NEW_TENDERS"
message="tns:IpublicWcfsrv_INSERT_NEW_TENDERS_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_NEW_TENDERSResponse
" message="tns:IpublicWcfsrv_INSERT_NEW_TENDERS_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetTransDistBoxVisit">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetTransDistBoxVisit"
message="tns:IpublicWcfsrv_GetTransDistBoxVisit_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetTransDistBoxVisitRespon
se" message="tns:IpublicWcfsrv_GetTransDistBoxVisit_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="InsertTransDistBoxVisit">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertTransDistBoxVisit"
message="tns:IpublicWcfsrv_InsertTransDistBoxVisit_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertTransDistBoxVisitRes
ponse"
message="tns:IpublicWcfsrv_InsertTransDistBoxVisit_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateTransDistBoxVisit">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateTransDistBoxVisit"
message="tns:IpublicWcfsrv_UpdateTransDistBoxVisit_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateTransDistBoxVisitRes
ponse"
message="tns:IpublicWcfsrv_UpdateTransDistBoxVisit_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_CUST_CONN_OPRATION_OTHERS">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_CUST_CONN_OPRATION_OTH
ERS"
message="tns:IpublicWcfsrv_GET_CUST_CONN_OPRATION_OTHERS_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_CUST_CONN_OPRATION_OTH
ERSResponse"
message="tns:IpublicWcfsrv_GET_CUST_CONN_OPRATION_OTHERS_OutputMessage"/
>

</wsdl:operation>

<wsdl:operation name="GET_DISCONN_TRANS">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_DISCONN_TRANS"
message="tns:IpublicWcfsrv_GET_DISCONN_TRANS_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_DISCONN_TRANSResponse"
message="tns:IpublicWcfsrv_GET_DISCONN_TRANS_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="INSERT_CUST_CONN_OPRATION_OTHERS">
  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_CUST_CONN_OPRATION_OTHERS"
message="tns:IpublicWcfsrv_INSERT_CUST_CONN_OPRATION_OTHERS_InputMessage
"/>
  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_CUST_CONN_OPRATION_OTHERSResponse"
message="tns:IpublicWcfsrv_INSERT_CUST_CONN_OPRATION_OTHERS_OutputMessage
"/>
</wsdl:operation>
<wsdl:operation name="InsertCvtImages">
  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCvtImages"
message="tns:IpublicWcfsrv_InsertCvtImages_InputMessage"/>
  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCvtImagesResponse"
message="tns:IpublicWcfsrv_InsertCvtImages_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="INSERT_TECH_MTR_TMPR_DATA">
  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_TECH_MTR_TMPR_DATA"
message="tns:IpublicWcfsrv_INSERT_TECH_MTR_TMPR_DATA_InputMessage"/>
  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_TECH_MTR_TMPR_DATAResponse"
message="tns:IpublicWcfsrv_INSERT_TECH_MTR_TMPR_DATA_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="CREATE_MODEM_REG_PROCESS">
  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/CREATE_MODEM_REG_PROCESS"
message="tns:IpublicWcfsrv_CREATE_MODEM_REG_PROCESS_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/CREATE_MODEM_REG_PROCESSRe
sponse"
message="tns:IpublicWcfsrv_CREATE_MODEM_REG_PROCESS_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="InsertTechCounterCertificate">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertTechCounterCertifica
te"
message="tns:IpublicWcfsrv_InsertTechCounterCertificate_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertTechCounterCertifica
teResponse"
message="tns:IpublicWcfsrv_InsertTechCounterCertificate_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="UpdateTechCounterCertificate">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateTechCounterCertifica
te"
message="tns:IpublicWcfsrv_UpdateTechCounterCertificate_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateTechCounterCertifica
teResponse"
message="tns:IpublicWcfsrv_UpdateTechCounterCertificate_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="InsertCounterfORM">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCounterfORM"
message="tns:IpublicWcfsrv_InsertCounterfORM_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCounterfORMResponse"
message="tns:IpublicWcfsrv_InsertCounterfORM_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="SmartMeterLogEvent">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/SmartMeterLogEvent"
message="tns:IpublicWcfsrv_SmartMeterLogEvent_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/SmartMeterLogEventResponse
" message="tns:IpublicWcfsrv_SmartMeterLogEvent_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Get_Phone_Num">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get_Phone_Num"
message="tns:IpublicWcfsrv_Get_Phone_Num_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get_Phone_NumResponse"
message="tns:IpublicWcfsrv_Get_Phone_Num_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdatePhonNumberFalg">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdatePhonNumberFalg"
message="tns:IpublicWcfsrv_UpdatePhonNumberFalg_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdatePhonNumberFalgRespon
se" message="tns:IpublicWcfsrv_UpdatePhonNumberFalg_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertPhoneNumber">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertPhoneNumber"
message="tns:IpublicWcfsrv_InsertPhoneNumber_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertPhoneNumberResponse"
message="tns:IpublicWcfsrv_InsertPhoneNumber_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertSplittersLog">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertSplittersLog"
message="tns:IpublicWcfsrv_InsertSplittersLog_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertSplittersLogResponse
" message="tns:IpublicWcfsrv_InsertSplittersLog_OutputMessage"/>

</wsdl:operation>
```

```
<wsdl:operation name="GetKeysInstallment">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetKeysInstallment"
    message="tns:IpublicWcfsrv_GetKeysInstallment_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetKeysInstallmentResponse"
    message="tns:IpublicWcfsrv_GetKeysInstallment_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Insert_Tender_registration">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/Insert_Tender_registration"
    message="tns:IpublicWcfsrv_Insert_Tender_registration_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/Insert_Tender_registration
Response"
    message="tns:IpublicWcfsrv_Insert_Tender_registration_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_Tender_registration">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_Tender_registration"
    message="tns:IpublicWcfsrv_GET_Tender_registration_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_Tender_registrationRes
ponse"
    message="tns:IpublicWcfsrv_GET_Tender_registration_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertKeysInstallment">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertKeysInstallment"
    message="tns:IpublicWcfsrv_InsertKeysInstallment_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertKeysInstallmentRespo
nse" message="tns:IpublicWcfsrv_InsertKeysInstallment_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateKeysInstallment">
```

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateKeysInstallment"
message="tns:IpublicWcfsrv_UpdateKeysInstallment_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateKeysInstallmentRespo
nse" message="tns:IpublicWcfsrv_UpdateKeysInstallment_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertCounterData">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCounterData"
message="tns:IpublicWcfsrv_InsertCounterData_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCounterDataResponse"
message="tns:IpublicWcfsrv_InsertCounterData_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertCtData">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCtData"
message="tns:IpublicWcfsrv_InsertCtData_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCtDataResponse"
message="tns:IpublicWcfsrv_InsertCtData_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_TICKETS_USER">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_TICKETS_USER"
message="tns:IpublicWcfsrv_GET_TICKETS_USER_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_TICKETS_USERResponse"
message="tns:IpublicWcfsrv_GET_TICKETS_USER_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_EMP_QUALITY_ASSURANCE">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_EMP_QUALITY_ASSURANCE"
message="tns:IpublicWcfsrv_GET_EMP_QUALITY_ASSURANCE_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_EMP_QUALITY_ASSURANCER
esponse"
message="tns:IpublicWcfsrv_GET_EMP_QUALITY_ASSURANCE_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="INSERT_EMP_QUALITY_ASSURANCE">
  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_EMP_QUALITY_ASSURAN
CE"
message="tns:IpublicWcfsrv_INSERT_EMP_QUALITY_ASSURANCE_InputMessage"/>
  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_EMP_QUALITY_ASSURAN
CEResponse"
message="tns:IpublicWcfsrv_INSERT_EMP_QUALITY_ASSURANCE_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="UpdateScheduleTaskMaster">
  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateScheduleTaskMaster"
message="tns:IpublicWcfsrv_UpdateScheduleTaskMaster_InputMessage"/>
  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateScheduleTaskMasterRe
sponse"
message="tns:IpublicWcfsrv_UpdateScheduleTaskMaster_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="DoWork">
  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/DoWork"
message="tns:IpublicWcfsrv_DoWork_InputMessage"/>
  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/DoWorkResponse"
message="tns:IpublicWcfsrv_DoWork_OutputMessage"/>
</wsdl:operation>
<wsdl:operation name="HelloWorld">
  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/HelloWorld"
message="tns:IpublicWcfsrv_HelloWorld_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/HelloWorldResponse"
message="tns:IpublicWcfsrv_HelloWorld_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GetQuestionsList">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetQuestionsList"
message="tns:IpublicWcfsrv_GetQuestionsList_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetQuestionsListResponse"
message="tns:IpublicWcfsrv_GetQuestionsList_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetGenerics">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetGenerics"
message="tns:IpublicWcfsrv_GetGenerics_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetGenericsResponse"
message="tns:IpublicWcfsrv_GetGenerics_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetGenericsDataTable">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetGenericsDataTable"
message="tns:IpublicWcfsrv_GetGenericsDataTable_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetGenericsDataTableRespon
se" message="tns:IpublicWcfsrv_GetGenericsDataTable_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetEmpInfo">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetEmpInfo"
message="tns:IpublicWcfsrv_GetEmpInfo_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetEmpInfoResponse"
message="tns:IpublicWcfsrv_GetEmpInfo_OutputMessage"/>

</wsdl:operation>
```

```
<wsdl:operation name="GetSalaryInfo">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSalaryInfo"
  message="tns:IpublicWcfsrv_GetSalaryInfo_InputMessage"/>

  <wsdl:output
  wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSalaryInfoResponse"
  message="tns:IpublicWcfsrv_GetSalaryInfo_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetSalaryInfoWithYear">

  <wsdl:input
  wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSalaryInfoWithYear"
  message="tns:IpublicWcfsrv_GetSalaryInfoWithYear_InputMessage"/>

  <wsdl:output
  wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSalaryInfoWithYearRespo
  nse" message="tns:IpublicWcfsrv_GetSalaryInfoWithYear_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetVecations">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetVecations"
  message="tns:IpublicWcfsrv_GetVecations_InputMessage"/>

  <wsdl:output
  wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetVecationsResponse"
  message="tns:IpublicWcfsrv_GetVecations_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetEquivalents">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetEquivalents"
  message="tns:IpublicWcfsrv_GetEquivalents_InputMessage"/>

  <wsdl:output
  wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetEquivalentsResponse"
  message="tns:IpublicWcfsrv_GetEquivalents_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetChargesInfo">

  <wsdl:input
  wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetChargesInfo"
  message="tns:IpublicWcfsrv_GetChargesInfo_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetChargesInfoResponse"
message="tns:IpublicWcfsrv_GetChargesInfo_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GetSavingInfo">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSavingInfo"
message="tns:IpublicWcfsrv_GetSavingInfo_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSavingInfoResponse"
message="tns:IpublicWcfsrv_GetSavingInfo_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetSavingDebtInfo">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSavingDebtInfo"
message="tns:IpublicWcfsrv_GetSavingDebtInfo_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSavingDebtInfoResponse"
message="tns:IpublicWcfsrv_GetSavingDebtInfo_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetCoursesInfo">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCoursesInfo"
message="tns:IpublicWcfsrv_GetCoursesInfo_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCoursesInfoResponse"
message="tns:IpublicWcfsrv_GetCoursesInfo_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetInvoicesInfo">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetInvoicesInfo"
message="tns:IpublicWcfsrv_GetInvoicesInfo_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetInvoicesInfoResponse"
message="tns:IpublicWcfsrv_GetInvoicesInfo_OutputMessage"/>

</wsdl:operation>
```

```
<wsdl:operation name="GetDoctorsInfo">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetDoctorsInfo"
    message="tns:IpublicWcfsrv_GetDoctorsInfo_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetDoctorsInfoResponse"
    message="tns:IpublicWcfsrv_GetDoctorsInfo_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetHealthsInfo">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetHealthsInfo"
    message="tns:IpublicWcfsrv_GetHealthsInfo_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetHealthsInfoResponse"
    message="tns:IpublicWcfsrv_GetHealthsInfo_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetHealthsInfo2">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetHealthsInfo2"
    message="tns:IpublicWcfsrv_GetHealthsInfo2_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetHealthsInfo2Response"
    message="tns:IpublicWcfsrv_GetHealthsInfo2_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetImprintsInfo">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetImprintsInfo"
    message="tns:IpublicWcfsrv_GetImprintsInfo_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetImprintsInfoResponse"
    message="tns:IpublicWcfsrv_GetImprintsInfo_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetPollEmpData">
```

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetPollEmpData"
message="tns:IpublicWcfsrv_GetPollEmpData_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetPollEmpDataResponse"
message="tns:IpublicWcfsrv_GetPollEmpData_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertPollEmp">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertPollEmp"
message="tns:IpublicWcfsrv_InsertPollEmp_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertPollEmpResponse"
message="tns:IpublicWcfsrv_InsertPollEmp_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetElectricalTariff">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetElectricalTariff"
message="tns:IpublicWcfsrv_GetElectricalTariff_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetElectricalTariffResponse"
message="tns:IpublicWcfsrv_GetElectricalTariff_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetCustodyTransfers">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCustodyTransfers"
message="tns:IpublicWcfsrv_GetCustodyTransfers_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCustodyTransfersResponse"
message="tns:IpublicWcfsrv_GetCustodyTransfers_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateCustodyTransfers">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateCustodyTransfers"
message="tns:IpublicWcfsrv_UpdateCustodyTransfers_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateCustodyTransfersResponse" message="tns:IpublicWcfsrv_UpdateCustodyTransfers_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GetCustodyData">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCustodyData"
message="tns:IpublicWcfsrv_GetCustodyData_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCustodyDataResponse"
message="tns:IpublicWcfsrv_GetCustodyData_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetHelthDept">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetHelthDept"
message="tns:IpublicWcfsrv_GetHelthDept_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetHelthDeptResponse"
message="tns:IpublicWcfsrv_GetHelthDept_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetZainBill">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetZainBill"
message="tns:IpublicWcfsrv_GetZainBill_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetZainBillResponse"
message="tns:IpublicWcfsrv_GetZainBill_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetProcessInfo">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetProcessInfo"
message="tns:IpublicWcfsrv_GetProcessInfo_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetProcessInfoResponse"
message="tns:IpublicWcfsrv_GetProcessInfo_OutputMessage"/>

</wsdl:operation>
```

```
<wsdl:operation name="InsertEmpSaving">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertEmpSaving"
    message="tns:IpublicWcfsrv_InsertEmpSaving_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertEmpSavingResponse"
    message="tns:IpublicWcfsrv_InsertEmpSaving_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetEmpSaving">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetEmpSaving"
    message="tns:IpublicWcfsrv_GetEmpSaving_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetEmpSavingResponse"
    message="tns:IpublicWcfsrv_GetEmpSaving_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetOverTimeDetails">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetOverTimeDetails"
    message="tns:IpublicWcfsrv_GetOverTimeDetails_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetOverTimeDetailsResponse"
    " message="tns:IpublicWcfsrv_GetOverTimeDetails_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertSuggestion">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertSuggestion"
    message="tns:IpublicWcfsrv_InsertSuggestion_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertSuggestionResponse"
    message="tns:IpublicWcfsrv_InsertSuggestion_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetSuggestion">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSuggestion"
    message="tns:IpublicWcfsrv_GetSuggestion_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSuggestionResponse"
message="tns:IpublicWcfsrv_GetSuggestion_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GetPollSubData">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetPollSubData"
message="tns:IpublicWcfsrv_GetPollSubData_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetPollSubDataResponse"
message="tns:IpublicWcfsrv_GetPollSubData_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertSubPoll">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertSubPoll"
message="tns:IpublicWcfsrv_InsertSubPoll_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertSubPollResponse"
message="tns:IpublicWcfsrv_InsertSubPoll_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertIDEA_EMP_MASTER">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertIDEA_EMP_MASTER"
message="tns:IpublicWcfsrv_InsertIDEA_EMP_MASTER_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertIDEA_EMP_MASTERRespo
nse" message="tns:IpublicWcfsrv_InsertIDEA_EMP_MASTER_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertIDEA_EMP_DETAILS">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertIDEA_EMP_DETAILS"
message="tns:IpublicWcfsrv_InsertIDEA_EMP_DETAILS_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertIDEA_EMP_DETAILSResp
onse" message="tns:IpublicWcfsrv_InsertIDEA_EMP_DETAILS_OutputMessage"/>

</wsdl:operation>
```

```
<wsdl:operation name="UpdateIDEA_EMP_MASTER">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateIDEA_EMP_MASTER"
    message="tns:IpublicWcfsrv_UpdateIDEA_EMP_MASTER_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateIDEA_EMP_MASTERRespo
    nse" message="tns:IpublicWcfsrv_UpdateIDEA_EMP_MASTER_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetIDEA_EMP">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetIDEA_EMP"
    message="tns:IpublicWcfsrv_GetIDEA_EMP_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetIDEA_EMPResponse"
    message="tns:IpublicWcfsrv_GetIDEA_EMP_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetPathBookNo">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetPathBookNo"
    message="tns:IpublicWcfsrv_GetPathBookNo_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetPathBookNoResponse"
    message="tns:IpublicWcfsrv_GetPathBookNo_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetPEREVALMF">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetPEREVALMF"
    message="tns:IpublicWcfsrv_GetPEREVALMF_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetPEREVALMFResponse"
    message="tns:IpublicWcfsrv_GetPEREVALMF_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetDeserveInfo">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetDeserveInfo"
    message="tns:IpublicWcfsrv_GetDeserveInfo_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetDeserveInfoResponse"
message="tns:IpublicWcfsrv_GetDeserveInfo_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="InsertDeserveApp">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertDeserveApp"
message="tns:IpublicWcfsrv_InsertDeserveApp_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertDeserveAppResponse"
message="tns:IpublicWcfsrv_InsertDeserveApp_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateEmpSaving">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateEmpSaving"
message="tns:IpublicWcfsrv_UpdateEmpSaving_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateEmpSavingResponse"
message="tns:IpublicWcfsrv_UpdateEmpSaving_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateDeserveApp">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateDeserveApp"
message="tns:IpublicWcfsrv_UpdateDeserveApp_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateDeserveAppResponse"
message="tns:IpublicWcfsrv_UpdateDeserveApp_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertCustomer_AID_Req">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCustomer_AID_Req"
message="tns:IpublicWcfsrv_InsertCustomer_AID_Req_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCustomer_AID_ReqResp
onse" message="tns:IpublicWcfsrv_InsertCustomer_AID_Req_OutputMessage"/>
```

</wsdl:operation>

<wsdl:operation name="Get\_Customer\_AID\_Req">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get\_Customer\_AID\_Req"

message="tns:IpublicWcfsrv\_Get\_Customer\_AID\_Req\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get\_Customer\_AID\_ReqRespon

se" message="tns:IpublicWcfsrv\_Get\_Customer\_AID\_Req\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertCustDetails">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCustDetails"

message="tns:IpublicWcfsrv\_InsertCustDetails\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCustDetailsResponse"

message="tns:IpublicWcfsrv\_InsertCustDetails\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetCustSubs">

<wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCustSubs"

message="tns:IpublicWcfsrv\_GetCustSubs\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCustSubsResponse"

message="tns:IpublicWcfsrv\_GetCustSubs\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateCustDetails">

<wsdl:input

wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateCustDetails"

message="tns:IpublicWcfsrv\_UpdateCustDetails\_InputMessage"/>

<wsdl:output

wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateCustDetailsResponse"

message="tns:IpublicWcfsrv\_UpdateCustDetails\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Insert\_Cust\_Noti">

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Insert_Cust_Noti"
message="tns:IpublicWcfsrv_Insert_Cust_Noti_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Insert_Cust_NotiResponse"
message="tns:IpublicWcfsrv_Insert_Cust_Noti_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetCustNoti">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCustNoti"
  message="tns:IpublicWcfsrv_GetCustNoti_InputMessage"/>

  <wsdl:output
  wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCustNotiResponse"
  message="tns:IpublicWcfsrv_GetCustNoti_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Update_Cust_Notis">

  <wsdl:input
  wsaw:Action="http://tempuri.org/IpublicWcfsrv/Update_Cust_Notis"
  message="tns:IpublicWcfsrv_Update_Cust_Notis_InputMessage"/>

  <wsdl:output
  wsaw:Action="http://tempuri.org/IpublicWcfsrv/Update_Cust_NotisResponse"
  message="tns:IpublicWcfsrv_Update_Cust_Notis_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UPDATE_GM_CONTACT">

  <wsdl:input
  wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_GM_CONTACT"
  message="tns:IpublicWcfsrv_UPDATE_GM_CONTACT_InputMessage"/>

  <wsdl:output
  wsaw:Action="http://tempuri.org/IpublicWcfsrv/UPDATE_GM_CONTACTResponse"
  message="tns:IpublicWcfsrv_UPDATE_GM_CONTACT_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="INSERT_GM_CONTACT">

  <wsdl:input
  wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_GM_CONTACT"
  message="tns:IpublicWcfsrv_INSERT_GM_CONTACT_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/INSERT_GM_CONTACTResponse"
message="tns:IpublicWcfsrv_INSERT_GM_CONTACT_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="Get_Vacations_Search">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get_Vacations_Search"
message="tns:IpublicWcfsrv_Get_Vacations_Search_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get_Vacations_SearchRespon
se" message="tns:IpublicWcfsrv_Get_Vacations_Search_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_GM_CONTACT">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_GM_CONTACT"
message="tns:IpublicWcfsrv_GET_GM_CONTACT_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_GM_CONTACTResponse"
message="tns:IpublicWcfsrv_GET_GM_CONTACT_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="CreateNewProcessByAdmin">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/CreateNewProcessByAdmin"
message="tns:IpublicWcfsrv_CreateNewProcessByAdmin_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/CreateNewProcessByAdminRes
ponse"
message="tns:IpublicWcfsrv_CreateNewProcessByAdmin_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertVacations">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertVacations"
message="tns:IpublicWcfsrv_InsertVacations_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertVacationsResponse"
message="tns:IpublicWcfsrv_InsertVacations_OutputMessage"/>
```

```
</wsdl:operation>

<wsdl:operation name="Insert_Emp_Leave">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/Insert_Emp_Leave"
    message="tns:IpublicWcfsrv_Insert_Emp_Leave_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/Insert_Emp_LeaveResponse"
    message="tns:IpublicWcfsrv_Insert_Emp_Leave_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Get_EmployeesPosition">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get_EmployeesPosition"
    message="tns:IpublicWcfsrv_Get_EmployeesPosition_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get_EmployeesPositionRespo
nse" message="tns:IpublicWcfsrv_Get_EmployeesPosition_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_APPRAISAL_DATE_SQL">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_APPRAISAL_DATE_SQL"
    message="tns:IpublicWcfsrv_GET_APPRAISAL_DATE_SQL_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_APPRAISAL_DATE_SQLResp
onse" message="tns:IpublicWcfsrv_GET_APPRAISAL_DATE_SQL_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Get_Vacations_Search_Det">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get_Vacations_Search_Det"
    message="tns:IpublicWcfsrv_Get_Vacations_Search_Det_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get_Vacations_Search_DetRe
sponse"
    message="tns:IpublicWcfsrv_Get_Vacations_Search_Det_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Get_Leave_Type">
```

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get_Leave_Type"
message="tns:IpublicWcfsrv_Get_Leave_Type_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/Get_Leave_TypeResponse"
message="tns:IpublicWcfsrv_Get_Leave_Type_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GET_EMP_WORKCENTER">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_EMP_WORKCENTER"
message="tns:IpublicWcfsrv_GET_EMP_WORKCENTER_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GET_EMP_WORKCENTERResponse"
" message="tns:IpublicWcfsrv_GET_EMP_WORKCENTER_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="WorkFlowAdvanceByAdmin">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/WorkFlowAdvanceByAdmin"
message="tns:IpublicWcfsrv_WorkFlowAdvanceByAdmin_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/WorkFlowAdvanceByAdminResponse"
message="tns:IpublicWcfsrv_WorkFlowAdvanceByAdmin_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetAppVersion">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAppVersion"
message="tns:IpublicWcfsrv_GetAppVersion_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAppVersionResponse"
message="tns:IpublicWcfsrv_GetAppVersion_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetNews">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetNews"
message="tns:IpublicWcfsrv_GetNews_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetNewsResponse"
message="tns:IpublicWcfsrv_GetNews_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GetAllNews">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllNews"
message="tns:IpublicWcfsrv_GetAllNews_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllNewsResponse"
message="tns:IpublicWcfsrv_GetAllNews_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="UpdateNews">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateNews"
message="tns:IpublicWcfsrv_UpdateNews_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateNewsResponse"
message="tns:IpublicWcfsrv_UpdateNews_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="InsertNews">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertNews"
message="tns:IpublicWcfsrv_InsertNews_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertNewsResponse"
message="tns:IpublicWcfsrv_InsertNews_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GetArticles">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetArticles"
message="tns:IpublicWcfsrv_GetArticles_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetArticlesResponse"
message="tns:IpublicWcfsrv_GetArticles_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GetAllArticles">
```

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllArticles"
message="tns:IpublicWcfsrv_GetAllArticles_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllArticlesResponse"
message="tns:IpublicWcfsrv_GetAllArticles_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateArticles">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateArticles"
message="tns:IpublicWcfsrv_UpdateArticles_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateArticlesResponse"
message="tns:IpublicWcfsrv_UpdateArticles_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertArticles">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertArticles"
message="tns:IpublicWcfsrv_InsertArticles_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertArticlesResponse"
message="tns:IpublicWcfsrv_InsertArticles_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetTenders">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetTenders"
message="tns:IpublicWcfsrv_GetTenders_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetTendersResponse"
message="tns:IpublicWcfsrv_GetTenders_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetAllTenders">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllTenders"
message="tns:IpublicWcfsrv_GetAllTenders_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllTendersResponse"
message="tns:IpublicWcfsrv_GetAllTenders_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="UpdateTenders">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateTenders"
message="tns:IpublicWcfsrv_UpdateTenders_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateTendersResponse"
message="tns:IpublicWcfsrv_UpdateTenders_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="InsertTenders">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertTenders"
message="tns:IpublicWcfsrv_InsertTenders_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertTendersResponse"
message="tns:IpublicWcfsrv_InsertTenders_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GetCPUUsers">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCPUUsers"
message="tns:IpublicWcfsrv_GetCPUUsers_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCPUUsersResponse"
message="tns:IpublicWcfsrv_GetCPUUsers_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="UpdateCPUUsers">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateCPUUsers"
message="tns:IpublicWcfsrv_UpdateCPUUsers_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateCPUUsersResponse"
message="tns:IpublicWcfsrv_UpdateCPUUsers_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="InsertCPUUsers">
```

```
<wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCPUsers"
message="tns:IpublicWcfsrv_InsertCPUsers_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCPUsersResponse"
message="tns:IpublicWcfsrv_InsertCPUsers_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetUserSections">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetUserSections"
message="tns:IpublicWcfsrv_GetUserSections_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetUserSectionsResponse"
message="tns:IpublicWcfsrv_GetUserSections_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateUserSections">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateUserSections"
message="tns:IpublicWcfsrv_UpdateUserSections_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateUserSectionsResponse"
" message="tns:IpublicWcfsrv_UpdateUserSections_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertUserSections">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertUserSections"
message="tns:IpublicWcfsrv_InsertUserSections_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertUserSectionsResponse"
" message="tns:IpublicWcfsrv_InsertUserSections_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="DeleteUserSections">

<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/DeleteUserSections"
message="tns:IpublicWcfsrv_DeleteUserSections_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/DeleteUserSectionsResponse
" message="tns:IpublicWcfsrv_DeleteUserSections_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GetSections">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSections"
message="tns:IpublicWcfsrv_GetSections_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetSectionsResponse"
message="tns:IpublicWcfsrv_GetSections_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertPagesCounter">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertPagesCounter"
message="tns:IpublicWcfsrv_InsertPagesCounter_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertPagesCounterResponse
" message="tns:IpublicWcfsrv_InsertPagesCounter_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetPageCounter">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetPageCounter"
message="tns:IpublicWcfsrv_GetPageCounter_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetPageCounterResponse"
message="tns:IpublicWcfsrv_GetPageCounter_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetImportantNews">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetImportantNews"
message="tns:IpublicWcfsrv_GetImportantNews_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetImportantNewsResponse"
message="tns:IpublicWcfsrv_GetImportantNews_OutputMessage"/>

</wsdl:operation>
```

```
<wsdl:operation name="GetAllImportantNews">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllImportantNews"
    message="tns:IpublicWcfsrv_GetAllImportantNews_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllImportantNewsResponse"
    message="tns:IpublicWcfsrv_GetAllImportantNews_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateImportantNews">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateImportantNews"
    message="tns:IpublicWcfsrv_UpdateImportantNews_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateImportantNewsResponse"
    message="tns:IpublicWcfsrv_UpdateImportantNews_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertImportantNews">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertImportantNews"
    message="tns:IpublicWcfsrv_InsertImportantNews_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertImportantNewsResponse"
    message="tns:IpublicWcfsrv_InsertImportantNews_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetAllElectricityConsumption">

  <wsdl:input
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllElectricityConsumption"
    message="tns:IpublicWcfsrv_GetAllElectricityConsumption_InputMessage"/>

  <wsdl:output
    wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllElectricityConsumptionResponse"
    message="tns:IpublicWcfsrv_GetAllElectricityConsumption_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateElectricityConsumption">
```

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateElectricityConsumption"
message="tns:IpublicWcfsrv_UpdateElectricityConsumption_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateElectricityConsumptionResponse"
message="tns:IpublicWcfsrv_UpdateElectricityConsumption_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertElectricityConsumption">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertElectricityConsumption"
message="tns:IpublicWcfsrv_InsertElectricityConsumption_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertElectricityConsumptionResponse"
message="tns:IpublicWcfsrv_InsertElectricityConsumption_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertTraining">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertTraining"
message="tns:IpublicWcfsrv_InsertTraining_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertTrainingResponse"
message="tns:IpublicWcfsrv_InsertTraining_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateTraining">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateTraining"
message="tns:IpublicWcfsrv_UpdateTraining_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateTrainingResponse"
message="tns:IpublicWcfsrv_UpdateTraining_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetTraining">
```

```
<wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetTraining"
message="tns:IpublicWcfsrv_GetTraining_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetTrainingResponse"
message="tns:IpublicWcfsrv_GetTraining_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UploadArchivingFiles">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UploadArchivingFiles"
message="tns:IpublicWcfsrv_UploadArchivingFiles_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UploadArchivingFilesRespon
se" message="tns:IpublicWcfsrv_UploadArchivingFiles_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetCostInfo">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCostInfo"
message="tns:IpublicWcfsrv_GetCostInfo_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCostInfoResponse"
message="tns:IpublicWcfsrv_GetCostInfo_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetDisconnectionInfo">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetDisconnectionInfo"
message="tns:IpublicWcfsrv_GetDisconnectionInfo_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetDisconnectionInfoRespon
se" message="tns:IpublicWcfsrv_GetDisconnectionInfo_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="CalculateCustomerBill">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/CalculateCustomerBill"
message="tns:IpublicWcfsrv_CalculateCustomerBill_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/CalculateCustomerBillRespo
nse" message="tns:IpublicWcfsrv_CalculateCustomerBill_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="GetCashPaymentUser">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCashPaymentUser"
message="tns:IpublicWcfsrv_GetCashPaymentUser_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCashPaymentUserResponse
" message="tns:IpublicWcfsrv_GetCashPaymentUser_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertReceivableAppReq">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertReceivableAppReq"
message="tns:IpublicWcfsrv_InsertReceivableAppReq_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertReceivableAppReqResp
onse" message="tns:IpublicWcfsrv_InsertReceivableAppReq_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetReceivableAppReq">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetReceivableAppReq"
message="tns:IpublicWcfsrv_GetReceivableAppReq_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetReceivableAppReqRespons
e" message="tns:IpublicWcfsrv_GetReceivableAppReq_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetCustomerCashInfo">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCustomerCashInfo"
message="tns:IpublicWcfsrv_GetCustomerCashInfo_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetCustomerCashInfoRespons
e" message="tns:IpublicWcfsrv_GetCustomerCashInfo_OutputMessage"/>
```

</wsdl:operation>

<wsdl:operation name="GetBatchInfo">

<wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetBatchInfo" message="tns:IpublicWcfsrv\_GetBatchInfo\_InputMessage"/>

<wsdl:output wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetBatchInfoResponse" message="tns:IpublicWcfsrv\_GetBatchInfo\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertDebtMadfoo3at">

<wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertDebtMadfoo3at" message="tns:IpublicWcfsrv\_InsertDebtMadfoo3at\_InputMessage"/>

<wsdl:output wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertDebtMadfoo3atResponse" message="tns:IpublicWcfsrv\_InsertDebtMadfoo3at\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetPrintLog">

<wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetPrintLog" message="tns:IpublicWcfsrv\_GetPrintLog\_InputMessage"/>

<wsdl:output wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetPrintLogResponse" message="tns:IpublicWcfsrv\_GetPrintLog\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdatePrintLog">

<wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdatePrintLog" message="tns:IpublicWcfsrv\_UpdatePrintLog\_InputMessage"/>

<wsdl:output wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdatePrintLogResponse" message="tns:IpublicWcfsrv\_UpdatePrintLog\_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertIdecoOffice">

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertIdecoOffice"
message="tns:IpublicWcfsrv_InsertIdecoOffice_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertIdecoOfficeResponse"
message="tns:IpublicWcfsrv_InsertIdecoOffice_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetIdecoOffice">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetIdecoOffice"
message="tns:IpublicWcfsrv_GetIdecoOffice_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetIdecoOfficeResponse"
message="tns:IpublicWcfsrv_GetIdecoOffice_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateIdecoOffice">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateIdecoOffice"
message="tns:IpublicWcfsrv_UpdateIdecoOffice_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateIdecoOfficeResponse"
message="tns:IpublicWcfsrv_UpdateIdecoOffice_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetUsers">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetUsers"
message="tns:IpublicWcfsrv_GetUsers_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetUsersResponse"
message="tns:IpublicWcfsrv_GetUsers_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateUsers">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateUsers"
message="tns:IpublicWcfsrv_UpdateUsers_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateUsersResponse"
message="tns:IpublicWcfsrv_UpdateUsers_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="InsertUsers">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertUsers"
message="tns:IpublicWcfsrv_InsertUsers_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertUsersResponse"
message="tns:IpublicWcfsrv_InsertUsers_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Encrypt">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/Encrypt"
message="tns:IpublicWcfsrv_Encrypt_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/EncryptResponse"
message="tns:IpublicWcfsrv_Encrypt_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="Decrypt">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/Decrypt"
message="tns:IpublicWcfsrv_Decrypt_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/DecryptResponse"
message="tns:IpublicWcfsrv_Decrypt_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetUsersBusiness">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetUsersBusiness"
message="tns:IpublicWcfsrv_GetUsersBusiness_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetUsersBusinessResponse"
message="tns:IpublicWcfsrv_GetUsersBusiness_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateUsersBusiness">
```

```
<wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateUsersBusiness"
message="tns:IpublicWcfsrv_UpdateUsersBusiness_InputMessage"/>

<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateUsersBusinessResponse"
message="tns:IpublicWcfsrv_UpdateUsersBusiness_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetBillBusiness">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetBillBusiness"
message="tns:IpublicWcfsrv_GetBillBusiness_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetBillBusinessResponse"
message="tns:IpublicWcfsrv_GetBillBusiness_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetUsersCust">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetUsersCust"
message="tns:IpublicWcfsrv_GetUsersCust_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetUsersCustResponse"
message="tns:IpublicWcfsrv_GetUsersCust_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="UpdateUsersCust">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateUsersCust"
message="tns:IpublicWcfsrv_UpdateUsersCust_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/UpdateUsersCustResponse"
message="tns:IpublicWcfsrv_UpdateUsersCust_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetBillCust">

  <wsdl:input wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetBillCust"
message="tns:IpublicWcfsrv_GetBillCust_InputMessage"/>
```

```
<wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetBillCustResponse"
message="tns:IpublicWcfsrv_GetBillCust_OutputMessage"/>
</wsdl:operation>

<wsdl:operation name="InsertCustUsers">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCustUsers"
message="tns:IpublicWcfsrv_InsertCustUsers_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCustUsersResponse"
message="tns:IpublicWcfsrv_InsertCustUsers_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="InsertCustSubs">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCustSubs"
message="tns:IpublicWcfsrv_InsertCustSubs_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/InsertCustSubsResponse"
message="tns:IpublicWcfsrv_InsertCustSubs_OutputMessage"/>

</wsdl:operation>

<wsdl:operation name="GetAllCustomerSummry">

  <wsdl:input
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllCustomerSummry"
message="tns:IpublicWcfsrv_GetAllCustomerSummry_InputMessage"/>

  <wsdl:output
wsaw:Action="http://tempuri.org/IpublicWcfsrv/GetAllCustomerSummryRespon
se" message="tns:IpublicWcfsrv_GetAllCustomerSummry_OutputMessage"/>

</wsdl:operation>

</wsdl:portType>

<wsdl:binding name="BasicHttpBinding_IpublicWcfsrv"
type="tns:IpublicWcfsrv">

  <soap:binding transport="http://schemas.xmlsoap.org/soap/http"/>

  <wsdl:operation name="UpdateScheduleTaskDetails">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UpdateScheduleTaskDetails"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="DeleteScheduleTask">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/DeleteScheduleTask"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_MTR_FEED">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GET_MTR_FEED"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>

</wsdl:operation>

<wsdl:operation name="GET_scada_users">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_scada_users"
    style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="INSERT_scada_users">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_scada_users"
    style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="UPDATE_scada_users">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_scada_users"
    style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="SQL_GET_MTR_FEEDER">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/SQL_GET_MTR_FEEDER"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="Get_schedule_tasks">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/Get_schedule_tasks"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetSimMgmtData">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetSimMgmtData"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="ReplaceSimMgmtData">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/ReplaceSimMgmtData"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="ChangeKeysInstallment">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/ChangeKeysInstallment"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_EMP_CUSTODY">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_EMP_CUSTODY"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="RetrieveKeysInstallment">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/RetrieveKeysInstallment"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertEmpEvent">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertEmpEvent"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="Insert_schedule_tasks">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/Insert_schedule_tasks"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="Get_EMP_Event">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/Get_EMP_Event"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_INVESTOR_FINANCIAL_REPORT">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_FINANCIAL_REPO
RT" style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_INVESTOR_FINANCIAL_REPORT">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_FINANCIAL_R
EPORT" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UPDATE_INVESTOR_FINANCIAL_REPORT">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_FINANCIAL_R
EPORT" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_INVESTOR_RELATION_ANNUAL_PROFIT">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATION_ANNUAL_PROFIT" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_INVESTOR_RELATION_ANNUAL_PROFIT">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_RELATION_ANNUAL_PROFIT" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UPDATE_INVESTOR_RELATION_ANNUAL_PROFIT">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_RELATION_ANNUAL_PROFIT" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_INVESTOR_RELATION_DOCUMENT">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATION_DOCUMENT" style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_INVESTOR_RELATION_DOCUMENT">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_RELATION_DOCUMENT" style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UPDATE_INVESTOR_RELATION_DOCUMENT">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_RELATION_DOCUMENT" style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_INVESTOR_RELATION_SHARES_VALUE">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATION_SHARES_VALUE" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_INVESTOR_RELATION_SHARES_VALUE">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_RELATION_SHARES_VALUE" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="UPDATE_INVESTOR_RELATION_SHARES_VALUE">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_RELATION_SH
    ARES_VALUE" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_INVESTOR_RELATION_GENERAL_ASS">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATION_GENER
    AL_ASS" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_INVESTOR_RELATION_GENERAL_ASS">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_RELATION_GE
    NERAL_ASS" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="UPDATE_INVESTOR_RELATION_GENERAL_ASS">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_RELATION_GE
    NERAL_ASS" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_INVSTOR_RELATION_ANNUAL_REPORT">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_INVSTOR_RELATION_ANNUAL
    _REPORT" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_INVSTOR_RELATION_ANNUAL_REPORT">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_INVSTOR_RELATION_ANN
UAL_REPORT" style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="UPDATE_INVSTOR_RELATION_ANNUAL_REPORT">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_INVSTOR_RELATION_ANN
UAL_REPORT" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_INVESTOR_RELATIONS_MANAGER">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATIONS_MANA
GER" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_INVESTOR_RELATIONS_MANAGER">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_RELATIONS_M
    ANAGER" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UPDATE_INVESTOR_RELATIONS_MANAGER">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_RELATIONS_M
    ANAGER" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UPDATE_INVESTOR_RELATION_USER">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_RELATION_US
    ER" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_INVSTOR_RELATION_HIFHER_MANGERS">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_INVSTOR_RELATION_HIFHER
      _MANGERS" style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_INVSTOR_RELATION_HIFHER_MANGERS">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_INVSTOR_RELATION_HIF
      HER_MANGERS" style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UPDATE_INVSTOR_RELATION_HIFHER_MANGERS">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_INVSTOR_RELATION_HIF
HER_MANGERS" style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_INVSTOR_RELATION_PRESENTATION">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GET_INVSTOR_RELATION_PRESEN
TATION" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_INVSTOR_RELATION_PRESENTATION">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_INVSTOR_RELATION_PRE
SENTATION" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="UPDATE_INVSTOR_RELATION_PRESENTATION">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_INVSTOR_RELATION_PRESENTATION" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_INVESTOR_RELATION_USER">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_RELATION_USER" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetIllegalProcessNote">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetIllegalProcessNote" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="InserteIllegalProcessNote">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InserteIllegalProcessNote"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateIllegalProcessNote">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateIllegalProcessNote"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UPDATE_CUST_INFO">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_CUST_INFO"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_TMPR_INSPECTION">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GET_TMPR_INSPECTION"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="SendIllegalEmails">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/SendIllegalEmails"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_INSPECTION_COSTTIME_READINGS">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_INSPECTION_COSTTIME_READINGS" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_CUSTOMER_NOTE_READER_DATA">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_CUSTOMER_NOTE_READER_DATA" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="Counter_Change_InsertCounterfORM">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/Counter_Change_InsertCounterfORM" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_CUST_M_INFO_CHANGE">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_CUST_M_INFO_CHANGE"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_CUST_M_INFO_CHANGE">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_CUST_M_INFO_CHANGE"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UPDATE_CUST_M_INFO_CHANGE">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_CUST_M_INFO_CHANGE"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertMetersPasswordsAppLog">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertMetersPasswordsAppLog"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertIdecoCarInfoAppTrans">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertIdecoCarInfoAppTrans"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetIdecoCarInfoAppTrans">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetIdecoCarInfoAppTrans"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ValidateUserLogin">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/ValidateUserLogin"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertMeetingMinutes">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertMeetingMinutes"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetMeetingMinutes">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/GetMeetingMinutes"
  style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetMeetingClauses">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/GetMeetingClauses"
  style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateMeetingDetails">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UpdateMeetingDetails"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateClauseDetails">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UpdateClauseDetails"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertMeetingClause">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertMeetingClause"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_ATTRACTING_SUPPLIERS">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_ATTRACTING_SUPPLIERS"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_ATTRACTING_SUPPLIERS_MASTER">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_ATTRACTING_SUPPLIERS_MASTER"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_ATTRACTING_SUPPLIERS_DETAILS">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_ATTRACTING_SUPPLIERS_DETAILS"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="UPDATE_ATTRACTING_SUPPLIERS_MASTER">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_ATTRACTING_SUPPLIERS
      _MASTER" style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_INVESTOR_SURVEY">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_INVESTOR_SURVEY"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_INVESTOR_SURVEY_MASTER">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_SURVEY_MAST
ER" style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="UPDATE_INVESTOR_SURVEY_MASTER">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_INVESTOR_SURVEY_MAST
ER" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_INVESTOR_SURVEY_DETAILS">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_INVESTOR_SURVEY_DET
AILS" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetRealEstateDocument">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetRealEstateDocument"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertRealEstateDocument">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertRealEstateDocument"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertRealEstateDocument_S">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertRealEstateDocument_S"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_HOUSING_FUND">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_HOUSING_FUND"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_HOUSING_FUND">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_HOUSING_FUND"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="PRC_GET_QR_TRANSACTION_LOGS">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/PRC_GET_QR_TRANSACTION_LOGS
" style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="PRC_INSERT_QR_TRANSACTION_LOG">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/PRC_INSERT_QR_TRANSACTION_L
OG" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UPDATE_QR_TRANSACTION_LOGS">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_QR_TRANSACTION_LOGS"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_VOH_TAX">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_VOH_TAX"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertRealestateStatusLog">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertRealestateStatusLog"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_HEXING_PASS_CONFIGURATION">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_HEXING_PASS_CONFIGUR
    ATION" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_GET_DIRECT_CURRENT_APP">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/GET_GET_DIRECT_CURRENT_APP"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_DIRECT_CURRENT_APP">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_DIRECT_CURRENT_APP"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UPDATE_DIRECT_CURRENT_APP">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_DIRECT_CURRENT_APP"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_IDECO_CORRESPONDENCES">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_IDECO_CORRESPONDENCE
S" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertUnemployedCarRentalDailyTrans">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertUnemployedCarRentalDa
ilyTrans" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_CUSTOMER_USERS">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_CUSTOMER_USERS"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="CUSTOMER_WEB_APP_CHECKER">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/CUSTOMER_WEB_APP_CHECKER"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="CUSTOMER_BONDS">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/CUSTOMER_BONDS"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateCustomerServices">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateCustomerServices"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertCustomerServices">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertCustomerServices"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="SAVE_ARCHIVE_FILE_WEBSERVICES">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/SAVE_ARCHIVE_FILE_WEBSERVIC
ES" style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetAllTraining">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetAllTraining"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetTrainingDetails">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetTrainingDetails"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetPurchase">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetPurchase"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetAllTender">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetAllTender"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetTenderRegistration">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetTenderRegistration"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>

</wsdl:operation>

<wsdl:operation name="GetSpecificTender">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetSpecificTender"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="GetRealEstateDocumentView">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetRealEstateDocumentView"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="GetCustomer">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetCustomer"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="CheckRealEstateDocument">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/CheckRealEstateDocument"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetInvoiceType">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetInvoiceType"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetInvoiceDetail">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetInvoiceDetail"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetInvoiceOtherDetail">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetInvoiceOtherDetail"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="getGenerics">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/getGenerics"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="getGenaricsCity">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/getGenaricsCity"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="getAllCities">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/getAllCities"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertComplaintsTracking">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertComplaintsTracking"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetCurrentComplaintID">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetCurrentComplaintID"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateEmailComplaint">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UpdateEmailComplaint"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetComplaint">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetComplaint"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetCustomerInfo">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetCustomerInfo"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetComplaintWithParameters">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetComplaintWithParameters"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetRegistryValue">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetRegistryValue"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertRequestsForHiring">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertRequestsForHiring"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertRequestsForHiring_QS">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertRequestsForHiring_QS"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertRequestsForHiring_Experiences">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertRequestsForHiring_Exp
eriences" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertRequestsForHiring_Training">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertRequestsForHiring_Tra
ining" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertRequestsForHiring_Reference">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertRequestsForHiring_Ref
    erence" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="DeletedAllDataRequestsForHiring">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/DeletedAllDataRequestsForHi
    ring" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="getGenaricsJop">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/getGenaricsJop"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetRequestsForHiring">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetRequestsForHiring"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetRequistQualification">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetRequistQualification"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetRequistExperience">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetRequistExperience"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetRequistTraining">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetRequistTraining"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetRequistReference">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetRequistReference"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="UpdateRequestsForHiring">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateRequestsForHiring"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetJREEEFData">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetJREEEFData"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertJreeefData">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertJreeefData"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertDisconnCusromerReq">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertDisconnCusromerReq"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetInboxData">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetInboxData"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertCarRentalDailyTrans">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertCarRentalDailyTrans"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateCarRentalDailyTrans">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UpdateCarRentalDailyTrans"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetCarRental">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetCarRental"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_CUSTOMER_PHOTO_METER_READ">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_CUSTOMER_PHOTO_METER_READ"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertUpdateApprovals">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertUpdateApprovals"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetAppLoginUser">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetAppLoginUser"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>

</wsdl:operation>

<wsdl:operation name="Get_Emp_Leaves">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/Get_Emp_Leaves"
  style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="UpdateVacationsData">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/UpdateVacationsData"
  style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="GET_GM_TASK_MANAGMENT">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GET_GM_TASK_MANAGMENT"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_GM_TASK_MNG_MASTER">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_GM_TASK_MNG_MASTER"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_GM_TASK_MNG_DETAIL">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_GM_TASK_MNG_DETAIL"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_GM_TASK_MNG_IMG">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_GM_TASK_MNG_IMG"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_TASK_SCHEDULE">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_TASK_SCHEDULE"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_TASK_SCHEDULE">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_TASK_SCHEDULE"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateGmTaskManagment">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateGmTaskManagment"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetDirectPayUrl">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetDirectPayUrl"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertCustomerNotes">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertCustomerNotes"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="SaveGmFileToBath">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/SaveGmFileToBath"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetGmFileToBath">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetGmFileToBath"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_CTVT_INSPECTION">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_CTVT_INSPECTION"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_INDIRECT_CT_INSPICICTION">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_INDIRECT_CT_INSPICICTION"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_CTVT_INSPECTION">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_CTVT_INSPECTION"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_INDIRECT_CT_INSPICTION">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_INDIRECT_CT_INSPICTION"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateUserPassword">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateUserPassword"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="SetResponsepleID">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/SetResponsepleID"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateCashUserInfoPDA">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UpdateCashUserInfoPDA"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="Update_Emp_Leave">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/Update_Emp_Leave"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetEmpNoti">
  <soap:operation soapAction="http://tempuri.org/IpublicWcfsrv/GetEmpNoti"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="Insert_Emp_Noti">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/Insert_Emp_Noti"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_RENEWABLE_APP_CLOSE">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_RENEWABLE_APP_CLOSE"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_RENEWABLE_APP_CLOSE">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_RENEWABLE_APP_CLOSE"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_SMART_METER_CONFIGURATION">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_SMART_METER_CONFIGURATION"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetMovementCommands">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetMovementCommands"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetGenerics_Training">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetGenerics_Training"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="Employee_Search_Name_V2">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/Employee_Search_Name_V2"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="Employee_Search_Number_V2">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/Employee_Search_Number_V2"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertMovementCommand">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertMovementCommand"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetUserData">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetUserData"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateMovementCommand">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/UpdateMovementCommand"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_ideco_apps">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/GET_ideco_apps"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_ideco_apps">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_ideco_apps"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_apps_permiss">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_apps_permiss"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UPDATE_ideco_apps">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_ideco_apps"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>

</wsdl:operation>

<wsdl:operation name="UPDATE_apps_peris">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_apps_peris"
    style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="GetEmpSectRespID">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetEmpSectRespID"
    style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="INSERT_CUSTOMER_NOTE_READER">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_CUSTOMER_NOTE_READER"
    style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_CUSTOMER_NOTE_READER">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_CUSTOMER_NOTE_READER"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_CUSTOMER_NOTE_READER2">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_CUSTOMER_NOTE_READER
    2" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetIDECO_SOCIAL_SERVICES">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetIDECO_SOCIAL_SERVICES"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_IDECO_SOCIAL_SERVICES">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_IDECO_SOCIAL_SERVICE
S" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetAppsLocation">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetAppsLocation"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="Update_CT_VT">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/Update_CT_VT"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_CALL_CNT_ERG">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_CALL_CNT_ERG"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_SERVEY_MASTER">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_SERVEY_MASTER"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_SERVEY_DETALIS">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_SERVEY_DETALIS"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetWfGenerics">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/GetWfGenerics"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_TRANSFORMER_VISIT">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_TRANSFORMER_VISIT"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_TRANSFORMER_VISIT">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GET_TRANSFORMER_VISIT"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_TENDER_USERS">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GET_TENDER_USERS"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_TENDER_USERS">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_TENDER_USERS"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UPDATE_TENDER_USERS">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_TENDER_USERS"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_TENDER_ANNOCEMENT">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_TENDER_ANNOCEMENT"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_TENDER_ANNOCEMENT">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_TENDER_ANNOCEMENT"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UPDATE_TENDER_ANNOCEMENT">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_TENDER_ANNOCEMENT"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="Employee_Search_Number">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/Employee_Search_Number"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="Insert_CUSTOMER_PHOTO">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/Insert_CUSTOMER_PHOTO"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_SERVEY_EXIST">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GET_SERVEY_EXIST"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="UPDATE_SURVEY_MASTER">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_SURVEY_MASTER"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="SEND_SMS_TOSUBS">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/SEND_SMS_TOSUBS"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="getTEndersAnnouncement">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/getTEndersAnnouncement"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetGenericsTender">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/GetGenericsTender"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_NEW_TENDERS">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/GET_NEW_TENDERS"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="INSERT_NEW_TENDERS">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_NEW_TENDERS"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetTransDistBoxVisit">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetTransDistBoxVisit"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertTransDistBoxVisit">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertTransDistBoxVisit"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="UpdateTransDistBoxVisit">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateTransDistBoxVisit"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_CUST_CONN_OPRATION_OTHERS">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_CUST_CONN_OPRATION_OTHE
    RS" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_DISCONN_TRANS">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_DISCONN_TRANS"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>

</wsdl:operation>

<wsdl:operation name="INSERT_CUST_CONN_OPRATION_OTHERS">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_CUST_CONN_OPRATION_O
  THERS" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="InsertCtvtImages">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/InsertCtvtImages"
  style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="INSERT_TECH_MTR_TMPR_DATA">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_TECH_MTR_TMPR_DATA"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="CREATE_MODEM_REG_PROCESS">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/CREATE_MODEM_REG_PROCESS"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertTechCounterCertificate">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertTechCounterCertificat
e" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="UpdateTechCounterCertificate">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateTechCounterCertificate"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertCounterfORM">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertCounterfORM"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="SmartMeterLogEvent">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/SmartMeterLogEvent"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="Get_Phone_Num">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/Get_Phone_Num"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UpdatePhonNumberFalg">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdatePhonNumberFalg"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertPhoneNumber">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertPhoneNumber"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertSplittersLog">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertSplittersLog"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetKeysInstallment">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetKeysInstallment"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="Insert_Tender_registration">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/Insert_Tender_registration"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_Tender_registration">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_Tender_registration"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertKeysInstallment">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertKeysInstallment"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateKeysInstallment">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateKeysInstallment"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertCounterData">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertCounterData"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertCtData">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertCtData"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_TICKETS_USER">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GET_TICKETS_USER"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_EMP_QUALITY_ASSURANCE">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GET_EMP_QUALITY_ASSURANCE"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_EMP_QUALITY_ASSURANCE">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_EMP_QUALITY_ASSURANC
    E" style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UpdateScheduleTaskMaster">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateScheduleTaskMaster"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="DoWork">
  <soap:operation soapAction="http://tempuri.org/IpublicWcfsrv/DoWork"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="HelloWorld">
  <soap:operation soapAction="http://tempuri.org/IpublicWcfsrv/HelloWorld"
style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetQuestionsList">
  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetQuestionsList"
style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetGenerics">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetGenerics"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetGenericsDataTable">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetGenericsDataTable"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetEmpInfo">

  <soap:operation soapAction="http://tempuri.org/IpublicWcfsrv/GetEmpInfo"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetSalaryInfo">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetSalaryInfo"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetSalaryInfoWithYear">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetSalaryInfoWithYear"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetVecations">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetVecations"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetEquivlents">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetEquivlents"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetChargesInfo">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetChargesInfo"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetSavingInfo">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetSavingInfo"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetSavingDebtInfo">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetSavingDebtInfo"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetCoursesInfo">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetCoursesInfo"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>

</wsdl:operation>

<wsdl:operation name="GetInvoicesInfo">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetInvoicesInfo"
    style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="GetDoctorsInfo">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetDoctorsInfo"
    style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="GetHealthsInfo">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetHealthsInfo"
    style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetHealthsInfo2">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetHealthsInfo2"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetImprintsInfo">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetImprintsInfo"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetPollEmpData">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetPollEmpData"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertPollEmp">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertPollEmp"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetElectricalTariff">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetElectricalTariff"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetCustodyTransfers">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetCustodyTransfers"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UpdateCustodyTransfers">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateCustodyTransfers"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetCustodyData">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetCustodyData"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetHelthDept">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetHelthDept"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetZainBill">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetZainBill"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetProcessInfo">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetProcessInfo"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertEmpSaving">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertEmpSaving"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetEmpSaving">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetEmpSaving"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetOverTimeDetails">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetOverTimeDetails"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertSuggestion">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertSuggestion"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetSuggestion">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetSuggestion"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetPollSubData">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetPollSubData"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertSubPoll">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertSubPoll"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertIDEA_EMP_MASTER">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertIDEA_EMP_MASTER"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertIDEA_EMP_DETAILS">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertIDEA_EMP_DETAILS"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateIDEA_EMP_MASTER">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UpdateIDEA_EMP_MASTER"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetIDEA_EMP">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetIDEA_EMP"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetPathBookNo">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetPathBookNo"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetPEREVALMF">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetPEREVALMF"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetDeserveInfo">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/GetDeserveInfo"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertDeserveApp">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/InsertDeserveApp"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateEmpSaving">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UpdateEmpSaving"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateDeserveApp">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UpdateDeserveApp"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertCustomer_AID_Req">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertCustomer_AID_Req"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="Get_Customer_AID_Req">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/Get_Customer_AID_Req"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertCustDetails">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertCustDetails"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetCustSubs">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetCustSubs"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateCustDetails">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateCustDetails"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="Insert_Cust_Noti">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/Insert_Cust_Noti"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetCustNoti">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetCustNoti"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="Update_Cust_Notis">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/Update_Cust_Notis"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UPDATE_GM_CONTACT">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UPDATE_GM_CONTACT"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="INSERT_GM_CONTACT">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/INSERT_GM_CONTACT"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="Get_Vacations_Search">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/Get_Vacations_Search"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_GM_CONTACT">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_GM_CONTACT"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="CreateNewProcessByAdmin">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/CreateNewProcessByAdmin"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertVacations">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertVacations"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="Insert_Emp_Leave">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/Insert_Emp_Leave"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="Get_EmployeesPosition">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/Get_EmployeesPosition"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GET_APPRAISAL_DATE_SQL">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GET_APPRAISAL_DATE_SQL"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="Get_Vacations_Search_Det">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/Get_Vacations_Search_Det"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="Get_Leave_Type">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/Get_Leave_Type"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GET_EMP_WORKCENTER">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GET_EMP_WORKCENTER"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="WorkflowAdvanceByAdmin">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/WorkflowAdvanceByAdmin"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetAppVersion">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetAppVersion"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetNews">
```

```
<soap:operation soapAction="http://tempuri.org/IpublicWcfsrv/GetNews"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>

</wsdl:operation>

<wsdl:operation name="GetAllNews">

  <soap:operation soapAction="http://tempuri.org/IpublicWcfsrv/GetAllNews"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="UpdateNews">

  <soap:operation soapAction="http://tempuri.org/IpublicWcfsrv/UpdateNews"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
```

```
</wsdl:operation>

<wsdl:operation name="InsertNews">

  <soap:operation soapAction="http://tempuri.org/IpublicWcfsrv/InsertNews"
  style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="GetArticles">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/GetArticles"
  style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="GetAllArticles">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/GetAllArticles"
  style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>
```

```
<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="UpdateArticles">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateArticles"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertArticles">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertArticles"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetTenders">
  <soap:operation soapAction="http://tempuri.org/IpublicWcfsrv/GetTenders"
    style="document"/>
```

```
<wsdl:input>
  <soap:body use="literal"/>
</wsdl:input>
<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetAllTenders">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetAllTenders"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UpdateTenders">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateTenders"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
```

```
<wsdl:operation name="InsertTenders">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertTenders"
    style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetCPUUsers">

  <soap:operation soapAction="http://tempuri.org/IpublicWcfsrv/GetCPUUsers"
    style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateCPUUsers">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateCPUUsers"
    style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>
```

```
        <soap:body use="literal"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertCPUsers">
    <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertCPUsers"
    style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetUserSections">
    <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetUserSections"
    style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UpdateUserSections">
    <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateUserSections"
    style="document"/>
    <wsdl:input>
```

```
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertUserSections">
  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/InsertUserSections"
  style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="DeleteUserSections">
  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/DeleteUserSections"
  style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetSections">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetSections"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertPagesCounter">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertPagesCounter"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetPageCounter">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetPageCounter"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetImportantNews">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetImportantNews"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetAllImportantNews">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetAllImportantNews"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UpdateImportantNews">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateImportantNews"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertImportantNews">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertImportantNews"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetAllElectricityConsumption">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetAllElectricityConsumption"
    style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateElectricityConsumption">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UpdateElectricityConsumption" style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertElectricityConsumption">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertElectricityConsumption" style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertTraining">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertTraining"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="UpdateTraining">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateTraining"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetTraining">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetTraining"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UploadArchivingFiles">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UploadArchivingFiles"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetCostInfo">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/GetCostInfo"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetDisconnectionInfo">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/GetDisconnectionInfo"
  style="document"/>

  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>

  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="CalculateCustomerBill">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/CalculateCustomerBill"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetCashPaymentUser">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetCashPaymentUser"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertReceivableAppReq">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertReceivableAppReq"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetReceivableAppReq">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetReceivableAppReq"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetCustomerCashInfo">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetCustomerCashInfo"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetBatchInfo">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetBatchInfo"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>

</wsdl:operation>

<wsdl:operation name="InsertDebtMadfoo3at">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/InsertDebtMadfoo3at"
  style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="GetPrintLog">

  <soap:operation
  soapAction="http://tempuri.org/IpublicWcfsrv/GetPrintLog"
  style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>

</wsdl:operation>

<wsdl:operation name="UpdatePrintLog">
```

```
<soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/UpdatePrintLog"
style="document"/>

<wsdl:input>

  <soap:body use="literal"/>

</wsdl:input>

<wsdl:output>

  <soap:body use="literal"/>

</wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertIdecoOffice">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/InsertIdecoOffice"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetIdecoOffice">

  <soap:operation
soapAction="http://tempuri.org/IpublicWcfsrv/GetIdecoOffice"
style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="UpdateIdecoOffice">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateIdecoOffice"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetUsers">
  <soap:operation soapAction="http://tempuri.org/IpublicWcfsrv/GetUsers"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UpdateUsers">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateUsers"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
```

```
</wsdl:input>

<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>

<wsdl:operation name="InsertUsers">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/InsertUsers"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="Encrypt">
  <soap:operation soapAction="http://tempuri.org/IpublicWcfsrv/Encrypt"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="Decrypt">
  <soap:operation soapAction="http://tempuri.org/IpublicWcfsrv/Decrypt"
    style="document"/>
```

```
<wsdl:input>
  <soap:body use="literal"/>
</wsdl:input>
<wsdl:output>
  <soap:body use="literal"/>
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetUsersBusiness">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetUsersBusiness"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UpdateUsersBusiness">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateUsersBusiness"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
```

```
<wsdl:operation name="GetBillBusiness">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetBillBusiness"
    style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="GetUsersCust">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetUsersCust"
    style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>

    <soap:body use="literal"/>

  </wsdl:output>
</wsdl:operation>

<wsdl:operation name="UpdateUsersCust">

  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/UpdateUsersCust"
    style="document"/>

  <wsdl:input>

    <soap:body use="literal"/>

  </wsdl:input>

  <wsdl:output>
```

```
        <soap:body use="literal"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetBillCust">
    <soap:operation
        soapAction="http://tempuri.org/IpublicWcfsrv/GetBillCust"
        style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertCustUsers">
    <soap:operation
        soapAction="http://tempuri.org/IpublicWcfsrv/InsertCustUsers"
        style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="InsertCustSubs">
    <soap:operation
        soapAction="http://tempuri.org/IpublicWcfsrv/InsertCustSubs"
        style="document"/>
    <wsdl:input>
```

```
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetAllCustomerSummry">
  <soap:operation
    soapAction="http://tempuri.org/IpublicWcfsrv/GetAllCustomerSummry"
    style="document"/>
  <wsdl:input>
    <soap:body use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal"/>
  </wsdl:output>
</wsdl:operation>
</wsdl:binding>
<wsdl:service name="publicWcfsrv">
  <wsdl:port name="BasicHttpBinding_IpublicWcfsrv"
    binding="tns:BasicHttpBinding_IpublicWcfsrv">
    <soap:address
      location="http://192.168.230.18/IDECO_API/publicWcfsrv.svc"/>
  </wsdl:port>
</wsdl:service>
</wsdl:definitions>
```